

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	28/02/25 23:01	73.25	73.25% @ 8.6° C
1224892	Display Cabinet 1	28/02/25 22:01	73.26	73.26% @ 8.9° C
1224892	Display Cabinet 1	28/02/25 21:01	73.2	73.2% @ 9.2° C
1224892	Display Cabinet 1	28/02/25 20:01	72.92	72.92% @ 9.6° C
1224892	Display Cabinet 1	28/02/25 19:01	72.88	72.88% @ 10.1° C
1224892	Display Cabinet 1	28/02/25 18:01	72.47	72.47% @ 10.9° C
1224892	Display Cabinet 1	28/02/25 17:01	72.13	72.13% @ 11.4° C
1224892	Display Cabinet 1	28/02/25 16:01	72.45	72.45% @ 11.5° C
1224892	Display Cabinet 1	28/02/25 15:01	72.21	72.21% @ 11.4° C
1224892	Display Cabinet 1	28/02/25 14:01	72.76	72.76% @ 11° C
1224892	Display Cabinet 1	28/02/25 13:01	73.39	73.39% @ 10.4° C
1224892	Display Cabinet 1	28/02/25 12:01	74.11	74.11% @ 9.7° C
1224892	Display Cabinet 1	28/02/25 11:01	74.26	74.26% @ 9° C
1224892	Display Cabinet 1	28/02/25 10:01	74.48	74.48% @ 8.6° C
1224892	Display Cabinet 1	28/02/25 09:01	74.7	74.7% @ 8.2° C
1224892	Display Cabinet 1	28/02/25 08:01	74.83	74.83% @ 8° C
1224892	Display Cabinet 1	28/02/25 07:01	74.76	74.76% @ 7.9° C
1224892	Display Cabinet 1	28/02/25 06:01	74.82	74.82% @ 7.9° C
1224892	Display Cabinet 1	28/02/25 05:01	74.83	74.83% @ 7.9° C
1224892	Display Cabinet 1	28/02/25 04:01	74.44	74.44% @ 8.1° C
1224892	Display Cabinet 1	28/02/25 03:01	74.21	74.21% @ 8.3° C
1224892	Display Cabinet 1	28/02/25 02:01	73.99	73.99% @ 8.4° C
1224892	Display Cabinet 1	28/02/25 01:01	73.66	73.66% @ 8.6° C
1224892	Display Cabinet 1	28/02/25 00:01	73.71	73.71% @ 8.7° C
1224892	Display Cabinet 1	27/02/25 23:01	73.94	73.94% @ 8.7° C
1224892	Display Cabinet 1	27/02/25 22:01	73.93	73.93% @ 8.7° C
1224892	Display Cabinet 1	27/02/25 21:01	73.85	73.85% @ 8.8° C
1224892	Display Cabinet 1	27/02/25 20:01	73.75	73.75% @ 8.9° C
1224892	Display Cabinet 1	27/02/25 19:01	73.65	73.65% @ 9.3° C
1224892	Display Cabinet 1	27/02/25 18:01	73.62	73.62% @ 9.8° C
1224892	Display Cabinet 1	27/02/25 17:01	73.92	73.92% @ 10.1° C
1224892	Display Cabinet 1	27/02/25 16:01	74.21	74.21% @ 10.1° C
1224892	Display Cabinet 1	27/02/25 15:01	74.57	74.57% @ 9.8° C
1224892	Display Cabinet 1	27/02/25 14:02	74.85	74.85% @ 9.6° C
1224892	Display Cabinet 1	27/02/25 13:01	75.12	75.12% @ 9.3° C
1224892	Display Cabinet 1	27/02/25 12:01	75.5	75.5% @ 9° C
1224892	Display Cabinet 1	27/02/25 11:01	75.65	75.65% @ 8.8° C
1224892	Display Cabinet 1	27/02/25 10:01	76.26	76.26% @ 8.5° C
1224892	Display Cabinet 1	27/02/25 09:01	76.24	76.24% @ 8.3° C
1224892	Display Cabinet 1	27/02/25 08:01	76.28	76.28% @ 8.2° C
1224892	Display Cabinet 1	27/02/25 07:01	76.36	76.36% @ 8.1° C
1224892	Display Cabinet 1	27/02/25 06:01	76.45	76.45% @ 8.1° C
1224892	Display Cabinet 1	27/02/25 05:01	76.56	76.56% @ 8° C
1224892	Display Cabinet 1	27/02/25 04:01	76.81	76.81% @ 8.1° C
1224892	Display Cabinet 1	27/02/25 03:01	76.73	76.73% @ 8.2° C
1224892	Display Cabinet 1	27/02/25 02:01	76.81	76.81% @ 8.3° C
1224892	Display Cabinet 1	27/02/25 01:01	76.94	76.94% @ 8.4° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	27/02/25 00:01	77.09	77.09% @ 8.6° C
1224892	Display Cabinet 1	26/02/25 23:01	77.21	77.21% @ 8.8° C
1224892	Display Cabinet 1	26/02/25 22:01	77.3	77.3% @ 9° C
1224892	Display Cabinet 1	26/02/25 21:01	77.51	77.51% @ 9.3° C
1224892	Display Cabinet 1	26/02/25 20:01	77.63	77.63% @ 9.6° C
1224892	Display Cabinet 1	26/02/25 19:01	77.71	77.71% @ 9.8° C
1224892	Display Cabinet 1	26/02/25 18:01	77.66	77.66% @ 10.1° C
1224892	Display Cabinet 1	26/02/25 17:01	77.61	77.61% @ 10.2° C
1224892	Display Cabinet 1	26/02/25 16:01	77.49	77.49% @ 10.2° C
1224892	Display Cabinet 1	26/02/25 15:01	77.42	77.42% @ 9.9° C
1224892	Display Cabinet 1	26/02/25 14:01	77.02	77.02% @ 10° C
1224892	Display Cabinet 1	26/02/25 13:01	76.74	76.74% @ 10° C
1224892	Display Cabinet 1	26/02/25 12:01	76.61	76.61% @ 9.9° C
1224892	Display Cabinet 1	26/02/25 11:01	76.49	76.49% @ 9.6° C
1224892	Display Cabinet 1	26/02/25 10:01	76.21	76.21% @ 9° C
1224892	Display Cabinet 1	26/02/25 09:01	76.07	76.07% @ 8.4° C
1224892	Display Cabinet 1	26/02/25 08:01	75.72	75.72% @ 8.1° C
1224892	Display Cabinet 1	26/02/25 07:01	75.59	75.59% @ 8.2° C
1224892	Display Cabinet 1	26/02/25 06:01	75.5	75.5% @ 8.3° C
1224892	Display Cabinet 1	26/02/25 05:01	75.51	75.51% @ 8.5° C
1224892	Display Cabinet 1	26/02/25 04:01	75.44	75.44% @ 8.8° C
1224892	Display Cabinet 1	26/02/25 03:01	75.48	75.48% @ 9.1° C
1224892	Display Cabinet 1	26/02/25 02:01	75.74	75.74% @ 9.3° C
1224892	Display Cabinet 1	26/02/25 01:01	75.9	75.9% @ 9.6° C
1224892	Display Cabinet 1	26/02/25 00:01	76.04	76.04% @ 9.8° C
1224892	Display Cabinet 1	25/02/25 23:01	76.32	76.32% @ 10.1° C
1224892	Display Cabinet 1	25/02/25 22:01	76.29	76.29% @ 10.5° C
1224892	Display Cabinet 1	25/02/25 21:01	76.43	76.43% @ 10.8° C
1224892	Display Cabinet 1	25/02/25 20:01	76.44	76.44% @ 11.1° C
1224892	Display Cabinet 1	25/02/25 19:01	76.38	76.38% @ 11.6° C
1224892	Display Cabinet 1	25/02/25 18:01	76.65	76.65% @ 11.8° C
1224892	Display Cabinet 1	25/02/25 17:01	76.9	76.9% @ 12° C
1224892	Display Cabinet 1	25/02/25 16:01	77.07	77.07% @ 12.1° C
1224892	Display Cabinet 1	25/02/25 15:01	77.14	77.14% @ 12.2° C
1224892	Display Cabinet 1	25/02/25 14:01	77.14	77.14% @ 12.3° C
1224892	Display Cabinet 1	25/02/25 13:01	77.84	77.84% @ 12.3° C
1224892	Display Cabinet 1	25/02/25 12:01	78.76	78.76% @ 12.1° C
1224892	Display Cabinet 1	25/02/25 11:01	79.33	79.33% @ 11.9° C
1224892	Display Cabinet 1	25/02/25 10:01	79.96	79.96% @ 11.8° C
1224892	Display Cabinet 1	25/02/25 09:01	79.88	79.88% @ 11.3° C
1224892	Display Cabinet 1	25/02/25 08:01	79.88	79.88% @ 11.2° C
1224892	Display Cabinet 1	25/02/25 07:01	80.08	80.08% @ 11.2° C
1224892	Display Cabinet 1	25/02/25 06:01	79.83	79.83% @ 11.2° C
1224892	Display Cabinet 1	25/02/25 05:01	79.77	79.77% @ 11.2° C
1224892	Display Cabinet 1	25/02/25 04:01	79.89	79.89% @ 11.3° C
1224892	Display Cabinet 1	25/02/25 03:01	79.94	79.94% @ 11.4° C
1224892	Display Cabinet 1	25/02/25 02:01	80.02	80.02% @ 11.4° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	25/02/25 01:01	80.14	80.14% @ 11.3° C
1224892	Display Cabinet 1	25/02/25 00:01	79.87	79.87% @ 11.4° C
1224892	Display Cabinet 1	24/02/25 23:01	79.96	79.96% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 22:01	79.96	79.96% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 21:01	80.01	80.01% @ 11.6° C
1224892	Display Cabinet 1	24/02/25 20:01	80.02	80.02% @ 11.8° C
1224892	Display Cabinet 1	24/02/25 19:01	80.15	80.15% @ 12.1° C
1224892	Display Cabinet 1	24/02/25 18:01	80.04	80.04% @ 12.4° C
1224892	Display Cabinet 1	24/02/25 17:01	80.22	80.22% @ 12.6° C
1224892	Display Cabinet 1	24/02/25 16:01	80.4	80.4% @ 12.7° C
1224892	Display Cabinet 1	24/02/25 15:01	80.62	80.62% @ 12.7° C
1224892	Display Cabinet 1	24/02/25 14:01	81.03	81.03% @ 12.4° C
1224892	Display Cabinet 1	24/02/25 13:01	81.14	81.14% @ 12.3° C
1224892	Display Cabinet 1	24/02/25 12:01	81.28	81.28% @ 12° C
1224892	Display Cabinet 1	24/02/25 11:01	81.13	81.13% @ 11.7° C
1224892	Display Cabinet 1	24/02/25 10:01	80.99	80.99% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 09:01	80.88	80.88% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 08:01	80.75	80.75% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 07:01	80.55	80.55% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 06:01	80.41	80.41% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 05:01	80.27	80.27% @ 11.5° C
1224892	Display Cabinet 1	24/02/25 04:01	80.15	80.15% @ 11.6° C
1224892	Display Cabinet 1	24/02/25 03:01	80.09	80.09% @ 11.6° C
1224892	Display Cabinet 1	24/02/25 02:01	80.05	80.05% @ 11.6° C
1224892	Display Cabinet 1	24/02/25 01:01	79.95	79.95% @ 11.7° C
1224892	Display Cabinet 1	24/02/25 00:01	79.86	79.86% @ 11.7° C
1224892	Display Cabinet 1	23/02/25 23:01	79.72	79.72% @ 11.8° C
1224892	Display Cabinet 1	23/02/25 22:01	79.65	79.65% @ 11.8° C
1224892	Display Cabinet 1	23/02/25 21:01	79.51	79.51% @ 11.9° C
1224892	Display Cabinet 1	23/02/25 20:01	79.39	79.39% @ 12° C
1224892	Display Cabinet 1	23/02/25 19:01	79.23	79.23% @ 12.2° C
1224892	Display Cabinet 1	23/02/25 18:01	79.17	79.17% @ 12.5° C
1224892	Display Cabinet 1	23/02/25 17:01	79.2	79.2% @ 12.9° C
1224892	Display Cabinet 1	23/02/25 16:01	79.43	79.43% @ 13.1° C
1224892	Display Cabinet 1	23/02/25 15:01	79.81	79.81% @ 13.2° C
1224892	Display Cabinet 1	23/02/25 14:01	80.12	80.12% @ 12.9° C
1224892	Display Cabinet 1	23/02/25 13:01	80.47	80.47% @ 12.7° C
1224892	Display Cabinet 1	23/02/25 12:01	80.91	80.91% @ 12.6° C
1224892	Display Cabinet 1	23/02/25 11:01	81.38	81.38% @ 12° C
1224892	Display Cabinet 1	23/02/25 10:01	81.59	81.59% @ 11.4° C
1224892	Display Cabinet 1	23/02/25 09:01	81.76	81.76% @ 11.1° C
1224892	Display Cabinet 1	23/02/25 08:01	81.79	81.79% @ 11° C
1224892	Display Cabinet 1	23/02/25 07:01	81.76	81.76% @ 11° C
1224892	Display Cabinet 1	23/02/25 06:01	81.76	81.76% @ 11° C
1224892	Display Cabinet 1	23/02/25 05:01	81.7	81.7% @ 11° C
1224892	Display Cabinet 1	23/02/25 04:01	81.58	81.58% @ 11.1° C
1224892	Display Cabinet 1	23/02/25 03:01	81.55	81.55% @ 11.1° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	23/02/25 02:01	81.57	81.57% @ 11.1° C
1224892	Display Cabinet 1	23/02/25 01:01	81.57	81.57% @ 11° C
1224892	Display Cabinet 1	23/02/25 00:01	81.49	81.49% @ 10.9° C
1224892	Display Cabinet 1	22/02/25 23:01	81.37	81.37% @ 10.9° C
1224892	Display Cabinet 1	22/02/25 22:01	81.3	81.3% @ 11° C
1224892	Display Cabinet 1	22/02/25 21:01	81.29	81.29% @ 11.3° C
1224892	Display Cabinet 1	22/02/25 20:01	81.25	81.25% @ 11.6° C
1224892	Display Cabinet 1	22/02/25 19:01	81.28	81.28% @ 12.1° C
1224892	Display Cabinet 1	22/02/25 18:01	81.24	81.24% @ 12.5° C
1224892	Display Cabinet 1	22/02/25 17:01	81.32	81.32% @ 12.8° C
1224892	Display Cabinet 1	22/02/25 16:01	81.47	81.47% @ 12.9° C
1224892	Display Cabinet 1	22/02/25 15:01	81.67	81.67% @ 12.9° C
1224892	Display Cabinet 1	22/02/25 14:01	81.71	81.71% @ 12.7° C
1224892	Display Cabinet 1	22/02/25 13:01	81.59	81.59% @ 12.3° C
1224892	Display Cabinet 1	22/02/25 12:01	81.41	81.41% @ 12.1° C
1224892	Display Cabinet 1	22/02/25 11:01	81.32	81.32% @ 11.9° C
1224892	Display Cabinet 1	22/02/25 10:01	81.29	81.29% @ 11.8° C
1224892	Display Cabinet 1	22/02/25 09:01	81.24	81.24% @ 11.7° C
1224892	Display Cabinet 1	22/02/25 08:01	81.08	81.08% @ 11.7° C
1224892	Display Cabinet 1	22/02/25 07:01	80.98	80.98% @ 11.7° C
1224892	Display Cabinet 1	22/02/25 06:01	80.91	80.91% @ 11.8° C
1224892	Display Cabinet 1	22/02/25 05:01	80.71	80.71% @ 11.8° C
1224892	Display Cabinet 1	22/02/25 04:01	80.56	80.56% @ 11.9° C
1224892	Display Cabinet 1	22/02/25 03:01	80.37	80.37% @ 11.9° C
1224892	Display Cabinet 1	22/02/25 02:01	80.22	80.22% @ 12° C
1224892	Display Cabinet 1	22/02/25 01:01	79.93	79.93% @ 12° C
1224892	Display Cabinet 1	22/02/25 00:01	79.48	79.48% @ 12.1° C
1224892	Display Cabinet 1	21/02/25 23:01	79.45	79.45% @ 12.2° C
1224892	Display Cabinet 1	21/02/25 22:01	79.38	79.38% @ 12.2° C
1224892	Display Cabinet 1	21/02/25 21:01	79.35	79.35% @ 12.3° C
1224892	Display Cabinet 1	21/02/25 20:01	79.25	79.25% @ 12.5° C
1224892	Display Cabinet 1	21/02/25 19:01	79.08	79.08% @ 12.6° C
1224892	Display Cabinet 1	21/02/25 18:01	78.89	78.89% @ 12.9° C
1224892	Display Cabinet 1	21/02/25 17:01	78.77	78.77% @ 13.2° C
1224892	Display Cabinet 1	21/02/25 16:01	78.92	78.92% @ 13.3° C
1224892	Display Cabinet 1	21/02/25 15:01	79.47	79.47% @ 13.1° C
1224892	Display Cabinet 1	21/02/25 14:01	80.05	80.05% @ 12.6° C
1224892	Display Cabinet 1	21/02/25 13:01	80.35	80.35% @ 12.2° C
1224892	Display Cabinet 1	21/02/25 12:01	80.34	80.34% @ 12° C
1224892	Display Cabinet 1	21/02/25 11:01	80.52	80.52% @ 11.8° C
1224892	Display Cabinet 1	21/02/25 10:01	80.42	80.42% @ 11.7° C
1224892	Display Cabinet 1	21/02/25 09:01	80.36	80.36% @ 11.5° C
1224892	Display Cabinet 1	21/02/25 08:01	80.32	80.32% @ 11.4° C
1224892	Display Cabinet 1	21/02/25 07:01	80.29	80.29% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 06:01	80.25	80.25% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 05:01	80.27	80.27% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 04:01	80.25	80.25% @ 11.3° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	21/02/25 03:01	80.25	80.25% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 02:01	80.23	80.23% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 01:01	80.27	80.27% @ 11.3° C
1224892	Display Cabinet 1	21/02/25 00:01	80.29	80.29% @ 11.3° C
1224892	Display Cabinet 1	20/02/25 23:01	80.18	80.18% @ 11.2° C
1224892	Display Cabinet 1	20/02/25 22:01	80.03	80.03% @ 11.2° C
1224892	Display Cabinet 1	20/02/25 21:01	79.78	79.78% @ 11.1° C
1224892	Display Cabinet 1	20/02/25 20:01	79.51	79.51% @ 11.1° C
1224892	Display Cabinet 1	20/02/25 19:01	79.39	79.39% @ 11° C
1224892	Display Cabinet 1	20/02/25 18:01	79.15	79.15% @ 10.9° C
1224892	Display Cabinet 1	20/02/25 17:01	79.06	79.06% @ 10.9° C
1224892	Display Cabinet 1	20/02/25 16:01	78.95	78.95% @ 10.9° C
1224892	Display Cabinet 1	20/02/25 15:01	78.58	78.58% @ 10.8° C
1224892	Display Cabinet 1	20/02/25 14:01	78.41	78.41% @ 10.8° C
1224892	Display Cabinet 1	20/02/25 13:01	78.5	78.5% @ 10.5° C
1224892	Display Cabinet 1	20/02/25 12:01	78.3	78.3% @ 10.2° C
1224892	Display Cabinet 1	20/02/25 11:01	78	78% @ 9.9° C
1224892	Display Cabinet 1	20/02/25 10:01	77.69	77.69% @ 9.7° C
1224892	Display Cabinet 1	20/02/25 09:01	77.5	77.5% @ 9.6° C
1224892	Display Cabinet 1	20/02/25 08:01	76.94	76.94% @ 9.5° C
1224892	Display Cabinet 1	20/02/25 07:01	76.53	76.53% @ 9.4° C
1224892	Display Cabinet 1	20/02/25 06:01	76.2	76.2% @ 9.2° C
1224892	Display Cabinet 1	20/02/25 05:01	75.68	75.68% @ 9.1° C
1224892	Display Cabinet 1	20/02/25 04:01	75.27	75.27% @ 9° C
1224892	Display Cabinet 1	20/02/25 03:01	74.81	74.81% @ 8.9° C
1224892	Display Cabinet 1	20/02/25 02:01	74.14	74.14% @ 8.8° C
1224892	Display Cabinet 1	20/02/25 01:01	73.66	73.66% @ 8.6° C
1224892	Display Cabinet 1	20/02/25 00:01	72.95	72.95% @ 8.5° C
1224892	Display Cabinet 1	19/02/25 23:01	72.43	72.43% @ 8.4° C
1224892	Display Cabinet 1	19/02/25 22:01	71.84	71.84% @ 8.4° C
1224892	Display Cabinet 1	19/02/25 21:01	71.52	71.52% @ 8.6° C
1224892	Display Cabinet 1	19/02/25 20:01	70.88	70.88% @ 8.5° C
1224892	Display Cabinet 1	19/02/25 19:01	70.34	70.34% @ 8.7° C
1224892	Display Cabinet 1	19/02/25 18:01	69.57	69.57% @ 9.1° C
1224892	Display Cabinet 1	19/02/25 17:01	69.08	69.08% @ 9.3° C
1224892	Display Cabinet 1	19/02/25 16:01	68.94	68.94% @ 9.3° C
1224892	Display Cabinet 1	19/02/25 15:01	68.67	68.67% @ 9° C
1224892	Display Cabinet 1	19/02/25 14:01	68.67	68.67% @ 8.7° C
1224892	Display Cabinet 1	19/02/25 13:01	68.66	68.66% @ 8.3° C
1224892	Display Cabinet 1	19/02/25 12:01	68.86	68.86% @ 7.8° C
1224892	Display Cabinet 1	19/02/25 11:01	69.05	69.05% @ 7.3° C
1224892	Display Cabinet 1	19/02/25 10:01	69.32	69.32% @ 6.6° C
1224892	Display Cabinet 1	19/02/25 09:01	69.51	69.51% @ 6.2° C
1224892	Display Cabinet 1	19/02/25 08:01	69.4	69.4% @ 6° C
1224892	Display Cabinet 1	19/02/25 07:01	69.21	69.21% @ 6° C
1224892	Display Cabinet 1	19/02/25 06:01	68.9	68.9% @ 6.1° C
1224892	Display Cabinet 1	19/02/25 05:01	68.67	68.67% @ 6.2° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	19/02/25 04:01	68.57	68.57% @ 6.3° C
1224892	Display Cabinet 1	19/02/25 03:01	68.36	68.36% @ 6.4° C
1224892	Display Cabinet 1	19/02/25 02:01	68.35	68.35% @ 6.5° C
1224892	Display Cabinet 1	19/02/25 01:01	68.37	68.37% @ 6.6° C
1224892	Display Cabinet 1	19/02/25 00:01	68.3	68.3% @ 6.7° C
1224892	Display Cabinet 1	18/02/25 23:01	68.18	68.18% @ 6.8° C
1224892	Display Cabinet 1	18/02/25 22:01	68.11	68.11% @ 7° C
1224892	Display Cabinet 1	18/02/25 21:01	68.04	68.04% @ 7.1° C
1224892	Display Cabinet 1	18/02/25 20:01	68.06	68.06% @ 7.3° C
1224892	Display Cabinet 1	18/02/25 19:01	68.08	68.08% @ 7.5° C
1224892	Display Cabinet 1	18/02/25 18:01	68.04	68.04% @ 8.1° C
1224892	Display Cabinet 1	18/02/25 17:01	68.17	68.17% @ 8.6° C
1224892	Display Cabinet 1	18/02/25 16:01	68.26	68.26% @ 9° C
1224892	Display Cabinet 1	18/02/25 15:01	67.63	67.63% @ 8.9° C
1224892	Display Cabinet 1	18/02/25 14:01	68.26	68.26% @ 8.6° C
1224892	Display Cabinet 1	18/02/25 13:01	68.57	68.57% @ 8.1° C
1224892	Display Cabinet 1	18/02/25 12:01	68.95	68.95% @ 7.4° C
1224892	Display Cabinet 1	18/02/25 11:01	69.25	69.25% @ 6.6° C
1224892	Display Cabinet 1	18/02/25 10:01	69.31	69.31% @ 6° C
1224892	Display Cabinet 1	18/02/25 09:01	69.32	69.32% @ 5.6° C
1224892	Display Cabinet 1	18/02/25 08:01	69.16	69.16% @ 5.6° C
1224892	Display Cabinet 1	18/02/25 07:01	68.74	68.74% @ 5.6° C
1224892	Display Cabinet 1	18/02/25 06:01	68.25	68.25% @ 5.7° C
1224892	Display Cabinet 1	18/02/25 05:01	67.92	67.92% @ 5.8° C
1224892	Display Cabinet 1	18/02/25 04:01	67.65	67.65% @ 5.9° C
1224892	Display Cabinet 1	18/02/25 03:01	67.47	67.47% @ 6° C
1224892	Display Cabinet 1	18/02/25 02:01	67.39	67.39% @ 6° C
1224892	Display Cabinet 1	18/02/25 01:01	67.69	67.69% @ 6.1° C
1224892	Display Cabinet 1	18/02/25 00:01	67.66	67.66% @ 6.2° C
1224892	Display Cabinet 1	17/02/25 23:01	67.94	67.94% @ 6.3° C
1224892	Display Cabinet 1	17/02/25 22:01	68.33	68.33% @ 6.3° C
1224892	Display Cabinet 1	17/02/25 21:01	68.22	68.22% @ 6.4° C
1224892	Display Cabinet 1	17/02/25 20:01	67.74	67.74% @ 6.6° C
1224892	Display Cabinet 1	17/02/25 19:01	67.43	67.43% @ 7° C
1224892	Display Cabinet 1	17/02/25 18:01	67.24	67.24% @ 7.8° C
1224892	Display Cabinet 1	17/02/25 17:01	67.31	67.31% @ 8.4° C
1224892	Display Cabinet 1	17/02/25 16:01	67.47	67.47% @ 8.8° C
1224892	Display Cabinet 1	17/02/25 15:01	67.68	67.68% @ 9.1° C
1224892	Display Cabinet 1	17/02/25 14:01	68.25	68.25% @ 9.7° C
1224892	Display Cabinet 1	17/02/25 13:01	68.66	68.66% @ 7.9° C
1224892	Display Cabinet 1	17/02/25 12:01	69.04	69.04% @ 7.2° C
1224892	Display Cabinet 1	17/02/25 11:01	69.36	69.36% @ 6.5° C
1224892	Display Cabinet 1	17/02/25 10:01	69.63	69.63% @ 5.9° C
1224892	Display Cabinet 1	17/02/25 09:01	69.89	69.89% @ 5.5° C
1224892	Display Cabinet 1	17/02/25 08:01	69.73	69.73% @ 5.5° C
1224892	Display Cabinet 1	17/02/25 07:01	69.44	69.44% @ 5.6° C
1224892	Display Cabinet 1	17/02/25 06:01	69.19	69.19% @ 5.7° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	17/02/25 05:01	68.94	68.94% @ 5.8° C
1224892	Display Cabinet 1	17/02/25 04:01	68.63	68.63% @ 5.9° C
1224892	Display Cabinet 1	17/02/25 03:01	68.51	68.51% @ 6° C
1224892	Display Cabinet 1	17/02/25 02:01	68.29	68.29% @ 6.1° C
1224892	Display Cabinet 1	17/02/25 01:01	68.3	68.3% @ 6.2° C
1224892	Display Cabinet 1	17/02/25 00:01	68.23	68.23% @ 6.3° C
1224892	Display Cabinet 1	16/02/25 23:01	68.41	68.41% @ 6.4° C
1224892	Display Cabinet 1	16/02/25 22:01	68.6	68.6% @ 6.5° C
1224892	Display Cabinet 1	16/02/25 21:01	69.2	69.2% @ 6.7° C
1224892	Display Cabinet 1	16/02/25 20:01	69.33	69.33% @ 6.9° C
1224892	Display Cabinet 1	16/02/25 19:01	69.22	69.22% @ 7° C
1224892	Display Cabinet 1	16/02/25 18:01	68.97	68.97% @ 7.2° C
1224892	Display Cabinet 1	16/02/25 17:01	68.81	68.81% @ 7.5° C
1224892	Display Cabinet 1	16/02/25 16:01	68.79	68.79% @ 7.7° C
1224892	Display Cabinet 1	16/02/25 15:01	68.96	68.96% @ 7.8° C
1224892	Display Cabinet 1	16/02/25 14:01	69.19	69.19% @ 7.6° C
1224892	Display Cabinet 1	16/02/25 13:01	69.43	69.43% @ 7.5° C
1224892	Display Cabinet 1	16/02/25 12:01	69.85	69.85% @ 7.2° C
1224892	Display Cabinet 1	16/02/25 11:01	70.17	70.17% @ 6.8° C
1224892	Display Cabinet 1	16/02/25 10:01	70.85	70.85% @ 6.5° C
1224892	Display Cabinet 1	16/02/25 09:01	70.98	70.98% @ 6.4° C
1224892	Display Cabinet 1	16/02/25 08:01	71.05	71.05% @ 6.4° C
1224892	Display Cabinet 1	16/02/25 07:01	70.94	70.94% @ 6.5° C
1224892	Display Cabinet 1	16/02/25 06:01	71.06	71.06% @ 6.5° C
1224892	Display Cabinet 1	16/02/25 05:01	70.93	70.93% @ 6.6° C
1224892	Display Cabinet 1	16/02/25 04:01	70.99	70.99% @ 6.6° C
1224892	Display Cabinet 1	16/02/25 03:01	71.2	71.2% @ 6.6° C
1224892	Display Cabinet 1	16/02/25 02:01	71.14	71.14% @ 6.6° C
1224892	Display Cabinet 1	16/02/25 01:01	70.81	70.81% @ 6.6° C
1224892	Display Cabinet 1	16/02/25 00:01	70.56	70.56% @ 6.6° C
1224892	Display Cabinet 1	15/02/25 23:01	70.37	70.37% @ 6.6° C
1224892	Display Cabinet 1	15/02/25 22:01	70.14	70.14% @ 6.7° C
1224892	Display Cabinet 1	15/02/25 21:01	70.01	70.01% @ 6.7° C
1224892	Display Cabinet 1	15/02/25 20:01	69.83	69.83% @ 6.9° C
1224892	Display Cabinet 1	15/02/25 19:01	69.6	69.6% @ 7.1° C
1224892	Display Cabinet 1	15/02/25 18:01	69.23	69.23% @ 7.3° C
1224892	Display Cabinet 1	15/02/25 17:01	69.19	69.19% @ 7.6° C
1224892	Display Cabinet 1	15/02/25 16:01	69.14	69.14% @ 7.8° C
1224892	Display Cabinet 1	15/02/25 15:01	69.29	69.29% @ 7.7° C
1224892	Display Cabinet 1	15/02/25 14:01	69.5	69.5% @ 7.6° C
1224892	Display Cabinet 1	15/02/25 13:01	69.77	69.77% @ 7.4° C
1224892	Display Cabinet 1	15/02/25 12:01	70.18	70.18% @ 7.1° C
1224892	Display Cabinet 1	15/02/25 11:01	70.55	70.55% @ 6.7° C
1224892	Display Cabinet 1	15/02/25 10:01	70.85	70.85% @ 6.3° C
1224892	Display Cabinet 1	15/02/25 09:01	70.9	70.9% @ 6.1° C
1224892	Display Cabinet 1	15/02/25 08:01	70.97	70.97% @ 6° C
1224892	Display Cabinet 1	15/02/25 07:01	70.92	70.92% @ 6° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	15/02/25 06:01	70.9	70.9% @ 6° C
1224892	Display Cabinet 1	15/02/25 05:01	70.81	70.81% @ 6.2° C
1224892	Display Cabinet 1	15/02/25 04:01	70.83	70.83% @ 6.2° C
1224892	Display Cabinet 1	15/02/25 03:01	70.9	70.9% @ 6.2° C
1224892	Display Cabinet 1	15/02/25 02:01	70.8	70.8% @ 6.4° C
1224892	Display Cabinet 1	15/02/25 01:01	70.69	70.69% @ 6.5° C
1224892	Display Cabinet 1	15/02/25 00:01	70.66	70.66% @ 6.5° C
1224892	Display Cabinet 1	14/02/25 23:01	70.22	70.22% @ 6.6° C
1224892	Display Cabinet 1	14/02/25 22:01	70	70% @ 6.7° C
1224892	Display Cabinet 1	14/02/25 21:01	69.38	69.38% @ 6.9° C
1224892	Display Cabinet 1	14/02/25 20:01	69.01	69.01% @ 7.1° C
1224892	Display Cabinet 1	14/02/25 19:01	68.69	68.69% @ 7.4° C
1224892	Display Cabinet 1	14/02/25 18:01	68.35	68.35% @ 8° C
1224892	Display Cabinet 1	14/02/25 17:01	68.09	68.09% @ 8.8° C
1224892	Display Cabinet 1	14/02/25 16:01	67.59	67.59% @ 9.5° C
1224892	Display Cabinet 1	14/02/25 15:01	67.35	67.35% @ 10.5° C
1224892	Display Cabinet 1	14/02/25 14:01	68.82	68.82% @ 9.9° C
1224892	Display Cabinet 1	14/02/25 13:01	68.2	68.2% @ 9° C
1224892	Display Cabinet 1	14/02/25 12:01	69.5	69.5% @ 9.4° C
1224892	Display Cabinet 1	14/02/25 11:01	69.27	69.27% @ 8.3° C
1224892	Display Cabinet 1	14/02/25 10:01	70.1	70.1% @ 8.3° C
1224892	Display Cabinet 1	14/02/25 09:01	70.62	70.62% @ 7.8° C
1224892	Display Cabinet 1	14/02/25 08:01	71.47	71.47% @ 6.9° C
1224892	Display Cabinet 1	14/02/25 07:01	71.74	71.74% @ 6.5° C
1224892	Display Cabinet 1	14/02/25 06:01	71.6	71.6% @ 6.6° C
1224892	Display Cabinet 1	14/02/25 05:01	71.63	71.63% @ 6.6° C
1224892	Display Cabinet 1	14/02/25 04:01	71.49	71.49% @ 6.7° C
1224892	Display Cabinet 1	14/02/25 03:01	71.46	71.46% @ 6.8° C
1224892	Display Cabinet 1	14/02/25 02:01	71.64	71.64% @ 6.8° C
1224892	Display Cabinet 1	14/02/25 01:01	71.67	71.67% @ 6.9° C
1224892	Display Cabinet 1	14/02/25 00:01	71.57	71.57% @ 7° C
1224892	Display Cabinet 1	13/02/25 23:01	71.44	71.44% @ 7° C
1224892	Display Cabinet 1	13/02/25 22:01	71.41	71.41% @ 7.1° C
1224892	Display Cabinet 1	13/02/25 21:01	71.47	71.47% @ 7.2° C
1224892	Display Cabinet 1	13/02/25 20:01	71.25	71.25% @ 7.3° C
1224892	Display Cabinet 1	13/02/25 19:01	71.01	71.01% @ 7.5° C
1224892	Display Cabinet 1	13/02/25 18:01	70.73	70.73% @ 7.8° C
1224892	Display Cabinet 1	13/02/25 17:01	70.45	70.45% @ 8.3° C
1224892	Display Cabinet 1	13/02/25 16:01	69.93	69.93% @ 9.6° C
1224892	Display Cabinet 1	13/02/25 15:01	70.44	70.44% @ 10° C
1224892	Display Cabinet 1	13/02/25 14:01	71.35	71.35% @ 9.9° C
1224892	Display Cabinet 1	13/02/25 13:01	71.96	71.96% @ 9.7° C
1224892	Display Cabinet 1	13/02/25 12:01	72.48	72.48% @ 9.5° C
1224892	Display Cabinet 1	13/02/25 11:01	73.51	73.51% @ 9.2° C
1224892	Display Cabinet 1	13/02/25 10:01	75.3	75.3% @ 8.3° C
1224892	Display Cabinet 1	13/02/25 09:01	75.29	75.29% @ 7.4° C
1224892	Display Cabinet 1	13/02/25 08:01	75.2	75.2% @ 7.4° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	13/02/25 07:01	75.15	75.15% @ 7.4° C
1224892	Display Cabinet 1	13/02/25 06:01	75.2	75.2% @ 7.4° C
1224892	Display Cabinet 1	13/02/25 05:01	75.11	75.11% @ 7.5° C
1224892	Display Cabinet 1	13/02/25 04:01	75.27	75.27% @ 7.5° C
1224892	Display Cabinet 1	13/02/25 03:01	75.3	75.3% @ 7.6° C
1224892	Display Cabinet 1	13/02/25 02:01	75.35	75.35% @ 7.6° C
1224892	Display Cabinet 1	13/02/25 01:01	75.33	75.33% @ 7.7° C
1224892	Display Cabinet 1	13/02/25 00:01	75.35	75.35% @ 7.8° C
1224892	Display Cabinet 1	12/02/25 23:01	75.15	75.15% @ 7.8° C
1224892	Display Cabinet 1	12/02/25 22:01	74.94	74.94% @ 7.9° C
1224892	Display Cabinet 1	12/02/25 21:01	74.84	74.84% @ 8° C
1224892	Display Cabinet 1	12/02/25 20:01	74.71	74.71% @ 8° C
1224892	Display Cabinet 1	12/02/25 19:01	74.48	74.48% @ 8.2° C
1224892	Display Cabinet 1	12/02/25 18:01	73.88	73.88% @ 8.4° C
1224892	Display Cabinet 1	12/02/25 17:01	73.5	73.5% @ 8.7° C
1224892	Display Cabinet 1	12/02/25 16:01	72.96	72.96% @ 9.4° C
1224892	Display Cabinet 1	12/02/25 15:01	73.09	73.09% @ 10.6° C
1224892	Display Cabinet 1	12/02/25 14:01	73.71	73.71% @ 10.5° C
1224892	Display Cabinet 1	12/02/25 13:01	73.95	73.95% @ 9.3° C
1224892	Display Cabinet 1	12/02/25 12:01	74.14	74.14% @ 10.2° C
1224892	Display Cabinet 1	12/02/25 11:01	74.42	74.42% @ 9.5° C
1224892	Display Cabinet 1	12/02/25 10:01	75.48	75.48% @ 8.8° C
1224892	Display Cabinet 1	12/02/25 09:01	76.56	76.56% @ 8° C
1224892	Display Cabinet 1	12/02/25 08:01	76.39	76.39% @ 7.1° C
1224892	Display Cabinet 1	12/02/25 07:01	76.36	76.36% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 06:01	76.24	76.24% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 05:01	76.29	76.29% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 04:01	76.13	76.13% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 03:01	75.89	75.89% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 02:01	75.72	75.72% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 01:01	75.69	75.69% @ 7.2° C
1224892	Display Cabinet 1	12/02/25 00:01	75.55	75.55% @ 7.3° C
1224892	Display Cabinet 1	11/02/25 23:01	75.45	75.45% @ 7.3° C
1224892	Display Cabinet 1	11/02/25 22:01	75.42	75.42% @ 7.3° C
1224892	Display Cabinet 1	11/02/25 21:01	75.25	75.25% @ 7.4° C
1224892	Display Cabinet 1	11/02/25 20:01	74.77	74.77% @ 7.5° C
1224892	Display Cabinet 1	11/02/25 19:01	74.39	74.39% @ 7.6° C
1224892	Display Cabinet 1	11/02/25 18:01	73.91	73.91% @ 7.9° C
1224892	Display Cabinet 1	11/02/25 17:01	73.23	73.23% @ 8.9° C
1224892	Display Cabinet 1	11/02/25 16:01	73.62	73.62% @ 9.7° C
1224892	Display Cabinet 1	11/02/25 15:01	74.31	74.31% @ 9.4° C
1224892	Display Cabinet 1	11/02/25 14:01	74.9	74.9% @ 8.5° C
1224892	Display Cabinet 1	11/02/25 13:01	74.16	74.16% @ 8.5° C
1224892	Display Cabinet 1	11/02/25 12:01	74.45	74.45% @ 9.4° C
1224892	Display Cabinet 1	11/02/25 11:01	74.85	74.85% @ 9.2° C
1224892	Display Cabinet 1	11/02/25 10:01	75.59	75.59% @ 9° C
1224892	Display Cabinet 1	11/02/25 09:01	76.77	76.77% @ 8.2° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	11/02/25 08:01	76.92	76.92% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 07:01	76.66	76.66% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 06:01	76.61	76.61% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 05:01	76.62	76.62% @ 7.3° C
1224892	Display Cabinet 1	11/02/25 04:01	76.46	76.46% @ 7.3° C
1224892	Display Cabinet 1	11/02/25 03:01	76.41	76.41% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 02:01	76.31	76.31% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 01:01	76.08	76.08% @ 7.2° C
1224892	Display Cabinet 1	11/02/25 00:01	75.93	75.93% @ 7.3° C
1224892	Display Cabinet 1	10/02/25 23:01	75.91	75.91% @ 7.3° C
1224892	Display Cabinet 1	10/02/25 22:01	75.87	75.87% @ 7.3° C
1224892	Display Cabinet 1	10/02/25 21:01	75.95	75.95% @ 7.3° C
1224892	Display Cabinet 1	10/02/25 20:01	75.7	75.7% @ 7.4° C
1224892	Display Cabinet 1	10/02/25 19:01	75.44	75.44% @ 7.5° C
1224892	Display Cabinet 1	10/02/25 18:01	75.26	75.26% @ 7.6° C
1224892	Display Cabinet 1	10/02/25 17:01	74.71	74.71% @ 7.9° C
1224892	Display Cabinet 1	10/02/25 16:01	74.05	74.05% @ 8.8° C
1224892	Display Cabinet 1	10/02/25 15:01	74.67	74.67% @ 9.3° C
1224892	Display Cabinet 1	10/02/25 14:01	75.71	75.71% @ 8.9° C
1224892	Display Cabinet 1	10/02/25 13:01	76.21	76.21% @ 7.7° C
1224892	Display Cabinet 1	10/02/25 12:01	75.95	75.95% @ 7.8° C
1224892	Display Cabinet 1	10/02/25 11:01	75.54	75.54% @ 8.5° C
1224892	Display Cabinet 1	10/02/25 10:01	76.2	76.2% @ 8.8° C
1224892	Display Cabinet 1	10/02/25 09:01	76.83	76.83% @ 7.7° C
1224892	Display Cabinet 1	10/02/25 08:01	76.85	76.85% @ 7.7° C
1224892	Display Cabinet 1	10/02/25 07:01	76.66	76.66% @ 7.8° C
1224892	Display Cabinet 1	10/02/25 06:01	76.95	76.95% @ 7.9° C
1224892	Display Cabinet 1	10/02/25 05:01	77.22	77.22% @ 7.9° C
1224892	Display Cabinet 1	10/02/25 04:01	77.27	77.27% @ 8.1° C
1224892	Display Cabinet 1	10/02/25 03:01	77.42	77.42% @ 8.1° C
1224892	Display Cabinet 1	10/02/25 02:01	77.72	77.72% @ 8.1° C
1224892	Display Cabinet 1	10/02/25 01:01	77.73	77.73% @ 8.2° C
1224892	Display Cabinet 1	10/02/25 00:01	77.81	77.81% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 23:01	77.91	77.91% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 22:01	77.76	77.76% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 21:01	77.6	77.6% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 20:01	77.46	77.46% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 19:01	77.32	77.32% @ 8.2° C
1224892	Display Cabinet 1	09/02/25 18:01	77.27	77.27% @ 8.2° C
1224892	Display Cabinet 1	09/02/25 17:01	77.28	77.28% @ 8.2° C
1224892	Display Cabinet 1	09/02/25 16:01	77.22	77.22% @ 8.2° C
1224892	Display Cabinet 1	09/02/25 15:01	77.06	77.06% @ 8.2° C
1224892	Display Cabinet 1	09/02/25 14:01	77.01	77.01% @ 8.1° C
1224892	Display Cabinet 1	09/02/25 13:01	77.02	77.02% @ 8° C
1224892	Display Cabinet 1	09/02/25 12:01	76.89	76.89% @ 7.9° C
1224892	Display Cabinet 1	09/02/25 11:01	76.82	76.82% @ 7.8° C
1224892	Display Cabinet 1	09/02/25 10:01	76.78	76.78% @ 7.8° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	09/02/25 09:01	76.62	76.62% @ 7.7° C
1224892	Display Cabinet 1	09/02/25 08:01	76.5	76.5% @ 7.7° C
1224892	Display Cabinet 1	09/02/25 07:01	76.45	76.45% @ 7.7° C
1224892	Display Cabinet 1	09/02/25 06:01	76.3	76.3% @ 7.6° C
1224892	Display Cabinet 1	09/02/25 05:01	76.28	76.28% @ 7.5° C
1224892	Display Cabinet 1	09/02/25 04:01	76.16	76.16% @ 7.5° C
1224892	Display Cabinet 1	09/02/25 03:01	76.04	76.04% @ 7.3° C
1224892	Display Cabinet 1	09/02/25 02:01	75.85	75.85% @ 7.2° C
1224892	Display Cabinet 1	09/02/25 01:01	75.65	75.65% @ 7.2° C
1224892	Display Cabinet 1	09/02/25 00:01	75.65	75.65% @ 7.3° C
1224892	Display Cabinet 1	08/02/25 23:01	75.72	75.72% @ 7.4° C
1224892	Display Cabinet 1	08/02/25 22:01	75.66	75.66% @ 7.6° C
1224892	Display Cabinet 1	08/02/25 21:01	75.7	75.7% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 20:01	75.71	75.71% @ 8° C
1224892	Display Cabinet 1	08/02/25 19:01	75.92	75.92% @ 8.2° C
1224892	Display Cabinet 1	08/02/25 18:01	76	76% @ 8.3° C
1224892	Display Cabinet 1	08/02/25 17:01	76.04	76.04% @ 8.4° C
1224892	Display Cabinet 1	08/02/25 16:01	76.35	76.35% @ 8.5° C
1224892	Display Cabinet 1	08/02/25 15:01	76.47	76.47% @ 8.5° C
1224892	Display Cabinet 1	08/02/25 14:01	76.48	76.48% @ 8.4° C
1224892	Display Cabinet 1	08/02/25 13:01	76.31	76.31% @ 8.2° C
1224892	Display Cabinet 1	08/02/25 12:01	76.03	76.03% @ 8.1° C
1224892	Display Cabinet 1	08/02/25 11:01	75.81	75.81% @ 8° C
1224892	Display Cabinet 1	08/02/25 10:01	75.77	75.77% @ 7.9° C
1224892	Display Cabinet 1	08/02/25 09:01	75.74	75.74% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 08:01	75.47	75.47% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 07:01	75.56	75.56% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 06:01	75.45	75.45% @ 7.7° C
1224892	Display Cabinet 1	08/02/25 05:01	75.23	75.23% @ 7.7° C
1224892	Display Cabinet 1	08/02/25 04:01	75.13	75.13% @ 7.7° C
1224892	Display Cabinet 1	08/02/25 03:01	74.88	74.88% @ 7.7° C
1224892	Display Cabinet 1	08/02/25 02:01	74.71	74.71% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 01:01	74.56	74.56% @ 7.8° C
1224892	Display Cabinet 1	08/02/25 00:01	74.41	74.41% @ 7.8° C
1224892	Display Cabinet 1	07/02/25 23:01	74.25	74.25% @ 7.8° C
1224892	Display Cabinet 1	07/02/25 22:01	74.16	74.16% @ 7.8° C
1224892	Display Cabinet 1	07/02/25 21:01	74.01	74.01% @ 7.8° C
1224892	Display Cabinet 1	07/02/25 20:01	73.83	73.83% @ 7.9° C
1224892	Display Cabinet 1	07/02/25 19:01	73.72	73.72% @ 7.9° C
1224892	Display Cabinet 1	07/02/25 18:01	73.49	73.49% @ 8° C
1224892	Display Cabinet 1	07/02/25 17:01	73.4	73.4% @ 8.1° C
1224892	Display Cabinet 1	07/02/25 16:01	73.24	73.24% @ 8.2° C
1224892	Display Cabinet 1	07/02/25 15:01	73.26	73.26% @ 8.2° C
1224892	Display Cabinet 1	07/02/25 14:01	73.13	73.13% @ 8.3° C
1224892	Display Cabinet 1	07/02/25 13:01	73.12	73.12% @ 8.3° C
1224892	Display Cabinet 1	07/02/25 12:01	73.06	73.06% @ 8.4° C
1224892	Display Cabinet 1	07/02/25 11:01	73.06	73.06% @ 8.6° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	07/02/25 10:01	73.26	73.26% @ 8.3° C
1224892	Display Cabinet 1	07/02/25 09:01	73.17	73.17% @ 8.3° C
1224892	Display Cabinet 1	07/02/25 08:01	73.17	73.17% @ 8.3° C
1224892	Display Cabinet 1	07/02/25 07:01	73.12	73.12% @ 8.4° C
1224892	Display Cabinet 1	07/02/25 06:01	73.1	73.1% @ 8.4° C
1224892	Display Cabinet 1	07/02/25 05:01	73.07	73.07% @ 8.5° C
1224892	Display Cabinet 1	07/02/25 04:01	73.11	73.11% @ 8.6° C
1224892	Display Cabinet 1	07/02/25 03:01	73.16	73.16% @ 8.6° C
1224892	Display Cabinet 1	07/02/25 02:01	73.29	73.29% @ 8.7° C
1224892	Display Cabinet 1	07/02/25 01:01	73.56	73.56% @ 8.8° C
1224892	Display Cabinet 1	07/02/25 00:01	73.92	73.92% @ 8.8° C
1224892	Display Cabinet 1	06/02/25 23:01	74.21	74.21% @ 8.9° C
1224892	Display Cabinet 1	06/02/25 22:01	74.47	74.47% @ 8.9° C
1224892	Display Cabinet 1	06/02/25 21:01	74.35	74.35% @ 9° C
1224892	Display Cabinet 1	06/02/25 20:01	74.26	74.26% @ 9.1° C
1224892	Display Cabinet 1	06/02/25 19:01	74.02	74.02% @ 9.2° C
1224892	Display Cabinet 1	06/02/25 18:01	73.98	73.98% @ 9.4° C
1224892	Display Cabinet 1	06/02/25 17:01	73.93	73.93% @ 9.6° C
1224892	Display Cabinet 1	06/02/25 16:01	74.24	74.24% @ 9.9° C
1224892	Display Cabinet 1	06/02/25 15:01	74.81	74.81% @ 10° C
1224892	Display Cabinet 1	06/02/25 14:01	75.18	75.18% @ 9.7° C
1224892	Display Cabinet 1	06/02/25 13:01	75.63	75.63% @ 9.5° C
1224892	Display Cabinet 1	06/02/25 12:01	75.94	75.94% @ 9.1° C
1224892	Display Cabinet 1	06/02/25 11:01	75.94	75.94% @ 8.6° C
1224892	Display Cabinet 1	06/02/25 10:01	75.92	75.92% @ 8.3° C
1224892	Display Cabinet 1	06/02/25 09:01	76.05	76.05% @ 8° C
1224892	Display Cabinet 1	06/02/25 08:01	75.9	75.9% @ 7.9° C
1224892	Display Cabinet 1	06/02/25 07:01	75.72	75.72% @ 8° C
1224892	Display Cabinet 1	06/02/25 06:01	75.68	75.68% @ 8.1° C
1224892	Display Cabinet 1	06/02/25 05:01	75.65	75.65% @ 8.1° C
1224892	Display Cabinet 1	06/02/25 04:01	75.55	75.55% @ 8.2° C
1224892	Display Cabinet 1	06/02/25 03:01	75.48	75.48% @ 8.4° C
1224892	Display Cabinet 1	06/02/25 02:01	75.44	75.44% @ 8.5° C
1224892	Display Cabinet 1	06/02/25 01:01	75.29	75.29% @ 8.6° C
1224892	Display Cabinet 1	06/02/25 00:01	75.07	75.07% @ 8.9° C
1224892	Display Cabinet 1	05/02/25 23:01	74.94	74.94% @ 9.1° C
1224892	Display Cabinet 1	05/02/25 22:01	74.75	74.75% @ 9.3° C
1224892	Display Cabinet 1	05/02/25 21:01	74.47	74.47% @ 9.6° C
1224892	Display Cabinet 1	05/02/25 20:01	74.48	74.48% @ 9.9° C
1224892	Display Cabinet 1	05/02/25 19:01	74.44	74.44% @ 10.3° C
1224892	Display Cabinet 1	05/02/25 18:01	74.19	74.19% @ 10.8° C
1224892	Display Cabinet 1	05/02/25 17:01	73.9	73.9% @ 11.6° C
1224892	Display Cabinet 1	05/02/25 16:01	73.66	73.66% @ 12.9° C
1224892	Display Cabinet 1	05/02/25 15:01	74.7	74.7% @ 13° C
1224892	Display Cabinet 1	05/02/25 14:02	74.71	74.71% @ 12.7° C
1224892	Display Cabinet 1	05/02/25 13:02	75.58	75.58% @ 12.1° C
1224892	Display Cabinet 1	05/02/25 12:02	76.78	76.78% @ 11.2° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	05/02/25 11:01	77.54	77.54% @ 10.1° C
1224892	Display Cabinet 1	05/02/25 10:01	77.95	77.95% @ 8.1° C
1224892	Display Cabinet 1	05/02/25 09:01	77.85	77.85% @ 7.9° C
1224892	Display Cabinet 1	05/02/25 08:01	77.86	77.86% @ 8° C
1224892	Display Cabinet 1	05/02/25 07:01	78.21	78.21% @ 8.2° C
1224892	Display Cabinet 1	05/02/25 06:01	78.15	78.15% @ 8.4° C
1224892	Display Cabinet 1	05/02/25 05:01	78.34	78.34% @ 8.7° C
1224892	Display Cabinet 1	05/02/25 04:01	78.57	78.57% @ 8.9° C
1224892	Display Cabinet 1	05/02/25 03:01	78.86	78.86% @ 9.2° C
1224892	Display Cabinet 1	05/02/25 02:01	78.77	78.77% @ 9.5° C
1224892	Display Cabinet 1	05/02/25 01:01	78.76	78.76% @ 9.9° C
1224892	Display Cabinet 1	05/02/25 00:01	78.83	78.83% @ 10.3° C
1224892	Display Cabinet 1	04/02/25 23:01	78.77	78.77% @ 10.6° C
1224892	Display Cabinet 1	04/02/25 22:01	78.54	78.54% @ 10.6° C
1224892	Display Cabinet 1	04/02/25 21:01	78.15	78.15% @ 10.6° C
1224892	Display Cabinet 1	04/02/25 20:01	77.73	77.73% @ 10.7° C
1224892	Display Cabinet 1	04/02/25 19:01	77.45	77.45% @ 10.8° C
1224892	Display Cabinet 1	04/02/25 18:01	77.18	77.18% @ 10.9° C
1224892	Display Cabinet 1	04/02/25 17:01	76.99	76.99% @ 11.1° C
1224892	Display Cabinet 1	04/02/25 16:01	76.95	76.95% @ 11.4° C
1224892	Display Cabinet 1	04/02/25 15:01	77.15	77.15% @ 11.7° C
1224892	Display Cabinet 1	04/02/25 14:01	77.7	77.7% @ 11.6° C
1224892	Display Cabinet 1	04/02/25 13:01	77.99	77.99% @ 11.1° C
1224892	Display Cabinet 1	04/02/25 12:01	78.46	78.46% @ 10.3° C
1224892	Display Cabinet 1	04/02/25 11:01	78.82	78.82% @ 9.8° C
1224892	Display Cabinet 1	04/02/25 10:01	78.97	78.97% @ 9.6° C
1224892	Display Cabinet 1	04/02/25 09:01	79.2	79.2% @ 9.5° C
1224892	Display Cabinet 1	04/02/25 08:01	79.25	79.25% @ 9.5° C
1224892	Display Cabinet 1	04/02/25 07:01	79.27	79.27% @ 9.4° C
1224892	Display Cabinet 1	04/02/25 06:01	79.25	79.25% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 05:01	79.19	79.19% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 04:01	79.01	79.01% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 03:01	78.75	78.75% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 02:01	78.7	78.7% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 01:01	78.64	78.64% @ 9.3° C
1224892	Display Cabinet 1	04/02/25 00:01	78.42	78.42% @ 9.2° C
1224892	Display Cabinet 1	03/02/25 23:01	78.08	78.08% @ 9.1° C
1224892	Display Cabinet 1	03/02/25 22:01	77.88	77.88% @ 9° C
1224892	Display Cabinet 1	03/02/25 21:01	77.48	77.48% @ 9° C
1224892	Display Cabinet 1	03/02/25 20:01	77.13	77.13% @ 9° C
1224892	Display Cabinet 1	03/02/25 19:01	76.83	76.83% @ 9.1° C
1224892	Display Cabinet 1	03/02/25 18:01	76.58	76.58% @ 9.2° C
1224892	Display Cabinet 1	03/02/25 17:01	76.38	76.38% @ 9.5° C
1224892	Display Cabinet 1	03/02/25 16:01	76.32	76.32% @ 9.7° C
1224892	Display Cabinet 1	03/02/25 15:01	76.35	76.35% @ 9.6° C
1224892	Display Cabinet 1	03/02/25 14:01	76.79	76.79% @ 8.9° C
1224892	Display Cabinet 1	03/02/25 13:01	76.88	76.88% @ 8.1° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	03/02/25 12:01	76.73	76.73% @ 7.5° C
1224892	Display Cabinet 1	03/02/25 11:01	76.66	76.66% @ 6.9° C
1224892	Display Cabinet 1	03/02/25 10:01	76.37	76.37% @ 6.3° C
1224892	Display Cabinet 1	03/02/25 09:01	76.07	76.07% @ 6.1° C
1224892	Display Cabinet 1	03/02/25 08:01	75.99	75.99% @ 6.1° C
1224892	Display Cabinet 1	03/02/25 07:01	75.92	75.92% @ 6° C
1224892	Display Cabinet 1	03/02/25 06:01	75.92	75.92% @ 6° C
1224892	Display Cabinet 1	03/02/25 05:01	76.06	76.06% @ 6.1° C
1224892	Display Cabinet 1	03/02/25 04:01	75.92	75.92% @ 6.2° C
1224892	Display Cabinet 1	03/02/25 03:01	75.37	75.37% @ 6.2° C
1224892	Display Cabinet 1	03/02/25 02:01	75.07	75.07% @ 6.4° C
1224892	Display Cabinet 1	03/02/25 01:01	75.28	75.28% @ 6.5° C
1224892	Display Cabinet 1	03/02/25 00:01	75.32	75.32% @ 6.6° C
1224892	Display Cabinet 1	02/02/25 23:01	75.44	75.44% @ 6.7° C
1224892	Display Cabinet 1	02/02/25 22:01	75.77	75.77% @ 6.9° C
1224892	Display Cabinet 1	02/02/25 21:01	75.87	75.87% @ 7.1° C
1224892	Display Cabinet 1	02/02/25 20:01	76.05	76.05% @ 7.4° C
1224892	Display Cabinet 1	02/02/25 19:01	75.94	75.94% @ 7.8° C
1224892	Display Cabinet 1	02/02/25 18:01	75.74	75.74% @ 8.3° C
1224892	Display Cabinet 1	02/02/25 17:01	75.59	75.59% @ 9° C
1224892	Display Cabinet 1	02/02/25 16:01	75.67	75.67% @ 9.5° C
1224892	Display Cabinet 1	02/02/25 15:01	75.5	75.5% @ 9.5° C
1224892	Display Cabinet 1	02/02/25 14:01	75.74	75.74% @ 9.1° C
1224892	Display Cabinet 1	02/02/25 13:01	75.93	75.93% @ 8.4° C
1224892	Display Cabinet 1	02/02/25 12:01	76.17	76.17% @ 7.6° C
1224892	Display Cabinet 1	02/02/25 11:01	76.49	76.49% @ 7° C
1224892	Display Cabinet 1	02/02/25 10:01	76.69	76.69% @ 6.5° C
1224892	Display Cabinet 1	02/02/25 09:01	76.6	76.6% @ 6.2° C
1224892	Display Cabinet 1	02/02/25 08:01	76.46	76.46% @ 6.3° C
1224892	Display Cabinet 1	02/02/25 07:01	76.4	76.4% @ 6.3° C
1224892	Display Cabinet 1	02/02/25 06:01	76.53	76.53% @ 6.5° C
1224892	Display Cabinet 1	02/02/25 05:01	76.28	76.28% @ 6.6° C
1224892	Display Cabinet 1	02/02/25 04:01	75.97	75.97% @ 6.7° C
1224892	Display Cabinet 1	02/02/25 03:01	75.94	75.94% @ 6.8° C
1224892	Display Cabinet 1	02/02/25 02:01	75.75	75.75% @ 6.9° C
1224892	Display Cabinet 1	02/02/25 01:01	75.83	75.83% @ 7° C
1224892	Display Cabinet 1	02/02/25 00:01	75.9	75.9% @ 7° C
1224892	Display Cabinet 1	01/02/25 23:01	75.75	75.75% @ 7.1° C
1224892	Display Cabinet 1	01/02/25 22:01	75.44	75.44% @ 7.2° C
1224892	Display Cabinet 1	01/02/25 21:01	75.7	75.7% @ 7.4° C
1224892	Display Cabinet 1	01/02/25 20:01	75.69	75.69% @ 7.8° C
1224892	Display Cabinet 1	01/02/25 19:01	75.86	75.86% @ 8.2° C
1224892	Display Cabinet 1	01/02/25 18:01	75.8	75.8% @ 8.8° C
1224892	Display Cabinet 1	01/02/25 17:01	75.71	75.71% @ 9.5° C
1224892	Display Cabinet 1	01/02/25 16:01	75.87	75.87% @ 10.1° C
1224892	Display Cabinet 1	01/02/25 15:01	76.09	76.09% @ 10.1° C
1224892	Display Cabinet 1	01/02/25 14:01	76.22	76.22% @ 9.7° C

SensorID	Sensor Name	Date	RH %	Temp
1224892	Display Cabinet 1	01/02/25 13:01	76.61	76.61% @ 9.1° C
1224892	Display Cabinet 1	01/02/25 12:01	76.84	76.84% @ 8.5° C
1224892	Display Cabinet 1	01/02/25 11:01	76.99	76.99% @ 8° C
1224892	Display Cabinet 1	01/02/25 10:01	76.89	76.89% @ 7.8° C
1224892	Display Cabinet 1	01/02/25 09:01	76.88	76.88% @ 7.6° C
1224892	Display Cabinet 1	01/02/25 08:01	76.88	76.88% @ 7.5° C
1224892	Display Cabinet 1	01/02/25 07:01	76.93	76.93% @ 7.6° C
1224892	Display Cabinet 1	01/02/25 06:01	76.89	76.89% @ 7.6° C
1224892	Display Cabinet 1	01/02/25 05:01	77.07	77.07% @ 7.7° C
1224892	Display Cabinet 1	01/02/25 04:01	76.85	76.85% @ 7.8° C
1224892	Display Cabinet 1	01/02/25 03:01	76.84	76.84% @ 7.9° C
1224892	Display Cabinet 1	01/02/25 02:01	76.89	76.89% @ 7.9° C
1224892	Display Cabinet 1	01/02/25 01:01	77.02	77.02% @ 7.9° C
1224892	Display Cabinet 1	01/02/25 00:01	77.1	77.1% @ 8° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	28/02/25 23:54	79.41	79.41% @ 9° C
1222630	Room 2 North Wall	28/02/25 22:54	79.7	79.7% @ 9.1° C
1222630	Room 2 North Wall	28/02/25 21:54	79.97	79.97% @ 9.3° C
1222630	Room 2 North Wall	28/02/25 20:54	80	80% @ 9.5° C
1222630	Room 2 North Wall	28/02/25 19:54	79.99	79.99% @ 9.7° C
1222630	Room 2 North Wall	28/02/25 18:54	79.98	79.98% @ 10° C
1222630	Room 2 North Wall	28/02/25 17:54	79.84	79.84% @ 10.3° C
1222630	Room 2 North Wall	28/02/25 16:54	79.68	79.68% @ 10.6° C
1222630	Room 2 North Wall	28/02/25 15:54	79.89	79.89% @ 10.6° C
1222630	Room 2 North Wall	28/02/25 14:54	80.43	80.43% @ 10.5° C
1222630	Room 2 North Wall	28/02/25 13:54	81.06	81.06% @ 10.2° C
1222630	Room 2 North Wall	28/02/25 12:54	81.4	81.4% @ 10° C
1222630	Room 2 North Wall	28/02/25 11:54	81.87	81.87% @ 9.6° C
1222630	Room 2 North Wall	28/02/25 10:54	82.04	82.04% @ 9.1° C
1222630	Room 2 North Wall	28/02/25 09:54	81.9	81.9% @ 8.8° C
1222630	Room 2 North Wall	28/02/25 08:54	81.35	81.35% @ 8.7° C
1222630	Room 2 North Wall	28/02/25 07:54	80.9	80.9% @ 8.6° C
1222630	Room 2 North Wall	28/02/25 06:54	80.62	80.62% @ 8.6° C
1222630	Room 2 North Wall	28/02/25 05:54	80.4	80.4% @ 8.6° C
1222630	Room 2 North Wall	28/02/25 04:54	80.36	80.36% @ 8.6° C
1222630	Room 2 North Wall	28/02/25 03:54	80.5	80.5% @ 8.7° C
1222630	Room 2 North Wall	28/02/25 02:54	80.34	80.34% @ 8.8° C
1222630	Room 2 North Wall	28/02/25 01:54	80.57	80.57% @ 8.9° C
1222630	Room 2 North Wall	28/02/25 00:54	80.58	80.58% @ 9° C
1222630	Room 2 North Wall	27/02/25 23:54	80.6	80.6% @ 9.1° C
1222630	Room 2 North Wall	27/02/25 22:54	80.61	80.61% @ 9.1° C
1222630	Room 2 North Wall	27/02/25 21:54	80.47	80.47% @ 9.1° C
1222630	Room 2 North Wall	27/02/25 20:54	80.52	80.52% @ 9.2° C
1222630	Room 2 North Wall	27/02/25 19:54	80.54	80.54% @ 9.3° C
1222630	Room 2 North Wall	27/02/25 18:54	80.7	80.7% @ 9.5° C
1222630	Room 2 North Wall	27/02/25 17:54	81	81% @ 9.8° C
1222630	Room 2 North Wall	27/02/25 16:54	81.14	81.14% @ 10° C
1222630	Room 2 North Wall	27/02/25 15:54	81.48	81.48% @ 9.9° C
1222630	Room 2 North Wall	27/02/25 14:54	81.76	81.76% @ 9.8° C
1222630	Room 2 North Wall	27/02/25 13:54	81.93	81.93% @ 9.6° C
1222630	Room 2 North Wall	27/02/25 12:54	82.11	82.11% @ 9.4° C
1222630	Room 2 North Wall	27/02/25 11:54	82.02	82.02% @ 9.3° C
1222630	Room 2 North Wall	27/02/25 10:54	81.93	81.93% @ 9.2° C
1222630	Room 2 North Wall	27/02/25 09:54	81.62	81.62% @ 9.1° C
1222630	Room 2 North Wall	27/02/25 08:54	81.29	81.29% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 07:54	80.92	80.92% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 06:54	80.61	80.61% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 05:54	80.54	80.54% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 04:54	80.44	80.44% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 03:54	80.48	80.48% @ 8.9° C
1222630	Room 2 North Wall	27/02/25 02:54	80.75	80.75% @ 9.1° C
1222630	Room 2 North Wall	27/02/25 01:54	80.83	80.83% @ 9.1° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	27/02/25 00:54	81.07	81.07% @ 9.2° C
1222630	Room 2 North Wall	26/02/25 23:54	81.31	81.31% @ 9.4° C
1222630	Room 2 North Wall	26/02/25 22:54	81.53	81.53% @ 9.5° C
1222630	Room 2 North Wall	26/02/25 21:54	81.77	81.77% @ 9.6° C
1222630	Room 2 North Wall	26/02/25 20:54	82.23	82.23% @ 9.8° C
1222630	Room 2 North Wall	26/02/25 19:54	82.48	82.48% @ 9.9° C
1222630	Room 2 North Wall	26/02/25 18:54	82.48	82.48% @ 10° C
1222630	Room 2 North Wall	26/02/25 17:54	82.48	82.48% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 16:54	82.42	82.42% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 15:54	82.21	82.21% @ 10.1° C
1222630	Room 2 North Wall	26/02/25 14:54	81.93	81.93% @ 10.1° C
1222630	Room 2 North Wall	26/02/25 13:54	81.66	81.66% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 12:54	81.33	81.33% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 11:54	81.11	81.11% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 10:54	80.81	80.81% @ 10° C
1222630	Room 2 North Wall	26/02/25 09:54	80.07	80.07% @ 9.7° C
1222630	Room 2 North Wall	26/02/25 08:54	79.17	79.17% @ 9.4° C
1222630	Room 2 North Wall	26/02/25 07:54	78.35	78.35% @ 9.3° C
1222630	Room 2 North Wall	26/02/25 06:54	78.28	78.28% @ 9.4° C
1222630	Room 2 North Wall	26/02/25 05:54	78.37	78.37% @ 9.5° C
1222630	Room 2 North Wall	26/02/25 04:54	78.55	78.55% @ 9.7° C
1222630	Room 2 North Wall	26/02/25 03:54	78.77	78.77% @ 9.9° C
1222630	Room 2 North Wall	26/02/25 02:54	79.17	79.17% @ 10.1° C
1222630	Room 2 North Wall	26/02/25 01:54	79.5	79.5% @ 10.2° C
1222630	Room 2 North Wall	26/02/25 00:54	79.85	79.85% @ 10.4° C
1222630	Room 2 North Wall	25/02/25 23:54	80.15	80.15% @ 10.5° C
1222630	Room 2 North Wall	25/02/25 22:54	80.43	80.43% @ 10.7° C
1222630	Room 2 North Wall	25/02/25 21:54	80.66	80.66% @ 10.9° C
1222630	Room 2 North Wall	25/02/25 20:54	80.85	80.85% @ 11.1° C
1222630	Room 2 North Wall	25/02/25 19:54	80.94	80.94% @ 11.3° C
1222630	Room 2 North Wall	25/02/25 18:54	81.03	81.03% @ 11.5° C
1222630	Room 2 North Wall	25/02/25 17:54	81.24	81.24% @ 11.6° C
1222630	Room 2 North Wall	25/02/25 16:54	81.6	81.6% @ 11.7° C
1222630	Room 2 North Wall	25/02/25 15:54	81.79	81.79% @ 11.8° C
1222630	Room 2 North Wall	25/02/25 14:54	81.86	81.86% @ 11.9° C
1222630	Room 2 North Wall	25/02/25 13:54	82.08	82.08% @ 11.9° C
1222630	Room 2 North Wall	25/02/25 12:54	82.52	82.52% @ 11.9° C
1222630	Room 2 North Wall	25/02/25 11:54	83.1	83.1% @ 11.7° C
1222630	Room 2 North Wall	25/02/25 10:54	83.39	83.39% @ 11.6° C
1222630	Room 2 North Wall	25/02/25 09:54	83.56	83.56% @ 11.4° C
1222630	Room 2 North Wall	25/02/25 08:54	83.37	83.37% @ 11.3° C
1222630	Room 2 North Wall	25/02/25 07:54	83.37	83.37% @ 11.3° C
1222630	Room 2 North Wall	25/02/25 06:54	83.39	83.39% @ 11.2° C
1222630	Room 2 North Wall	25/02/25 05:54	83.46	83.46% @ 11.2° C
1222630	Room 2 North Wall	25/02/25 04:54	83.47	83.47% @ 11.3° C
1222630	Room 2 North Wall	25/02/25 03:54	83.46	83.46% @ 11.3° C
1222630	Room 2 North Wall	25/02/25 02:54	83.54	83.54% @ 11.3° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	25/02/25 01:54	83.59	83.59% @ 11.4° C
1222630	Room 2 North Wall	25/02/25 00:54	83.63	83.63% @ 11.4° C
1222630	Room 2 North Wall	24/02/25 23:54	83.62	83.62% @ 11.4° C
1222630	Room 2 North Wall	24/02/25 22:54	83.73	83.73% @ 11.4° C
1222630	Room 2 North Wall	24/02/25 21:54	83.82	83.82% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 20:54	83.91	83.91% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 19:54	83.99	83.99% @ 11.6° C
1222630	Room 2 North Wall	24/02/25 18:54	84.08	84.08% @ 11.8° C
1222630	Room 2 North Wall	24/02/25 17:54	84.16	84.16% @ 12° C
1222630	Room 2 North Wall	24/02/25 16:54	84.35	84.35% @ 12.1° C
1222630	Room 2 North Wall	24/02/25 15:54	84.41	84.41% @ 12.1° C
1222630	Room 2 North Wall	24/02/25 14:54	84.43	84.43% @ 12° C
1222630	Room 2 North Wall	24/02/25 13:54	84.45	84.45% @ 11.9° C
1222630	Room 2 North Wall	24/02/25 12:54	84.4	84.4% @ 11.9° C
1222630	Room 2 North Wall	24/02/25 11:54	84.37	84.37% @ 11.7° C
1222630	Room 2 North Wall	24/02/25 10:54	84.08	84.08% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 09:54	83.89	83.89% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 08:54	83.77	83.77% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 07:54	83.66	83.66% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 06:54	83.55	83.55% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 05:54	83.44	83.44% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 04:54	83.39	83.39% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 03:54	83.38	83.38% @ 11.5° C
1222630	Room 2 North Wall	24/02/25 02:54	83.36	83.36% @ 11.6° C
1222630	Room 2 North Wall	24/02/25 01:54	83.36	83.36% @ 11.6° C
1222630	Room 2 North Wall	24/02/25 00:54	83.42	83.42% @ 11.6° C
1222630	Room 2 North Wall	23/02/25 23:54	83.42	83.42% @ 11.6° C
1222630	Room 2 North Wall	23/02/25 22:54	83.44	83.44% @ 11.7° C
1222630	Room 2 North Wall	23/02/25 21:54	83.46	83.46% @ 11.7° C
1222630	Room 2 North Wall	23/02/25 20:54	83.47	83.47% @ 11.7° C
1222630	Room 2 North Wall	23/02/25 19:54	83.53	83.53% @ 11.8° C
1222630	Room 2 North Wall	23/02/25 18:54	83.54	83.54% @ 11.9° C
1222630	Room 2 North Wall	23/02/25 17:54	83.59	83.59% @ 12° C
1222630	Room 2 North Wall	23/02/25 16:54	83.76	83.76% @ 12.1° C
1222630	Room 2 North Wall	23/02/25 15:54	83.8	83.8% @ 12.3° C
1222630	Room 2 North Wall	23/02/25 14:54	84.04	84.04% @ 12.3° C
1222630	Room 2 North Wall	23/02/25 13:54	84.32	84.32% @ 12.1° C
1222630	Room 2 North Wall	23/02/25 12:54	84.52	84.52% @ 12° C
1222630	Room 2 North Wall	23/02/25 11:54	84.71	84.71% @ 11.9° C
1222630	Room 2 North Wall	23/02/25 10:54	84.91	84.91% @ 11.6° C
1222630	Room 2 North Wall	23/02/25 09:54	84.93	84.93% @ 11.2° C
1222630	Room 2 North Wall	23/02/25 08:54	84.93	84.93% @ 11.1° C
1222630	Room 2 North Wall	23/02/25 07:54	84.94	84.94% @ 11° C
1222630	Room 2 North Wall	23/02/25 06:54	84.92	84.92% @ 11° C
1222630	Room 2 North Wall	23/02/25 05:54	84.91	84.91% @ 11° C
1222630	Room 2 North Wall	23/02/25 04:54	84.92	84.92% @ 11° C
1222630	Room 2 North Wall	23/02/25 03:54	84.89	84.89% @ 11.1° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	23/02/25 02:54	84.93	84.93% @ 11.1° C
1222630	Room 2 North Wall	23/02/25 01:54	85	85% @ 11.1° C
1222630	Room 2 North Wall	23/02/25 00:54	85.03	85.03% @ 11° C
1222630	Room 2 North Wall	22/02/25 23:54	85.04	85.04% @ 11° C
1222630	Room 2 North Wall	22/02/25 22:54	85.11	85.11% @ 11° C
1222630	Room 2 North Wall	22/02/25 21:54	85.29	85.29% @ 11.1° C
1222630	Room 2 North Wall	22/02/25 20:54	85.57	85.57% @ 11.2° C
1222630	Room 2 North Wall	22/02/25 19:54	85.9	85.9% @ 11.4° C
1222630	Room 2 North Wall	22/02/25 18:54	86.15	86.15% @ 11.6° C
1222630	Room 2 North Wall	22/02/25 17:54	86.42	86.42% @ 11.8° C
1222630	Room 2 North Wall	22/02/25 16:54	86.52	86.52% @ 11.9° C
1222630	Room 2 North Wall	22/02/25 15:54	86.57	86.57% @ 12° C
1222630	Room 2 North Wall	22/02/25 14:54	86.64	86.64% @ 12° C
1222630	Room 2 North Wall	22/02/25 13:54	86.6	86.6% @ 11.9° C
1222630	Room 2 North Wall	22/02/25 12:54	86.44	86.44% @ 11.6° C
1222630	Room 2 North Wall	22/02/25 11:54	86.23	86.23% @ 11.5° C
1222630	Room 2 North Wall	22/02/25 10:54	86.11	86.11% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 09:54	86.03	86.03% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 08:54	85.98	85.98% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 07:54	85.96	85.96% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 06:54	86.01	86.01% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 05:54	85.97	85.97% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 04:54	85.94	85.94% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 03:54	85.93	85.93% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 02:54	85.96	85.96% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 01:54	85.98	85.98% @ 11.3° C
1222630	Room 2 North Wall	22/02/25 00:54	85.94	85.94% @ 11.3° C
1222630	Room 2 North Wall	21/02/25 23:54	85.91	85.91% @ 11.3° C
1222630	Room 2 North Wall	21/02/25 22:54	86.08	86.08% @ 11.3° C
1222630	Room 2 North Wall	21/02/25 21:54	86.17	86.17% @ 11.3° C
1222630	Room 2 North Wall	21/02/25 20:54	86.29	86.29% @ 11.4° C
1222630	Room 2 North Wall	21/02/25 19:54	86.31	86.31% @ 11.4° C
1222630	Room 2 North Wall	21/02/25 18:54	86.28	86.28% @ 11.4° C
1222630	Room 2 North Wall	21/02/25 17:54	86.23	86.23% @ 11.6° C
1222630	Room 2 North Wall	21/02/25 16:54	86.16	86.16% @ 11.6° C
1222630	Room 2 North Wall	21/02/25 15:54	86.37	86.37% @ 11.7° C
1222630	Room 2 North Wall	21/02/25 14:54	86.75	86.75% @ 11.6° C
1222630	Room 2 North Wall	21/02/25 13:54	87	87% @ 11.3° C
1222630	Room 2 North Wall	21/02/25 12:54	87.13	87.13% @ 11° C
1222630	Room 2 North Wall	21/02/25 11:54	87.07	87.07% @ 10.9° C
1222630	Room 2 North Wall	21/02/25 10:54	87.06	87.06% @ 10.8° C
1222630	Room 2 North Wall	21/02/25 09:54	86.95	86.95% @ 10.7° C
1222630	Room 2 North Wall	21/02/25 08:54	86.77	86.77% @ 10.5° C
1222630	Room 2 North Wall	21/02/25 07:54	86.72	86.72% @ 10.5° C
1222630	Room 2 North Wall	21/02/25 06:54	86.77	86.77% @ 10.4° C
1222630	Room 2 North Wall	21/02/25 05:54	86.8	86.8% @ 10.4° C
1222630	Room 2 North Wall	21/02/25 04:54	86.93	86.93% @ 10.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	21/02/25 03:54	86.91	86.91% @ 10.3° C
1222630	Room 2 North Wall	21/02/25 02:54	87.06	87.06% @ 10.3° C
1222630	Room 2 North Wall	21/02/25 01:54	87.26	87.26% @ 10.2° C
1222630	Room 2 North Wall	21/02/25 00:54	87.35	87.35% @ 10.2° C
1222630	Room 2 North Wall	20/02/25 23:54	87.47	87.47% @ 10.1° C
1222630	Room 2 North Wall	20/02/25 22:54	87.41	87.41% @ 10.1° C
1222630	Room 2 North Wall	20/02/25 21:54	87.29	87.29% @ 10° C
1222630	Room 2 North Wall	20/02/25 20:54	87.08	87.08% @ 10° C
1222630	Room 2 North Wall	20/02/25 19:54	86.89	86.89% @ 9.9° C
1222630	Room 2 North Wall	20/02/25 18:54	86.82	86.82% @ 9.9° C
1222630	Room 2 North Wall	20/02/25 17:54	86.64	86.64% @ 9.8° C
1222630	Room 2 North Wall	20/02/25 16:54	86.49	86.49% @ 9.7° C
1222630	Room 2 North Wall	20/02/25 15:54	86.23	86.23% @ 9.7° C
1222630	Room 2 North Wall	20/02/25 14:54	85.87	85.87% @ 9.6° C
1222630	Room 2 North Wall	20/02/25 13:54	85.68	85.68% @ 9.5° C
1222630	Room 2 North Wall	20/02/25 12:54	85.57	85.57% @ 9.4° C
1222630	Room 2 North Wall	20/02/25 11:54	85.4	85.4% @ 9.2° C
1222630	Room 2 North Wall	20/02/25 10:54	84.96	84.96% @ 9° C
1222630	Room 2 North Wall	20/02/25 09:54	84.34	84.34% @ 8.9° C
1222630	Room 2 North Wall	20/02/25 08:54	83.89	83.89% @ 8.7° C
1222630	Room 2 North Wall	20/02/25 07:54	83.53	83.53% @ 8.7° C
1222630	Room 2 North Wall	20/02/25 06:54	83.12	83.12% @ 8.6° C
1222630	Room 2 North Wall	20/02/25 05:54	82.69	82.69% @ 8.5° C
1222630	Room 2 North Wall	20/02/25 04:54	82.17	82.17% @ 8.5° C
1222630	Room 2 North Wall	20/02/25 03:54	81.72	81.72% @ 8.4° C
1222630	Room 2 North Wall	20/02/25 02:54	81.27	81.27% @ 8.3° C
1222630	Room 2 North Wall	20/02/25 01:54	80.75	80.75% @ 8.2° C
1222630	Room 2 North Wall	20/02/25 00:54	80.21	80.21% @ 8.1° C
1222630	Room 2 North Wall	19/02/25 23:54	79.68	79.68% @ 8° C
1222630	Room 2 North Wall	19/02/25 22:54	79.37	79.37% @ 8° C
1222630	Room 2 North Wall	19/02/25 21:54	79.06	79.06% @ 8.1° C
1222630	Room 2 North Wall	19/02/25 20:54	78.81	78.81% @ 8.1° C
1222630	Room 2 North Wall	19/02/25 19:54	78.57	78.57% @ 8.1° C
1222630	Room 2 North Wall	19/02/25 18:54	78.32	78.32% @ 8.2° C
1222630	Room 2 North Wall	19/02/25 17:54	77.99	77.99% @ 8.3° C
1222630	Room 2 North Wall	19/02/25 16:54	77.82	77.82% @ 8.5° C
1222630	Room 2 North Wall	19/02/25 15:54	77.97	77.97% @ 8.4° C
1222630	Room 2 North Wall	19/02/25 14:54	78.42	78.42% @ 8.3° C
1222630	Room 2 North Wall	19/02/25 13:54	79.01	79.01% @ 8.1° C
1222630	Room 2 North Wall	19/02/25 12:54	79.47	79.47% @ 7.9° C
1222630	Room 2 North Wall	19/02/25 11:54	79.88	79.88% @ 7.6° C
1222630	Room 2 North Wall	19/02/25 10:54	79.81	79.81% @ 7.2° C
1222630	Room 2 North Wall	19/02/25 09:54	79.09	79.09% @ 7° C
1222630	Room 2 North Wall	19/02/25 08:54	77.94	77.94% @ 6.8° C
1222630	Room 2 North Wall	19/02/25 07:54	77.14	77.14% @ 6.7° C
1222630	Room 2 North Wall	19/02/25 06:54	77	77% @ 6.7° C
1222630	Room 2 North Wall	19/02/25 05:54	76.75	76.75% @ 6.8° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	19/02/25 04:54	76.94	76.94% @ 6.9° C
1222630	Room 2 North Wall	19/02/25 03:54	77.23	77.23% @ 6.9° C
1222630	Room 2 North Wall	19/02/25 02:54	77.31	77.31% @ 7° C
1222630	Room 2 North Wall	19/02/25 01:54	77.59	77.59% @ 7.1° C
1222630	Room 2 North Wall	19/02/25 00:54	78.01	78.01% @ 7.1° C
1222630	Room 2 North Wall	18/02/25 23:54	78.13	78.13% @ 7.2° C
1222630	Room 2 North Wall	18/02/25 22:54	78.23	78.23% @ 7.2° C
1222630	Room 2 North Wall	18/02/25 21:54	78.23	78.23% @ 7.3° C
1222630	Room 2 North Wall	18/02/25 20:54	78.04	78.04% @ 7.4° C
1222630	Room 2 North Wall	18/02/25 19:54	78.31	78.31% @ 7.5° C
1222630	Room 2 North Wall	18/02/25 18:54	78.51	78.51% @ 7.6° C
1222630	Room 2 North Wall	18/02/25 17:54	78.59	78.59% @ 7.8° C
1222630	Room 2 North Wall	18/02/25 16:54	79.18	79.18% @ 8° C
1222630	Room 2 North Wall	18/02/25 15:54	79.4	79.4% @ 8.2° C
1222630	Room 2 North Wall	18/02/25 14:54	79.51	79.51% @ 8.1° C
1222630	Room 2 North Wall	18/02/25 13:54	79.67	79.67% @ 8° C
1222630	Room 2 North Wall	18/02/25 12:54	79.86	79.86% @ 7.7° C
1222630	Room 2 North Wall	18/02/25 11:54	79.85	79.85% @ 7.3° C
1222630	Room 2 North Wall	18/02/25 10:54	79.07	79.07% @ 6.9° C
1222630	Room 2 North Wall	18/02/25 09:54	77.98	77.98% @ 6.6° C
1222630	Room 2 North Wall	18/02/25 08:54	76.79	76.79% @ 6.4° C
1222630	Room 2 North Wall	18/02/25 07:54	76.57	76.57% @ 6.4° C
1222630	Room 2 North Wall	18/02/25 06:54	76.24	76.24% @ 6.4° C
1222630	Room 2 North Wall	18/02/25 05:54	75.89	75.89% @ 6.5° C
1222630	Room 2 North Wall	18/02/25 04:54	75.84	75.84% @ 6.5° C
1222630	Room 2 North Wall	18/02/25 03:54	74.96	74.96% @ 6.6° C
1222630	Room 2 North Wall	18/02/25 02:54	75.56	75.56% @ 6.7° C
1222630	Room 2 North Wall	18/02/25 01:54	75.61	75.61% @ 6.7° C
1222630	Room 2 North Wall	18/02/25 00:54	75.58	75.58% @ 6.8° C
1222630	Room 2 North Wall	17/02/25 23:54	75.99	75.99% @ 6.8° C
1222630	Room 2 North Wall	17/02/25 22:54	76.09	76.09% @ 6.9° C
1222630	Room 2 North Wall	17/02/25 21:54	76.26	76.26% @ 6.9° C
1222630	Room 2 North Wall	17/02/25 20:54	76.6	76.6% @ 7° C
1222630	Room 2 North Wall	17/02/25 19:54	77.67	77.67% @ 7.2° C
1222630	Room 2 North Wall	17/02/25 18:54	78.54	78.54% @ 7.4° C
1222630	Room 2 North Wall	17/02/25 17:54	79.41	79.41% @ 7.7° C
1222630	Room 2 North Wall	17/02/25 16:54	79.72	79.72% @ 8° C
1222630	Room 2 North Wall	17/02/25 15:54	79.62	79.62% @ 8.1° C
1222630	Room 2 North Wall	17/02/25 14:54	79.52	79.52% @ 8.1° C
1222630	Room 2 North Wall	17/02/25 13:54	79.53	79.53% @ 7.9° C
1222630	Room 2 North Wall	17/02/25 12:54	79.98	79.98% @ 7.6° C
1222630	Room 2 North Wall	17/02/25 11:54	79.63	79.63% @ 7.3° C
1222630	Room 2 North Wall	17/02/25 10:54	78.96	78.96% @ 6.9° C
1222630	Room 2 North Wall	17/02/25 09:54	77.77	77.77% @ 6.5° C
1222630	Room 2 North Wall	17/02/25 08:54	76.74	76.74% @ 6.3° C
1222630	Room 2 North Wall	17/02/25 07:54	76.56	76.56% @ 6.3° C
1222630	Room 2 North Wall	17/02/25 06:54	76.46	76.46% @ 6.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	17/02/25 05:54	76.21	76.21% @ 6.5° C
1222630	Room 2 North Wall	17/02/25 04:54	76.61	76.61% @ 6.6° C
1222630	Room 2 North Wall	17/02/25 03:54	76.2	76.2% @ 6.6° C
1222630	Room 2 North Wall	17/02/25 02:54	77.16	77.16% @ 6.7° C
1222630	Room 2 North Wall	17/02/25 01:54	77.1	77.1% @ 6.8° C
1222630	Room 2 North Wall	17/02/25 00:54	77.42	77.42% @ 6.9° C
1222630	Room 2 North Wall	16/02/25 23:54	78.04	78.04% @ 6.9° C
1222630	Room 2 North Wall	16/02/25 22:54	78.53	78.53% @ 7° C
1222630	Room 2 North Wall	16/02/25 21:54	79.08	79.08% @ 7.1° C
1222630	Room 2 North Wall	16/02/25 20:54	80	80% @ 7.2° C
1222630	Room 2 North Wall	16/02/25 19:54	80.25	80.25% @ 7.2° C
1222630	Room 2 North Wall	16/02/25 18:54	80.4	80.4% @ 7.3° C
1222630	Room 2 North Wall	16/02/25 17:54	80.81	80.81% @ 7.4° C
1222630	Room 2 North Wall	16/02/25 16:54	80.73	80.73% @ 7.5° C
1222630	Room 2 North Wall	16/02/25 15:54	80.85	80.85% @ 7.6° C
1222630	Room 2 North Wall	16/02/25 14:54	80.92	80.92% @ 7.7° C
1222630	Room 2 North Wall	16/02/25 13:54	80.9	80.9% @ 7.6° C
1222630	Room 2 North Wall	16/02/25 12:54	81.05	81.05% @ 7.5° C
1222630	Room 2 North Wall	16/02/25 11:54	81.02	81.02% @ 7.4° C
1222630	Room 2 North Wall	16/02/25 10:54	80.77	80.77% @ 7.2° C
1222630	Room 2 North Wall	16/02/25 09:54	80.23	80.23% @ 7° C
1222630	Room 2 North Wall	16/02/25 08:54	79.69	79.69% @ 6.9° C
1222630	Room 2 North Wall	16/02/25 07:54	79.97	79.97% @ 7° C
1222630	Room 2 North Wall	16/02/25 06:54	80.01	80.01% @ 7° C
1222630	Room 2 North Wall	16/02/25 05:54	80.24	80.24% @ 7° C
1222630	Room 2 North Wall	16/02/25 04:54	80.19	80.19% @ 7° C
1222630	Room 2 North Wall	16/02/25 03:54	80.48	80.48% @ 7° C
1222630	Room 2 North Wall	16/02/25 02:54	80.22	80.22% @ 7.1° C
1222630	Room 2 North Wall	16/02/25 01:54	80.06	80.06% @ 7.1° C
1222630	Room 2 North Wall	16/02/25 00:54	79.65	79.65% @ 7.1° C
1222630	Room 2 North Wall	15/02/25 23:54	79.68	79.68% @ 7.1° C
1222630	Room 2 North Wall	15/02/25 22:54	79.58	79.58% @ 7.2° C
1222630	Room 2 North Wall	15/02/25 21:54	79.6	79.6% @ 7.2° C
1222630	Room 2 North Wall	15/02/25 20:54	79.7	79.7% @ 7.2° C
1222630	Room 2 North Wall	15/02/25 19:54	80.02	80.02% @ 7.3° C
1222630	Room 2 North Wall	15/02/25 18:54	80.27	80.27% @ 7.4° C
1222630	Room 2 North Wall	15/02/25 17:54	80.21	80.21% @ 7.6° C
1222630	Room 2 North Wall	15/02/25 16:54	80.13	80.13% @ 7.6° C
1222630	Room 2 North Wall	15/02/25 15:54	80.23	80.23% @ 7.7° C
1222630	Room 2 North Wall	15/02/25 14:54	80.37	80.37% @ 7.7° C
1222630	Room 2 North Wall	15/02/25 13:54	80.31	80.31% @ 7.6° C
1222630	Room 2 North Wall	15/02/25 12:54	80.1	80.1% @ 7.5° C
1222630	Room 2 North Wall	15/02/25 11:54	80.16	80.16% @ 7.4° C
1222630	Room 2 North Wall	15/02/25 10:54	79.66	79.66% @ 7.1° C
1222630	Room 2 North Wall	15/02/25 09:54	78.98	78.98% @ 7° C
1222630	Room 2 North Wall	15/02/25 08:54	78.26	78.26% @ 6.9° C
1222630	Room 2 North Wall	15/02/25 07:54	77.91	77.91% @ 6.9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	15/02/25 06:54	77.77	77.77% @ 6.8° C
1222630	Room 2 North Wall	15/02/25 05:54	77.61	77.61% @ 6.9° C
1222630	Room 2 North Wall	15/02/25 04:54	77.95	77.95% @ 7° C
1222630	Room 2 North Wall	15/02/25 03:54	77.7	77.7% @ 7° C
1222630	Room 2 North Wall	15/02/25 02:54	77.92	77.92% @ 7.1° C
1222630	Room 2 North Wall	15/02/25 01:54	77.95	77.95% @ 7.1° C
1222630	Room 2 North Wall	15/02/25 00:54	78.02	78.02% @ 7.2° C
1222630	Room 2 North Wall	14/02/25 23:54	77.86	77.86% @ 7.3° C
1222630	Room 2 North Wall	14/02/25 22:54	77.64	77.64% @ 7.4° C
1222630	Room 2 North Wall	14/02/25 21:54	78.07	78.07% @ 7.5° C
1222630	Room 2 North Wall	14/02/25 20:54	78.23	78.23% @ 7.5° C
1222630	Room 2 North Wall	14/02/25 19:54	78.5	78.5% @ 7.7° C
1222630	Room 2 North Wall	14/02/25 18:54	79.13	79.13% @ 7.8° C
1222630	Room 2 North Wall	14/02/25 17:54	79.82	79.82% @ 8.1° C
1222630	Room 2 North Wall	14/02/25 16:54	80.96	80.96% @ 8.4° C
1222630	Room 2 North Wall	14/02/25 15:54	80.8	80.8% @ 8.6° C
1222630	Room 2 North Wall	14/02/25 14:54	80.37	80.37% @ 8.6° C
1222630	Room 2 North Wall	14/02/25 13:54	81.11	81.11% @ 8.4° C
1222630	Room 2 North Wall	14/02/25 12:54	80.94	80.94% @ 8.1° C
1222630	Room 2 North Wall	14/02/25 11:54	80.18	80.18% @ 7.8° C
1222630	Room 2 North Wall	14/02/25 10:54	79.47	79.47% @ 7.4° C
1222630	Room 2 North Wall	14/02/25 09:54	79.15	79.15% @ 7.2° C
1222630	Room 2 North Wall	14/02/25 08:54	78.76	78.76% @ 7° C
1222630	Room 2 North Wall	14/02/25 07:54	78.78	78.78% @ 7.1° C
1222630	Room 2 North Wall	14/02/25 06:54	79.82	79.82% @ 7.2° C
1222630	Room 2 North Wall	14/02/25 05:54	79.94	79.94% @ 7.3° C
1222630	Room 2 North Wall	14/02/25 04:54	80.02	80.02% @ 7.3° C
1222630	Room 2 North Wall	14/02/25 03:54	80.07	80.07% @ 7.4° C
1222630	Room 2 North Wall	14/02/25 02:54	80.2	80.2% @ 7.4° C
1222630	Room 2 North Wall	14/02/25 01:54	80.49	80.49% @ 7.5° C
1222630	Room 2 North Wall	14/02/25 00:54	80.77	80.77% @ 7.5° C
1222630	Room 2 North Wall	13/02/25 23:54	80.99	80.99% @ 7.6° C
1222630	Room 2 North Wall	13/02/25 22:54	81.01	81.01% @ 7.6° C
1222630	Room 2 North Wall	13/02/25 21:54	81.18	81.18% @ 7.7° C
1222630	Room 2 North Wall	13/02/25 20:54	81.3	81.3% @ 7.7° C
1222630	Room 2 North Wall	13/02/25 19:54	81.48	81.48% @ 7.7° C
1222630	Room 2 North Wall	13/02/25 18:54	81.93	81.93% @ 7.8° C
1222630	Room 2 North Wall	13/02/25 17:54	82.32	82.32% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 16:54	82.71	82.71% @ 8° C
1222630	Room 2 North Wall	13/02/25 15:54	83.15	83.15% @ 8° C
1222630	Room 2 North Wall	13/02/25 14:54	83.36	83.36% @ 8° C
1222630	Room 2 North Wall	13/02/25 13:54	83.53	83.53% @ 8° C
1222630	Room 2 North Wall	13/02/25 12:54	83.76	83.76% @ 8° C
1222630	Room 2 North Wall	13/02/25 11:54	83.89	83.89% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 10:54	83.57	83.57% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 09:54	83.79	83.79% @ 7.8° C
1222630	Room 2 North Wall	13/02/25 08:54	83.68	83.68% @ 7.8° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	13/02/25 07:54	83.58	83.58% @ 7.8° C
1222630	Room 2 North Wall	13/02/25 06:54	83.7	83.7% @ 7.8° C
1222630	Room 2 North Wall	13/02/25 05:54	83.69	83.69% @ 7.8° C
1222630	Room 2 North Wall	13/02/25 04:54	83.84	83.84% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 03:54	83.86	83.86% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 02:54	84.12	84.12% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 01:54	84.18	84.18% @ 7.9° C
1222630	Room 2 North Wall	13/02/25 00:54	84.28	84.28% @ 8° C
1222630	Room 2 North Wall	12/02/25 23:54	84.36	84.36% @ 8° C
1222630	Room 2 North Wall	12/02/25 22:54	84.27	84.27% @ 8° C
1222630	Room 2 North Wall	12/02/25 21:54	84.32	84.32% @ 8.1° C
1222630	Room 2 North Wall	12/02/25 20:54	84.35	84.35% @ 8.1° C
1222630	Room 2 North Wall	12/02/25 19:54	84.25	84.25% @ 8.1° C
1222630	Room 2 North Wall	12/02/25 18:54	84.15	84.15% @ 8.1° C
1222630	Room 2 North Wall	12/02/25 17:54	84.06	84.06% @ 8.2° C
1222630	Room 2 North Wall	12/02/25 16:54	83.98	83.98% @ 8.3° C
1222630	Room 2 North Wall	12/02/25 15:54	83.84	83.84% @ 8.4° C
1222630	Room 2 North Wall	12/02/25 14:54	83.86	83.86% @ 8.5° C
1222630	Room 2 North Wall	12/02/25 13:54	84.22	84.22% @ 8.5° C
1222630	Room 2 North Wall	12/02/25 12:54	84.71	84.71% @ 8.4° C
1222630	Room 2 North Wall	12/02/25 11:54	85.13	85.13% @ 8.1° C
1222630	Room 2 North Wall	12/02/25 10:54	85.26	85.26% @ 7.7° C
1222630	Room 2 North Wall	12/02/25 09:54	84.66	84.66% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 08:54	85.01	85.01% @ 7.5° C
1222630	Room 2 North Wall	12/02/25 07:54	84.85	84.85% @ 7.5° C
1222630	Room 2 North Wall	12/02/25 06:54	84.83	84.83% @ 7.5° C
1222630	Room 2 North Wall	12/02/25 05:54	84.84	84.84% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 04:54	84.77	84.77% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 03:54	84.78	84.78% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 02:54	84.72	84.72% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 01:54	84.67	84.67% @ 7.6° C
1222630	Room 2 North Wall	12/02/25 00:54	84.61	84.61% @ 7.6° C
1222630	Room 2 North Wall	11/02/25 23:54	84.63	84.63% @ 7.6° C
1222630	Room 2 North Wall	11/02/25 22:54	84.6	84.6% @ 7.6° C
1222630	Room 2 North Wall	11/02/25 21:54	84.73	84.73% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 20:54	84.81	84.81% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 19:54	84.94	84.94% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 18:54	84.95	84.95% @ 7.8° C
1222630	Room 2 North Wall	11/02/25 17:54	85.07	85.07% @ 7.8° C
1222630	Room 2 North Wall	11/02/25 16:54	85.11	85.11% @ 7.9° C
1222630	Room 2 North Wall	11/02/25 15:54	85.04	85.04% @ 7.9° C
1222630	Room 2 North Wall	11/02/25 14:54	84.91	84.91% @ 7.8° C
1222630	Room 2 North Wall	11/02/25 13:54	84.77	84.77% @ 7.8° C
1222630	Room 2 North Wall	11/02/25 12:54	84.7	84.7% @ 7.8° C
1222630	Room 2 North Wall	11/02/25 11:54	84.53	84.53% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 10:54	84.23	84.23% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 09:54	84.53	84.53% @ 7.7° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	11/02/25 08:54	84.3	84.3% @ 7.6° C
1222630	Room 2 North Wall	11/02/25 07:54	84.3	84.3% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 06:54	84.27	84.27% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 05:54	84.24	84.24% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 04:54	84.2	84.2% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 03:54	84.09	84.09% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 02:54	84.05	84.05% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 01:54	83.82	83.82% @ 7.7° C
1222630	Room 2 North Wall	11/02/25 00:54	83.73	83.73% @ 7.7° C
1222630	Room 2 North Wall	10/02/25 23:54	83.66	83.66% @ 7.7° C
1222630	Room 2 North Wall	10/02/25 22:54	83.67	83.67% @ 7.8° C
1222630	Room 2 North Wall	10/02/25 21:54	83.61	83.61% @ 7.8° C
1222630	Room 2 North Wall	10/02/25 20:54	83.56	83.56% @ 7.8° C
1222630	Room 2 North Wall	10/02/25 19:54	83.68	83.68% @ 7.8° C
1222630	Room 2 North Wall	10/02/25 18:54	83.91	83.91% @ 7.9° C
1222630	Room 2 North Wall	10/02/25 17:54	84.04	84.04% @ 7.9° C
1222630	Room 2 North Wall	10/02/25 16:54	84.15	84.15% @ 8° C
1222630	Room 2 North Wall	10/02/25 15:54	84.28	84.28% @ 8° C
1222630	Room 2 North Wall	10/02/25 14:54	84.33	84.33% @ 8° C
1222630	Room 2 North Wall	10/02/25 13:54	84.28	84.28% @ 8° C
1222630	Room 2 North Wall	10/02/25 12:54	84.25	84.25% @ 8° C
1222630	Room 2 North Wall	10/02/25 11:54	84.17	84.17% @ 8° C
1222630	Room 2 North Wall	10/02/25 10:54	84.24	84.24% @ 8° C
1222630	Room 2 North Wall	10/02/25 09:54	84.27	84.27% @ 8° C
1222630	Room 2 North Wall	10/02/25 08:54	84.31	84.31% @ 8° C
1222630	Room 2 North Wall	10/02/25 07:54	84.48	84.48% @ 8.1° C
1222630	Room 2 North Wall	10/02/25 06:54	84.59	84.59% @ 8.1° C
1222630	Room 2 North Wall	10/02/25 05:54	84.68	84.68% @ 8.1° C
1222630	Room 2 North Wall	10/02/25 04:54	84.8	84.8% @ 8.2° C
1222630	Room 2 North Wall	10/02/25 03:54	84.91	84.91% @ 8.2° C
1222630	Room 2 North Wall	10/02/25 02:54	85.05	85.05% @ 8.2° C
1222630	Room 2 North Wall	10/02/25 01:54	85.11	85.11% @ 8.2° C
1222630	Room 2 North Wall	10/02/25 00:54	85.15	85.15% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 23:54	85.17	85.17% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 22:54	85.12	85.12% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 21:54	85.07	85.07% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 20:54	84.97	84.97% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 19:54	84.92	84.92% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 18:54	84.86	84.86% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 17:54	84.77	84.77% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 16:54	84.73	84.73% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 15:54	84.71	84.71% @ 8.3° C
1222630	Room 2 North Wall	09/02/25 14:54	84.71	84.71% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 13:54	84.65	84.65% @ 8.2° C
1222630	Room 2 North Wall	09/02/25 12:54	84.53	84.53% @ 8.1° C
1222630	Room 2 North Wall	09/02/25 11:54	84.42	84.42% @ 8.1° C
1222630	Room 2 North Wall	09/02/25 10:54	84.19	84.19% @ 8.1° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	09/02/25 09:54	84.08	84.08% @ 8° C
1222630	Room 2 North Wall	09/02/25 08:54	83.85	83.85% @ 8° C
1222630	Room 2 North Wall	09/02/25 07:54	83.69	83.69% @ 8° C
1222630	Room 2 North Wall	09/02/25 06:54	83.52	83.52% @ 8° C
1222630	Room 2 North Wall	09/02/25 05:54	83.24	83.24% @ 8° C
1222630	Room 2 North Wall	09/02/25 04:54	82.98	82.98% @ 8° C
1222630	Room 2 North Wall	09/02/25 03:54	82.66	82.66% @ 7.9° C
1222630	Room 2 North Wall	09/02/25 02:54	82.29	82.29% @ 7.9° C
1222630	Room 2 North Wall	09/02/25 01:54	81.77	81.77% @ 7.8° C
1222630	Room 2 North Wall	09/02/25 00:54	81.74	81.74% @ 7.8° C
1222630	Room 2 North Wall	08/02/25 23:54	81.91	81.91% @ 7.9° C
1222630	Room 2 North Wall	08/02/25 22:54	82.24	82.24% @ 8° C
1222630	Room 2 North Wall	08/02/25 21:54	82.43	82.43% @ 8.1° C
1222630	Room 2 North Wall	08/02/25 20:54	82.97	82.97% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 19:54	83.28	83.28% @ 8.3° C
1222630	Room 2 North Wall	08/02/25 18:54	83.41	83.41% @ 8.4° C
1222630	Room 2 North Wall	08/02/25 17:54	83.55	83.55% @ 8.4° C
1222630	Room 2 North Wall	08/02/25 16:54	83.66	83.66% @ 8.5° C
1222630	Room 2 North Wall	08/02/25 15:54	83.71	83.71% @ 8.5° C
1222630	Room 2 North Wall	08/02/25 14:54	83.73	83.73% @ 8.5° C
1222630	Room 2 North Wall	08/02/25 13:54	83.68	83.68% @ 8.5° C
1222630	Room 2 North Wall	08/02/25 12:54	83.54	83.54% @ 8.4° C
1222630	Room 2 North Wall	08/02/25 11:54	83.29	83.29% @ 8.3° C
1222630	Room 2 North Wall	08/02/25 10:54	83.01	83.01% @ 8.3° C
1222630	Room 2 North Wall	08/02/25 09:54	82.76	82.76% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 08:54	82.46	82.46% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 07:54	82.35	82.35% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 06:54	82.2	82.2% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 05:54	82.04	82.04% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 04:54	81.87	81.87% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 03:54	81.73	81.73% @ 8.2° C
1222630	Room 2 North Wall	08/02/25 02:54	81.55	81.55% @ 8.3° C
1222630	Room 2 North Wall	08/02/25 01:54	81.39	81.39% @ 8.3° C
1222630	Room 2 North Wall	08/02/25 00:54	81.26	81.26% @ 8.3° C
1222630	Room 2 North Wall	07/02/25 23:54	81.08	81.08% @ 8.3° C
1222630	Room 2 North Wall	07/02/25 22:54	80.97	80.97% @ 8.3° C
1222630	Room 2 North Wall	07/02/25 21:54	80.96	80.96% @ 8.4° C
1222630	Room 2 North Wall	07/02/25 20:54	80.77	80.77% @ 8.4° C
1222630	Room 2 North Wall	07/02/25 19:54	80.7	80.7% @ 8.4° C
1222630	Room 2 North Wall	07/02/25 18:54	80.66	80.66% @ 8.4° C
1222630	Room 2 North Wall	07/02/25 17:54	80.69	80.69% @ 8.5° C
1222630	Room 2 North Wall	07/02/25 16:54	80.72	80.72% @ 8.5° C
1222630	Room 2 North Wall	07/02/25 15:54	80.76	80.76% @ 8.6° C
1222630	Room 2 North Wall	07/02/25 14:54	80.7	80.7% @ 8.6° C
1222630	Room 2 North Wall	07/02/25 13:54	80.79	80.79% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 12:54	80.74	80.74% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 11:54	80.62	80.62% @ 8.7° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	07/02/25 10:54	80.62	80.62% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 09:54	80.51	80.51% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 08:54	80.41	80.41% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 07:54	80.43	80.43% @ 8.7° C
1222630	Room 2 North Wall	07/02/25 06:54	80.44	80.44% @ 8.8° C
1222630	Room 2 North Wall	07/02/25 05:54	80.27	80.27% @ 8.8° C
1222630	Room 2 North Wall	07/02/25 04:54	80.25	80.25% @ 8.9° C
1222630	Room 2 North Wall	07/02/25 03:54	80.25	80.25% @ 8.9° C
1222630	Room 2 North Wall	07/02/25 02:54	80.27	80.27% @ 8.9° C
1222630	Room 2 North Wall	07/02/25 01:54	80.39	80.39% @ 9° C
1222630	Room 2 North Wall	07/02/25 00:54	80.41	80.41% @ 9° C
1222630	Room 2 North Wall	06/02/25 23:54	80.55	80.55% @ 9° C
1222630	Room 2 North Wall	06/02/25 22:54	80.72	80.72% @ 9.1° C
1222630	Room 2 North Wall	06/02/25 21:54	80.73	80.73% @ 9.1° C
1222630	Room 2 North Wall	06/02/25 20:54	80.66	80.66% @ 9.1° C
1222630	Room 2 North Wall	06/02/25 19:54	80.63	80.63% @ 9.2° C
1222630	Room 2 North Wall	06/02/25 18:54	80.57	80.57% @ 9.3° C
1222630	Room 2 North Wall	06/02/25 17:54	80.5	80.5% @ 9.4° C
1222630	Room 2 North Wall	06/02/25 16:54	80.62	80.62% @ 9.4° C
1222630	Room 2 North Wall	06/02/25 15:54	80.87	80.87% @ 9.5° C
1222630	Room 2 North Wall	06/02/25 14:54	81.14	81.14% @ 9.5° C
1222630	Room 2 North Wall	06/02/25 13:54	81.6	81.6% @ 9.5° C
1222630	Room 2 North Wall	06/02/25 12:54	81.86	81.86% @ 9.3° C
1222630	Room 2 North Wall	06/02/25 11:54	82.16	82.16% @ 9.1° C
1222630	Room 2 North Wall	06/02/25 10:54	82.08	82.08% @ 8.8° C
1222630	Room 2 North Wall	06/02/25 09:54	81.89	81.89% @ 8.7° C
1222630	Room 2 North Wall	06/02/25 08:54	81.62	81.62% @ 8.6° C
1222630	Room 2 North Wall	06/02/25 07:54	81.37	81.37% @ 8.6° C
1222630	Room 2 North Wall	06/02/25 06:54	81.37	81.37% @ 8.6° C
1222630	Room 2 North Wall	06/02/25 05:54	81.22	81.22% @ 8.6° C
1222630	Room 2 North Wall	06/02/25 04:54	80.92	80.92% @ 8.7° C
1222630	Room 2 North Wall	06/02/25 03:54	80.99	80.99% @ 8.8° C
1222630	Room 2 North Wall	06/02/25 02:54	81.01	81.01% @ 8.9° C
1222630	Room 2 North Wall	06/02/25 01:54	81	81% @ 9° C
1222630	Room 2 North Wall	06/02/25 00:54	81	81% @ 9.1° C
1222630	Room 2 North Wall	05/02/25 23:54	81.03	81.03% @ 9.2° C
1222630	Room 2 North Wall	05/02/25 22:54	80.94	80.94% @ 9.3° C
1222630	Room 2 North Wall	05/02/25 21:54	81.12	81.12% @ 9.4° C
1222630	Room 2 North Wall	05/02/25 20:54	81.4	81.4% @ 9.5° C
1222630	Room 2 North Wall	05/02/25 19:54	81.56	81.56% @ 9.7° C
1222630	Room 2 North Wall	05/02/25 18:54	81.67	81.67% @ 9.8° C
1222630	Room 2 North Wall	05/02/25 17:54	81.64	81.64% @ 10° C
1222630	Room 2 North Wall	05/02/25 16:54	81.64	81.64% @ 10.2° C
1222630	Room 2 North Wall	05/02/25 15:54	81.86	81.86% @ 10.3° C
1222630	Room 2 North Wall	05/02/25 14:54	82.36	82.36% @ 10.2° C
1222630	Room 2 North Wall	05/02/25 13:55	82.56	82.56% @ 9.9° C
1222630	Room 2 North Wall	05/02/25 12:55	82.85	82.85% @ 9.6° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	05/02/25 11:54	83.1	83.1% @ 9.3° C
1222630	Room 2 North Wall	05/02/25 10:54	83.07	83.07% @ 8.8° C
1222630	Room 2 North Wall	05/02/25 09:54	82.51	82.51% @ 8.6° C
1222630	Room 2 North Wall	05/02/25 08:54	82.2	82.2% @ 8.5° C
1222630	Room 2 North Wall	05/02/25 07:54	82.41	82.41% @ 8.6° C
1222630	Room 2 North Wall	05/02/25 06:54	82.61	82.61% @ 8.7° C
1222630	Room 2 North Wall	05/02/25 05:54	82.84	82.84% @ 8.8° C
1222630	Room 2 North Wall	05/02/25 04:54	83.07	83.07% @ 9° C
1222630	Room 2 North Wall	05/02/25 03:54	83.33	83.33% @ 9.2° C
1222630	Room 2 North Wall	05/02/25 02:54	83.55	83.55% @ 9.3° C
1222630	Room 2 North Wall	05/02/25 01:54	83.68	83.68% @ 9.4° C
1222630	Room 2 North Wall	05/02/25 00:54	83.83	83.83% @ 9.6° C
1222630	Room 2 North Wall	04/02/25 23:54	84.01	84.01% @ 9.9° C
1222630	Room 2 North Wall	04/02/25 22:54	84.1	84.1% @ 10° C
1222630	Room 2 North Wall	04/02/25 21:54	83.83	83.83% @ 10° C
1222630	Room 2 North Wall	04/02/25 20:54	83.56	83.56% @ 10° C
1222630	Room 2 North Wall	04/02/25 19:54	83.27	83.27% @ 10° C
1222630	Room 2 North Wall	04/02/25 18:54	83.05	83.05% @ 10° C
1222630	Room 2 North Wall	04/02/25 17:54	82.85	82.85% @ 10° C
1222630	Room 2 North Wall	04/02/25 16:54	82.75	82.75% @ 10.1° C
1222630	Room 2 North Wall	04/02/25 15:54	82.74	82.74% @ 10.2° C
1222630	Room 2 North Wall	04/02/25 14:54	82.8	82.8% @ 10.3° C
1222630	Room 2 North Wall	04/02/25 13:54	83.01	83.01% @ 10.3° C
1222630	Room 2 North Wall	04/02/25 12:54	83.4	83.4% @ 9.9° C
1222630	Room 2 North Wall	04/02/25 11:54	83.61	83.61% @ 9.5° C
1222630	Room 2 North Wall	04/02/25 10:54	83.73	83.73% @ 9.2° C
1222630	Room 2 North Wall	04/02/25 09:54	83.89	83.89% @ 9° C
1222630	Room 2 North Wall	04/02/25 08:54	84.07	84.07% @ 9° C
1222630	Room 2 North Wall	04/02/25 07:54	84.13	84.13% @ 8.9° C
1222630	Room 2 North Wall	04/02/25 06:54	84.2	84.2% @ 8.9° C
1222630	Room 2 North Wall	04/02/25 05:54	84.16	84.16% @ 8.8° C
1222630	Room 2 North Wall	04/02/25 04:54	84.17	84.17% @ 8.8° C
1222630	Room 2 North Wall	04/02/25 03:54	84.06	84.06% @ 8.8° C
1222630	Room 2 North Wall	04/02/25 02:54	83.95	83.95% @ 8.8° C
1222630	Room 2 North Wall	04/02/25 01:54	84	84% @ 8.8° C
1222630	Room 2 North Wall	04/02/25 00:54	84.03	84.03% @ 8.7° C
1222630	Room 2 North Wall	03/02/25 23:54	83.86	83.86% @ 8.7° C
1222630	Room 2 North Wall	03/02/25 22:54	83.62	83.62% @ 8.6° C
1222630	Room 2 North Wall	03/02/25 21:54	83.49	83.49% @ 8.6° C
1222630	Room 2 North Wall	03/02/25 20:54	83.25	83.25% @ 8.6° C
1222630	Room 2 North Wall	03/02/25 19:54	83.1	83.1% @ 8.5° C
1222630	Room 2 North Wall	03/02/25 18:54	82.92	82.92% @ 8.6° C
1222630	Room 2 North Wall	03/02/25 17:54	82.77	82.77% @ 8.6° C
1222630	Room 2 North Wall	03/02/25 16:54	82.61	82.61% @ 8.7° C
1222630	Room 2 North Wall	03/02/25 15:54	82.54	82.54% @ 8.8° C
1222630	Room 2 North Wall	03/02/25 14:54	82.64	82.64% @ 8.7° C
1222630	Room 2 North Wall	03/02/25 13:54	82.76	82.76% @ 8.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	03/02/25 12:54	83.04	83.04% @ 8° C
1222630	Room 2 North Wall	03/02/25 11:54	83.04	83.04% @ 7.6° C
1222630	Room 2 North Wall	03/02/25 10:54	82.22	82.22% @ 7.3° C
1222630	Room 2 North Wall	03/02/25 09:54	80.94	80.94% @ 7° C
1222630	Room 2 North Wall	03/02/25 08:54	79.82	79.82% @ 7° C
1222630	Room 2 North Wall	03/02/25 07:54	79.74	79.74% @ 7° C
1222630	Room 2 North Wall	03/02/25 06:54	79.61	79.61% @ 6.9° C
1222630	Room 2 North Wall	03/02/25 05:54	79.7	79.7% @ 7° C
1222630	Room 2 North Wall	03/02/25 04:54	79.57	79.57% @ 7° C
1222630	Room 2 North Wall	03/02/25 03:54	79.53	79.53% @ 7.1° C
1222630	Room 2 North Wall	03/02/25 02:54	79.11	79.11% @ 7.1° C
1222630	Room 2 North Wall	03/02/25 01:54	78.71	78.71% @ 7.2° C
1222630	Room 2 North Wall	03/02/25 00:54	79.02	79.02% @ 7.4° C
1222630	Room 2 North Wall	02/02/25 23:54	78.93	78.93% @ 7.4° C
1222630	Room 2 North Wall	02/02/25 22:54	79.35	79.35% @ 7.5° C
1222630	Room 2 North Wall	02/02/25 21:54	79.34	79.34% @ 7.6° C
1222630	Room 2 North Wall	02/02/25 20:54	80.28	80.28% @ 7.7° C
1222630	Room 2 North Wall	02/02/25 19:54	81.11	81.11% @ 7.9° C
1222630	Room 2 North Wall	02/02/25 18:54	81.74	81.74% @ 8.1° C
1222630	Room 2 North Wall	02/02/25 17:54	81.78	81.78% @ 8.4° C
1222630	Room 2 North Wall	02/02/25 16:54	82.74	82.74% @ 8.7° C
1222630	Room 2 North Wall	02/02/25 15:54	82.73	82.73% @ 8.9° C
1222630	Room 2 North Wall	02/02/25 14:54	82.78	82.78% @ 8.9° C
1222630	Room 2 North Wall	02/02/25 13:54	82.98	82.98% @ 8.7° C
1222630	Room 2 North Wall	02/02/25 12:54	83.03	83.03% @ 8.3° C
1222630	Room 2 North Wall	02/02/25 11:54	82.75	82.75% @ 7.9° C
1222630	Room 2 North Wall	02/02/25 10:54	81.91	81.91% @ 7.5° C
1222630	Room 2 North Wall	02/02/25 09:54	80.63	80.63% @ 7.3° C
1222630	Room 2 North Wall	02/02/25 08:54	80.07	80.07% @ 7.2° C
1222630	Room 2 North Wall	02/02/25 07:54	80.3	80.3% @ 7.2° C
1222630	Room 2 North Wall	02/02/25 06:54	80.26	80.26% @ 7.3° C
1222630	Room 2 North Wall	02/02/25 05:54	80.38	80.38% @ 7.4° C
1222630	Room 2 North Wall	02/02/25 04:54	80.35	80.35% @ 7.4° C
1222630	Room 2 North Wall	02/02/25 03:54	80.07	80.07% @ 7.6° C
1222630	Room 2 North Wall	02/02/25 02:54	80.23	80.23% @ 7.7° C
1222630	Room 2 North Wall	02/02/25 01:54	80.08	80.08% @ 7.8° C
1222630	Room 2 North Wall	02/02/25 00:54	80.31	80.31% @ 7.8° C
1222630	Room 2 North Wall	01/02/25 23:54	80.52	80.52% @ 7.9° C
1222630	Room 2 North Wall	01/02/25 22:54	80.34	80.34% @ 7.9° C
1222630	Room 2 North Wall	01/02/25 21:54	80.36	80.36% @ 8° C
1222630	Room 2 North Wall	01/02/25 20:54	81.05	81.05% @ 8.1° C
1222630	Room 2 North Wall	01/02/25 19:54	82.09	82.09% @ 8.3° C
1222630	Room 2 North Wall	01/02/25 18:54	82.62	82.62% @ 8.6° C
1222630	Room 2 North Wall	01/02/25 17:54	83.01	83.01% @ 8.8° C
1222630	Room 2 North Wall	01/02/25 16:54	83.19	83.19% @ 9.1° C
1222630	Room 2 North Wall	01/02/25 15:54	83.17	83.17% @ 9.4° C
1222630	Room 2 North Wall	01/02/25 14:54	83.45	83.45% @ 9.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1222630	Room 2 North Wall	01/02/25 13:54	83.75	83.75% @ 9.3° C
1222630	Room 2 North Wall	01/02/25 12:54	84.16	84.16% @ 8.9° C
1222630	Room 2 North Wall	01/02/25 11:54	84.22	84.22% @ 8.5° C
1222630	Room 2 North Wall	01/02/25 10:54	84.16	84.16% @ 8.3° C
1222630	Room 2 North Wall	01/02/25 09:54	83.91	83.91% @ 8.1° C
1222630	Room 2 North Wall	01/02/25 08:54	83.56	83.56% @ 8° C
1222630	Room 2 North Wall	01/02/25 07:54	83.45	83.45% @ 8° C
1222630	Room 2 North Wall	01/02/25 06:54	83.35	83.35% @ 8° C
1222630	Room 2 North Wall	01/02/25 05:54	83.45	83.45% @ 8.1° C
1222630	Room 2 North Wall	01/02/25 04:54	83.51	83.51% @ 8.1° C
1222630	Room 2 North Wall	01/02/25 03:54	83.62	83.62% @ 8.2° C
1222630	Room 2 North Wall	01/02/25 02:54	83.75	83.75% @ 8.3° C
1222630	Room 2 North Wall	01/02/25 01:54	83.83	83.83% @ 8.3° C
1222630	Room 2 North Wall	01/02/25 00:54	83.88	83.88% @ 8.3° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	28/02/25 23:03	74.12	74.12% @ 8.8° C
1224890	Room 2 South Side	28/02/25 22:03	74.66	74.66% @ 9.1° C
1224890	Room 2 South Side	28/02/25 21:03	74.79	74.79% @ 9.3° C
1224890	Room 2 South Side	28/02/25 20:03	74.86	74.86% @ 9.6° C
1224890	Room 2 South Side	28/02/25 19:03	74.77	74.77% @ 9.9° C
1224890	Room 2 South Side	28/02/25 18:03	74.91	74.91% @ 10.3° C
1224890	Room 2 South Side	28/02/25 17:03	74.74	74.74% @ 10.5° C
1224890	Room 2 South Side	28/02/25 16:03	74.76	74.76% @ 10.6° C
1224890	Room 2 South Side	28/02/25 15:03	74.89	74.89% @ 10.5° C
1224890	Room 2 South Side	28/02/25 14:03	74.96	74.96% @ 10.2° C
1224890	Room 2 South Side	28/02/25 13:03	75.02	75.02% @ 9.9° C
1224890	Room 2 South Side	28/02/25 12:03	75.19	75.19% @ 9.5° C
1224890	Room 2 South Side	28/02/25 11:03	75.25	75.25% @ 9° C
1224890	Room 2 South Side	28/02/25 10:03	75.14	75.14% @ 8.7° C
1224890	Room 2 South Side	28/02/25 09:03	75.05	75.05% @ 8.5° C
1224890	Room 2 South Side	28/02/25 08:03	74.92	74.92% @ 8.3° C
1224890	Room 2 South Side	28/02/25 07:03	74.73	74.73% @ 8.3° C
1224890	Room 2 South Side	28/02/25 06:03	74.71	74.71% @ 8.3° C
1224890	Room 2 South Side	28/02/25 05:03	74.67	74.67% @ 8.3° C
1224890	Room 2 South Side	28/02/25 04:03	74.62	74.62% @ 8.5° C
1224890	Room 2 South Side	28/02/25 03:03	74.54	74.54% @ 8.5° C
1224890	Room 2 South Side	28/02/25 02:03	74.4	74.4% @ 8.7° C
1224890	Room 2 South Side	28/02/25 01:03	74.42	74.42% @ 8.8° C
1224890	Room 2 South Side	28/02/25 00:03	74.49	74.49% @ 8.9° C
1224890	Room 2 South Side	27/02/25 23:03	74.52	74.52% @ 8.9° C
1224890	Room 2 South Side	27/02/25 22:03	74.55	74.55% @ 8.9° C
1224890	Room 2 South Side	27/02/25 21:03	74.61	74.61% @ 9° C
1224890	Room 2 South Side	27/02/25 20:03	74.66	74.66% @ 9.1° C
1224890	Room 2 South Side	27/02/25 19:03	74.79	74.79% @ 9.3° C
1224890	Room 2 South Side	27/02/25 18:03	74.97	74.97% @ 9.6° C
1224890	Room 2 South Side	27/02/25 17:03	75.3	75.3% @ 9.8° C
1224890	Room 2 South Side	27/02/25 16:03	75.44	75.44% @ 9.8° C
1224890	Room 2 South Side	27/02/25 15:03	75.57	75.57% @ 9.6° C
1224890	Room 2 South Side	27/02/25 14:03	75.69	75.69% @ 9.4° C
1224890	Room 2 South Side	27/02/25 13:03	75.78	75.78% @ 9.3° C
1224890	Room 2 South Side	27/02/25 12:03	75.91	75.91% @ 9.1° C
1224890	Room 2 South Side	27/02/25 11:03	75.94	75.94% @ 9° C
1224890	Room 2 South Side	27/02/25 10:03	76.01	76.01% @ 8.8° C
1224890	Room 2 South Side	27/02/25 09:03	75.98	75.98% @ 8.7° C
1224890	Room 2 South Side	27/02/25 08:03	75.91	75.91% @ 8.6° C
1224890	Room 2 South Side	27/02/25 07:03	75.72	75.72% @ 8.5° C
1224890	Room 2 South Side	27/02/25 06:03	75.84	75.84% @ 8.6° C
1224890	Room 2 South Side	27/02/25 05:03	75.84	75.84% @ 8.6° C
1224890	Room 2 South Side	27/02/25 04:03	75.89	75.89% @ 8.6° C
1224890	Room 2 South Side	27/02/25 03:03	76.1	76.1% @ 8.7° C
1224890	Room 2 South Side	27/02/25 02:03	76.24	76.24% @ 8.8° C
1224890	Room 2 South Side	27/02/25 01:03	76.44	76.44% @ 8.9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	27/02/25 00:03	76.76	76.76% @ 9.1° C
1224890	Room 2 South Side	26/02/25 23:03	77.05	77.05% @ 9.2° C
1224890	Room 2 South Side	26/02/25 22:03	77.28	77.28% @ 9.3° C
1224890	Room 2 South Side	26/02/25 21:03	77.61	77.61% @ 9.5° C
1224890	Room 2 South Side	26/02/25 20:03	78.09	78.09% @ 9.7° C
1224890	Room 2 South Side	26/02/25 19:03	78.14	78.14% @ 9.9° C
1224890	Room 2 South Side	26/02/25 18:03	78.07	78.07% @ 10° C
1224890	Room 2 South Side	26/02/25 17:03	77.87	77.87% @ 10.1° C
1224890	Room 2 South Side	26/02/25 16:03	77.65	77.65% @ 10.1° C
1224890	Room 2 South Side	26/02/25 15:03	77.32	77.32% @ 10° C
1224890	Room 2 South Side	26/02/25 14:03	76.98	76.98% @ 10° C
1224890	Room 2 South Side	26/02/25 13:03	76.55	76.55% @ 10° C
1224890	Room 2 South Side	26/02/25 12:03	76.16	76.16% @ 10° C
1224890	Room 2 South Side	26/02/25 11:03	75.97	75.97% @ 9.8° C
1224890	Room 2 South Side	26/02/25 10:03	75.43	75.43% @ 9.4° C
1224890	Room 2 South Side	26/02/25 09:03	74.83	74.83% @ 9.1° C
1224890	Room 2 South Side	26/02/25 08:03	74.16	74.16% @ 8.8° C
1224890	Room 2 South Side	26/02/25 07:03	73.94	73.94% @ 8.9° C
1224890	Room 2 South Side	26/02/25 06:03	73.9	73.9% @ 9° C
1224890	Room 2 South Side	26/02/25 05:03	74.34	74.34% @ 9.2° C
1224890	Room 2 South Side	26/02/25 04:03	74.43	74.43% @ 9.5° C
1224890	Room 2 South Side	26/02/25 03:03	74.83	74.83% @ 9.6° C
1224890	Room 2 South Side	26/02/25 02:03	75.21	75.21% @ 9.9° C
1224890	Room 2 South Side	26/02/25 01:03	75.44	75.44% @ 10° C
1224890	Room 2 South Side	26/02/25 00:03	75.99	75.99% @ 10.2° C
1224890	Room 2 South Side	25/02/25 23:03	76.58	76.58% @ 10.4° C
1224890	Room 2 South Side	25/02/25 22:03	76.74	76.74% @ 10.7° C
1224890	Room 2 South Side	25/02/25 21:03	76.95	76.95% @ 10.9° C
1224890	Room 2 South Side	25/02/25 20:03	77.44	77.44% @ 11.2° C
1224890	Room 2 South Side	25/02/25 19:03	77.67	77.67% @ 11.4° C
1224890	Room 2 South Side	25/02/25 18:03	78.27	78.27% @ 11.6° C
1224890	Room 2 South Side	25/02/25 17:03	78.85	78.85% @ 11.7° C
1224890	Room 2 South Side	25/02/25 16:03	79.05	79.05% @ 11.7° C
1224890	Room 2 South Side	25/02/25 15:03	79.14	79.14% @ 11.8° C
1224890	Room 2 South Side	25/02/25 14:03	79.27	79.27% @ 11.9° C
1224890	Room 2 South Side	25/02/25 13:03	79.67	79.67% @ 11.9° C
1224890	Room 2 South Side	25/02/25 12:03	80.18	80.18% @ 11.7° C
1224890	Room 2 South Side	25/02/25 11:03	80.43	80.43% @ 11.5° C
1224890	Room 2 South Side	25/02/25 10:03	80.59	80.59% @ 11.4° C
1224890	Room 2 South Side	25/02/25 09:03	80.59	80.59% @ 11.2° C
1224890	Room 2 South Side	25/02/25 08:03	80.46	80.46% @ 11.2° C
1224890	Room 2 South Side	25/02/25 07:03	80.46	80.46% @ 11.2° C
1224890	Room 2 South Side	25/02/25 06:03	80.56	80.56% @ 11.2° C
1224890	Room 2 South Side	25/02/25 05:03	80.57	80.57% @ 11.2° C
1224890	Room 2 South Side	25/02/25 04:03	80.58	80.58% @ 11.3° C
1224890	Room 2 South Side	25/02/25 03:03	80.68	80.68% @ 11.3° C
1224890	Room 2 South Side	25/02/25 02:03	80.7	80.7% @ 11.3° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	25/02/25 01:03	80.73	80.73% @ 11.3° C
1224890	Room 2 South Side	25/02/25 00:03	80.77	80.77% @ 11.4° C
1224890	Room 2 South Side	24/02/25 23:03	80.86	80.86% @ 11.4° C
1224890	Room 2 South Side	24/02/25 22:03	80.94	80.94% @ 11.4° C
1224890	Room 2 South Side	24/02/25 21:03	81.01	81.01% @ 11.5° C
1224890	Room 2 South Side	24/02/25 20:03	81.11	81.11% @ 11.6° C
1224890	Room 2 South Side	24/02/25 19:03	81.22	81.22% @ 11.8° C
1224890	Room 2 South Side	24/02/25 18:03	81.37	81.37% @ 12° C
1224890	Room 2 South Side	24/02/25 17:03	81.46	81.46% @ 12.1° C
1224890	Room 2 South Side	24/02/25 16:03	81.5	81.5% @ 12.1° C
1224890	Room 2 South Side	24/02/25 15:03	81.56	81.56% @ 12° C
1224890	Room 2 South Side	24/02/25 14:03	81.57	81.57% @ 11.9° C
1224890	Room 2 South Side	24/02/25 13:03	81.59	81.59% @ 11.9° C
1224890	Room 2 South Side	24/02/25 12:03	81.57	81.57% @ 11.7° C
1224890	Room 2 South Side	24/02/25 11:03	81.6	81.6% @ 11.5° C
1224890	Room 2 South Side	24/02/25 10:03	81.28	81.28% @ 11.5° C
1224890	Room 2 South Side	24/02/25 09:03	81.12	81.12% @ 11.4° C
1224890	Room 2 South Side	24/02/25 08:03	80.98	80.98% @ 11.5° C
1224890	Room 2 South Side	24/02/25 07:03	80.79	80.79% @ 11.5° C
1224890	Room 2 South Side	24/02/25 06:03	80.65	80.65% @ 11.5° C
1224890	Room 2 South Side	24/02/25 05:03	80.6	80.6% @ 11.5° C
1224890	Room 2 South Side	24/02/25 04:03	80.5	80.5% @ 11.5° C
1224890	Room 2 South Side	24/02/25 03:03	80.47	80.47% @ 11.5° C
1224890	Room 2 South Side	24/02/25 02:03	80.55	80.55% @ 11.6° C
1224890	Room 2 South Side	24/02/25 01:03	80.53	80.53% @ 11.6° C
1224890	Room 2 South Side	24/02/25 00:03	80.55	80.55% @ 11.6° C
1224890	Room 2 South Side	23/02/25 23:03	80.56	80.56% @ 11.7° C
1224890	Room 2 South Side	23/02/25 22:03	80.54	80.54% @ 11.7° C
1224890	Room 2 South Side	23/02/25 21:03	80.51	80.51% @ 11.8° C
1224890	Room 2 South Side	23/02/25 20:03	80.52	80.52% @ 11.8° C
1224890	Room 2 South Side	23/02/25 19:03	80.59	80.59% @ 11.9° C
1224890	Room 2 South Side	23/02/25 18:03	80.65	80.65% @ 12° C
1224890	Room 2 South Side	23/02/25 17:03	80.66	80.66% @ 12.2° C
1224890	Room 2 South Side	23/02/25 16:03	80.68	80.68% @ 12.4° C
1224890	Room 2 South Side	23/02/25 15:03	80.85	80.85% @ 12.4° C
1224890	Room 2 South Side	23/02/25 14:03	81.18	81.18% @ 12.2° C
1224890	Room 2 South Side	23/02/25 13:03	81.39	81.39% @ 12.1° C
1224890	Room 2 South Side	23/02/25 12:03	81.63	81.63% @ 11.9° C
1224890	Room 2 South Side	23/02/25 11:03	81.89	81.89% @ 11.6° C
1224890	Room 2 South Side	23/02/25 10:03	82.02	82.02% @ 11.3° C
1224890	Room 2 South Side	23/02/25 09:03	82.02	82.02% @ 11.1° C
1224890	Room 2 South Side	23/02/25 08:03	82.05	82.05% @ 11° C
1224890	Room 2 South Side	23/02/25 07:03	82.08	82.08% @ 11° C
1224890	Room 2 South Side	23/02/25 06:03	82	82% @ 11.1° C
1224890	Room 2 South Side	23/02/25 05:03	82.01	82.01% @ 11° C
1224890	Room 2 South Side	23/02/25 04:03	81.94	81.94% @ 11° C
1224890	Room 2 South Side	23/02/25 03:03	81.92	81.92% @ 11.1° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	23/02/25 02:03	82	82% @ 11.1° C
1224890	Room 2 South Side	23/02/25 01:03	82.02	82.02% @ 11° C
1224890	Room 2 South Side	23/02/25 00:03	82.1	82.1% @ 10.9° C
1224890	Room 2 South Side	22/02/25 23:03	82.14	82.14% @ 10.9° C
1224890	Room 2 South Side	22/02/25 22:03	82.24	82.24% @ 10.9° C
1224890	Room 2 South Side	22/02/25 21:03	82.44	82.44% @ 11.1° C
1224890	Room 2 South Side	22/02/25 20:03	82.61	82.61% @ 11.4° C
1224890	Room 2 South Side	22/02/25 19:03	82.86	82.86% @ 11.7° C
1224890	Room 2 South Side	22/02/25 18:03	83.05	83.05% @ 11.9° C
1224890	Room 2 South Side	22/02/25 17:03	83.08	83.08% @ 12° C
1224890	Room 2 South Side	22/02/25 16:03	83.09	83.09% @ 12.1° C
1224890	Room 2 South Side	22/02/25 15:03	83.09	83.09% @ 12.1° C
1224890	Room 2 South Side	22/02/25 14:03	83.16	83.16% @ 12° C
1224890	Room 2 South Side	22/02/25 13:03	83.04	83.04% @ 11.7° C
1224890	Room 2 South Side	22/02/25 12:03	82.89	82.89% @ 11.6° C
1224890	Room 2 South Side	22/02/25 11:03	82.92	82.92% @ 11.5° C
1224890	Room 2 South Side	22/02/25 10:03	82.87	82.87% @ 11.5° C
1224890	Room 2 South Side	22/02/25 09:03	82.87	82.87% @ 11.4° C
1224890	Room 2 South Side	22/02/25 08:03	82.8	82.8% @ 11.3° C
1224890	Room 2 South Side	22/02/25 07:03	82.71	82.71% @ 11.4° C
1224890	Room 2 South Side	22/02/25 06:03	82.65	82.65% @ 11.4° C
1224890	Room 2 South Side	22/02/25 05:03	82.56	82.56% @ 11.4° C
1224890	Room 2 South Side	22/02/25 04:03	82.51	82.51% @ 11.4° C
1224890	Room 2 South Side	22/02/25 03:03	82.41	82.41% @ 11.4° C
1224890	Room 2 South Side	22/02/25 02:03	82.35	82.35% @ 11.4° C
1224890	Room 2 South Side	22/02/25 01:03	82.28	82.28% @ 11.5° C
1224890	Room 2 South Side	22/02/25 00:03	82.16	82.16% @ 11.4° C
1224890	Room 2 South Side	21/02/25 23:03	82.21	82.21% @ 11.4° C
1224890	Room 2 South Side	21/02/25 22:03	82.2	82.2% @ 11.4° C
1224890	Room 2 South Side	21/02/25 21:03	82.27	82.27% @ 11.5° C
1224890	Room 2 South Side	21/02/25 20:03	82.27	82.27% @ 11.5° C
1224890	Room 2 South Side	21/02/25 19:03	82.22	82.22% @ 11.6° C
1224890	Room 2 South Side	21/02/25 18:03	82.08	82.08% @ 11.7° C
1224890	Room 2 South Side	21/02/25 17:03	82.04	82.04% @ 11.8° C
1224890	Room 2 South Side	21/02/25 16:03	82.1	82.1% @ 11.8° C
1224890	Room 2 South Side	21/02/25 15:03	82.4	82.4% @ 11.6° C
1224890	Room 2 South Side	21/02/25 14:03	82.69	82.69% @ 11.4° C
1224890	Room 2 South Side	21/02/25 13:03	82.8	82.8% @ 11.1° C
1224890	Room 2 South Side	21/02/25 12:03	82.71	82.71% @ 11° C
1224890	Room 2 South Side	21/02/25 11:03	82.67	82.67% @ 10.9° C
1224890	Room 2 South Side	21/02/25 10:03	82.42	82.42% @ 10.8° C
1224890	Room 2 South Side	21/02/25 09:03	82.26	82.26% @ 10.6° C
1224890	Room 2 South Side	21/02/25 08:03	82.25	82.25% @ 10.5° C
1224890	Room 2 South Side	21/02/25 07:03	82.24	82.24% @ 10.5° C
1224890	Room 2 South Side	21/02/25 06:03	82.26	82.26% @ 10.5° C
1224890	Room 2 South Side	21/02/25 05:03	82.32	82.32% @ 10.4° C
1224890	Room 2 South Side	21/02/25 04:03	82.18	82.18% @ 10.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	21/02/25 03:03	82.32	82.32% @ 10.4° C
1224890	Room 2 South Side	21/02/25 02:03	82.26	82.26% @ 10.3° C
1224890	Room 2 South Side	21/02/25 01:03	82.37	82.37% @ 10.3° C
1224890	Room 2 South Side	21/02/25 00:03	82.36	82.36% @ 10.3° C
1224890	Room 2 South Side	20/02/25 23:03	82.4	82.4% @ 10.2° C
1224890	Room 2 South Side	20/02/25 22:03	82.27	82.27% @ 10.1° C
1224890	Room 2 South Side	20/02/25 21:03	82.1	82.1% @ 10.1° C
1224890	Room 2 South Side	20/02/25 20:03	81.9	81.9% @ 10° C
1224890	Room 2 South Side	20/02/25 19:03	81.74	81.74% @ 10° C
1224890	Room 2 South Side	20/02/25 18:03	81.5	81.5% @ 9.9° C
1224890	Room 2 South Side	20/02/25 17:03	81.34	81.34% @ 9.8° C
1224890	Room 2 South Side	20/02/25 16:03	81.02	81.02% @ 9.8° C
1224890	Room 2 South Side	20/02/25 15:03	80.79	80.79% @ 9.7° C
1224890	Room 2 South Side	20/02/25 14:03	80.53	80.53% @ 9.7° C
1224890	Room 2 South Side	20/02/25 13:03	80.19	80.19% @ 9.5° C
1224890	Room 2 South Side	20/02/25 12:03	79.81	79.81% @ 9.3° C
1224890	Room 2 South Side	20/02/25 11:03	79.13	79.13% @ 9.1° C
1224890	Room 2 South Side	20/02/25 10:03	78.7	78.7% @ 9° C
1224890	Room 2 South Side	20/02/25 09:03	78.37	78.37% @ 8.9° C
1224890	Room 2 South Side	20/02/25 08:03	78.07	78.07% @ 8.8° C
1224890	Room 2 South Side	20/02/25 07:03	77.73	77.73% @ 8.7° C
1224890	Room 2 South Side	20/02/25 06:03	77.32	77.32% @ 8.6° C
1224890	Room 2 South Side	20/02/25 05:03	76.88	76.88% @ 8.5° C
1224890	Room 2 South Side	20/02/25 04:03	76.46	76.46% @ 8.4° C
1224890	Room 2 South Side	20/02/25 03:03	75.89	75.89% @ 8.4° C
1224890	Room 2 South Side	20/02/25 02:03	75.5	75.5% @ 8.3° C
1224890	Room 2 South Side	20/02/25 01:03	74.92	74.92% @ 8.2° C
1224890	Room 2 South Side	20/02/25 00:03	74.44	74.44% @ 8.1° C
1224890	Room 2 South Side	19/02/25 23:03	74.12	74.12% @ 8.1° C
1224890	Room 2 South Side	19/02/25 22:03	73.5	73.5% @ 8.1° C
1224890	Room 2 South Side	19/02/25 21:03	72.92	72.92% @ 8.2° C
1224890	Room 2 South Side	19/02/25 20:03	72.4	72.4% @ 8.2° C
1224890	Room 2 South Side	19/02/25 19:03	71.83	71.83% @ 8.2° C
1224890	Room 2 South Side	19/02/25 18:03	71.09	71.09% @ 8.4° C
1224890	Room 2 South Side	19/02/25 17:03	70.6	70.6% @ 8.5° C
1224890	Room 2 South Side	19/02/25 16:03	70	70% @ 8.5° C
1224890	Room 2 South Side	19/02/25 15:03	69.69	69.69% @ 8.3° C
1224890	Room 2 South Side	19/02/25 14:03	69.31	69.31% @ 8.1° C
1224890	Room 2 South Side	19/02/25 13:03	69.05	69.05% @ 7.9° C
1224890	Room 2 South Side	19/02/25 12:03	68.89	68.89% @ 7.6° C
1224890	Room 2 South Side	19/02/25 11:03	68.73	68.73% @ 7.1° C
1224890	Room 2 South Side	19/02/25 10:03	68.66	68.66% @ 6.8° C
1224890	Room 2 South Side	19/02/25 09:03	68.73	68.73% @ 6.6° C
1224890	Room 2 South Side	19/02/25 08:03	68.55	68.55% @ 6.5° C
1224890	Room 2 South Side	19/02/25 07:03	68.43	68.43% @ 6.5° C
1224890	Room 2 South Side	19/02/25 06:03	68.21	68.21% @ 6.6° C
1224890	Room 2 South Side	19/02/25 05:03	68.1	68.1% @ 6.7° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	19/02/25 04:03	67.94	67.94% @ 6.7° C
1224890	Room 2 South Side	19/02/25 03:03	67.84	67.84% @ 6.8° C
1224890	Room 2 South Side	19/02/25 02:03	67.89	67.89% @ 6.9° C
1224890	Room 2 South Side	19/02/25 01:03	67.76	67.76% @ 7° C
1224890	Room 2 South Side	19/02/25 00:03	67.98	67.98% @ 7.1° C
1224890	Room 2 South Side	18/02/25 23:03	68.04	68.04% @ 7.1° C
1224890	Room 2 South Side	18/02/25 22:03	68.14	68.14% @ 7.2° C
1224890	Room 2 South Side	18/02/25 21:03	68.41	68.41% @ 7.4° C
1224890	Room 2 South Side	18/02/25 20:03	68.64	68.64% @ 7.5° C
1224890	Room 2 South Side	18/02/25 19:03	68.81	68.81% @ 7.6° C
1224890	Room 2 South Side	18/02/25 18:03	68.87	68.87% @ 7.8° C
1224890	Room 2 South Side	18/02/25 17:03	68.74	68.74% @ 8° C
1224890	Room 2 South Side	18/02/25 16:03	68.75	68.75% @ 8.2° C
1224890	Room 2 South Side	18/02/25 15:03	68.83	68.83% @ 8.1° C
1224890	Room 2 South Side	18/02/25 14:03	68.88	68.88% @ 8° C
1224890	Room 2 South Side	18/02/25 13:03	68.91	68.91% @ 7.7° C
1224890	Room 2 South Side	18/02/25 12:03	68.84	68.84% @ 7.3° C
1224890	Room 2 South Side	18/02/25 11:03	68.8	68.8% @ 6.8° C
1224890	Room 2 South Side	18/02/25 10:03	68.74	68.74% @ 6.4° C
1224890	Room 2 South Side	18/02/25 09:03	68.61	68.61% @ 6.2° C
1224890	Room 2 South Side	18/02/25 08:03	68.36	68.36% @ 6.1° C
1224890	Room 2 South Side	18/02/25 07:03	68.06	68.06% @ 6.2° C
1224890	Room 2 South Side	18/02/25 06:03	67.81	67.81% @ 6.2° C
1224890	Room 2 South Side	18/02/25 05:03	67.6	67.6% @ 6.3° C
1224890	Room 2 South Side	18/02/25 04:03	67.41	67.41% @ 6.4° C
1224890	Room 2 South Side	18/02/25 03:03	67.3	67.3% @ 6.5° C
1224890	Room 2 South Side	18/02/25 02:03	67.48	67.48% @ 6.5° C
1224890	Room 2 South Side	18/02/25 01:03	67.42	67.42% @ 6.6° C
1224890	Room 2 South Side	18/02/25 00:03	67.51	67.51% @ 6.7° C
1224890	Room 2 South Side	17/02/25 23:03	68.01	68.01% @ 6.7° C
1224890	Room 2 South Side	17/02/25 22:03	68.29	68.29% @ 6.8° C
1224890	Room 2 South Side	17/02/25 21:03	68.37	68.37% @ 6.8° C
1224890	Room 2 South Side	17/02/25 20:03	68.42	68.42% @ 7° C
1224890	Room 2 South Side	17/02/25 19:03	68.43	68.43% @ 7.3° C
1224890	Room 2 South Side	17/02/25 18:03	68.26	68.26% @ 7.6° C
1224890	Room 2 South Side	17/02/25 17:03	68.25	68.25% @ 7.9° C
1224890	Room 2 South Side	17/02/25 16:03	68.27	68.27% @ 8° C
1224890	Room 2 South Side	17/02/25 15:03	68.65	68.65% @ 8.1° C
1224890	Room 2 South Side	17/02/25 14:03	68.69	68.69% @ 7.9° C
1224890	Room 2 South Side	17/02/25 13:03	69.09	69.09% @ 7.5° C
1224890	Room 2 South Side	17/02/25 12:03	69.09	69.09% @ 7.1° C
1224890	Room 2 South Side	17/02/25 11:03	69.14	69.14% @ 6.7° C
1224890	Room 2 South Side	17/02/25 10:03	69.26	69.26% @ 6.3° C
1224890	Room 2 South Side	17/02/25 09:03	69.12	69.12% @ 6° C
1224890	Room 2 South Side	17/02/25 08:03	69.03	69.03% @ 6° C
1224890	Room 2 South Side	17/02/25 07:03	68.88	68.88% @ 6.1° C
1224890	Room 2 South Side	17/02/25 06:03	68.75	68.75% @ 6.2° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	17/02/25 05:03	68.58	68.58% @ 6.3° C
1224890	Room 2 South Side	17/02/25 04:03	68.41	68.41% @ 6.4° C
1224890	Room 2 South Side	17/02/25 03:03	68.44	68.44% @ 6.5° C
1224890	Room 2 South Side	17/02/25 02:03	68.34	68.34% @ 6.6° C
1224890	Room 2 South Side	17/02/25 01:03	68.19	68.19% @ 6.6° C
1224890	Room 2 South Side	17/02/25 00:03	68.35	68.35% @ 6.7° C
1224890	Room 2 South Side	16/02/25 23:03	68.56	68.56% @ 6.8° C
1224890	Room 2 South Side	16/02/25 22:03	68.83	68.83% @ 6.9° C
1224890	Room 2 South Side	16/02/25 21:03	69.23	69.23% @ 7° C
1224890	Room 2 South Side	16/02/25 20:03	69.51	69.51% @ 7.1° C
1224890	Room 2 South Side	16/02/25 19:03	69.39	69.39% @ 7.2° C
1224890	Room 2 South Side	16/02/25 18:03	69.52	69.52% @ 7.3° C
1224890	Room 2 South Side	16/02/25 17:03	69.46	69.46% @ 7.4° C
1224890	Room 2 South Side	16/02/25 16:03	69.54	69.54% @ 7.5° C
1224890	Room 2 South Side	16/02/25 15:03	69.57	69.57% @ 7.6° C
1224890	Room 2 South Side	16/02/25 14:03	69.73	69.73% @ 7.5° C
1224890	Room 2 South Side	16/02/25 13:03	69.99	69.99% @ 7.4° C
1224890	Room 2 South Side	16/02/25 12:03	70.28	70.28% @ 7.2° C
1224890	Room 2 South Side	16/02/25 11:03	70.47	70.47% @ 7° C
1224890	Room 2 South Side	16/02/25 10:03	70.73	70.73% @ 6.8° C
1224890	Room 2 South Side	16/02/25 09:03	70.83	70.83% @ 6.8° C
1224890	Room 2 South Side	16/02/25 08:03	71.16	71.16% @ 6.8° C
1224890	Room 2 South Side	16/02/25 07:03	71.26	71.26% @ 6.8° C
1224890	Room 2 South Side	16/02/25 06:03	71.26	71.26% @ 6.8° C
1224890	Room 2 South Side	16/02/25 05:03	71.31	71.31% @ 6.9° C
1224890	Room 2 South Side	16/02/25 04:03	71.28	71.28% @ 6.9° C
1224890	Room 2 South Side	16/02/25 03:03	71.26	71.26% @ 6.9° C
1224890	Room 2 South Side	16/02/25 02:03	71.05	71.05% @ 6.9° C
1224890	Room 2 South Side	16/02/25 01:03	70.91	70.91% @ 6.9° C
1224890	Room 2 South Side	16/02/25 00:03	70.69	70.69% @ 7° C
1224890	Room 2 South Side	15/02/25 23:03	70.49	70.49% @ 7° C
1224890	Room 2 South Side	15/02/25 22:03	70.39	70.39% @ 7° C
1224890	Room 2 South Side	15/02/25 21:03	70.37	70.37% @ 7.1° C
1224890	Room 2 South Side	15/02/25 20:03	70.39	70.39% @ 7.1° C
1224890	Room 2 South Side	15/02/25 19:03	70.32	70.32% @ 7.3° C
1224890	Room 2 South Side	15/02/25 18:03	70.35	70.35% @ 7.4° C
1224890	Room 2 South Side	15/02/25 17:03	70.21	70.21% @ 7.5° C
1224890	Room 2 South Side	15/02/25 16:03	70.31	70.31% @ 7.6° C
1224890	Room 2 South Side	15/02/25 15:03	70.28	70.28% @ 7.6° C
1224890	Room 2 South Side	15/02/25 14:03	70.33	70.33% @ 7.5° C
1224890	Room 2 South Side	15/02/25 13:03	70.37	70.37% @ 7.4° C
1224890	Room 2 South Side	15/02/25 12:03	70.55	70.55% @ 7.2° C
1224890	Room 2 South Side	15/02/25 11:03	70.56	70.56% @ 7° C
1224890	Room 2 South Side	15/02/25 10:03	70.63	70.63% @ 6.8° C
1224890	Room 2 South Side	15/02/25 09:03	70.62	70.62% @ 6.6° C
1224890	Room 2 South Side	15/02/25 08:03	70.68	70.68% @ 6.6° C
1224890	Room 2 South Side	15/02/25 07:03	70.72	70.72% @ 6.6° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	15/02/25 06:03	70.71	70.71% @ 6.6° C
1224890	Room 2 South Side	15/02/25 05:03	70.71	70.71% @ 6.8° C
1224890	Room 2 South Side	15/02/25 04:03	70.86	70.86% @ 6.8° C
1224890	Room 2 South Side	15/02/25 03:03	71	71% @ 6.8° C
1224890	Room 2 South Side	15/02/25 02:03	71.05	71.05% @ 6.9° C
1224890	Room 2 South Side	15/02/25 01:03	71.19	71.19% @ 7° C
1224890	Room 2 South Side	15/02/25 00:03	71.06	71.06% @ 7° C
1224890	Room 2 South Side	14/02/25 23:03	70.9	70.9% @ 7.2° C
1224890	Room 2 South Side	14/02/25 22:03	70.95	70.95% @ 7.3° C
1224890	Room 2 South Side	14/02/25 21:03	70.96	70.96% @ 7.4° C
1224890	Room 2 South Side	14/02/25 20:03	71.33	71.33% @ 7.5° C
1224890	Room 2 South Side	14/02/25 19:03	71.35	71.35% @ 7.7° C
1224890	Room 2 South Side	14/02/25 18:03	71.22	71.22% @ 8° C
1224890	Room 2 South Side	14/02/25 17:03	71.07	71.07% @ 8.3° C
1224890	Room 2 South Side	14/02/25 16:03	70.76	70.76% @ 8.5° C
1224890	Room 2 South Side	14/02/25 15:03	70.72	70.72% @ 8.5° C
1224890	Room 2 South Side	14/02/25 14:03	71.22	71.22% @ 8.4° C
1224890	Room 2 South Side	14/02/25 13:03	71.3	71.3% @ 8.1° C
1224890	Room 2 South Side	14/02/25 12:03	71.62	71.62% @ 7.7° C
1224890	Room 2 South Side	14/02/25 11:03	71.72	71.72% @ 7.3° C
1224890	Room 2 South Side	14/02/25 10:03	71.63	71.63% @ 7° C
1224890	Room 2 South Side	14/02/25 09:03	71.73	71.73% @ 6.8° C
1224890	Room 2 South Side	14/02/25 08:03	71.67	71.67% @ 6.8° C
1224890	Room 2 South Side	14/02/25 07:03	71.82	71.82% @ 7° C
1224890	Room 2 South Side	14/02/25 06:03	71.85	71.85% @ 7.1° C
1224890	Room 2 South Side	14/02/25 05:03	71.95	71.95% @ 7.1° C
1224890	Room 2 South Side	14/02/25 04:03	71.8	71.8% @ 7.2° C
1224890	Room 2 South Side	14/02/25 03:03	72.07	72.07% @ 7.2° C
1224890	Room 2 South Side	14/02/25 02:03	72.15	72.15% @ 7.3° C
1224890	Room 2 South Side	14/02/25 01:03	72.49	72.49% @ 7.3° C
1224890	Room 2 South Side	14/02/25 00:03	72.63	72.63% @ 7.4° C
1224890	Room 2 South Side	13/02/25 23:03	72.62	72.62% @ 7.4° C
1224890	Room 2 South Side	13/02/25 22:03	72.73	72.73% @ 7.5° C
1224890	Room 2 South Side	13/02/25 21:03	72.84	72.84% @ 7.5° C
1224890	Room 2 South Side	13/02/25 20:03	73.02	73.02% @ 7.6° C
1224890	Room 2 South Side	13/02/25 19:03	73.18	73.18% @ 7.7° C
1224890	Room 2 South Side	13/02/25 18:03	73.25	73.25% @ 7.7° C
1224890	Room 2 South Side	13/02/25 17:03	73.87	73.87% @ 7.8° C
1224890	Room 2 South Side	13/02/25 16:03	74.24	74.24% @ 8° C
1224890	Room 2 South Side	13/02/25 15:03	74.45	74.45% @ 8° C
1224890	Room 2 South Side	13/02/25 14:03	74.76	74.76% @ 7.9° C
1224890	Room 2 South Side	13/02/25 13:03	74.95	74.95% @ 7.9° C
1224890	Room 2 South Side	13/02/25 12:03	75.06	75.06% @ 7.9° C
1224890	Room 2 South Side	13/02/25 11:03	75.11	75.11% @ 7.7° C
1224890	Room 2 South Side	13/02/25 10:03	75.61	75.61% @ 7.7° C
1224890	Room 2 South Side	13/02/25 09:03	75.64	75.64% @ 7.6° C
1224890	Room 2 South Side	13/02/25 08:03	75.68	75.68% @ 7.7° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	13/02/25 07:03	75.62	75.62% @ 7.7° C
1224890	Room 2 South Side	13/02/25 06:03	75.83	75.83% @ 7.7° C
1224890	Room 2 South Side	13/02/25 05:03	75.93	75.93% @ 7.8° C
1224890	Room 2 South Side	13/02/25 04:03	76.11	76.11% @ 7.8° C
1224890	Room 2 South Side	13/02/25 03:03	76.26	76.26% @ 7.8° C
1224890	Room 2 South Side	13/02/25 02:03	76.55	76.55% @ 7.8° C
1224890	Room 2 South Side	13/02/25 01:03	76.67	76.67% @ 7.9° C
1224890	Room 2 South Side	13/02/25 00:03	76.82	76.82% @ 7.9° C
1224890	Room 2 South Side	12/02/25 23:03	76.96	76.96% @ 7.9° C
1224890	Room 2 South Side	12/02/25 22:03	76.93	76.93% @ 8° C
1224890	Room 2 South Side	12/02/25 21:03	77.02	77.02% @ 8° C
1224890	Room 2 South Side	12/02/25 20:03	76.94	76.94% @ 8.1° C
1224890	Room 2 South Side	12/02/25 19:03	76.98	76.98% @ 8.1° C
1224890	Room 2 South Side	12/02/25 18:03	76.97	76.97% @ 8.2° C
1224890	Room 2 South Side	12/02/25 17:03	76.9	76.9% @ 8.3° C
1224890	Room 2 South Side	12/02/25 16:03	76.91	76.91% @ 8.4° C
1224890	Room 2 South Side	12/02/25 15:03	76.99	76.99% @ 8.4° C
1224890	Room 2 South Side	12/02/25 14:03	77.05	77.05% @ 8.4° C
1224890	Room 2 South Side	12/02/25 13:03	77.09	77.09% @ 8.4° C
1224890	Room 2 South Side	12/02/25 12:03	77.31	77.31% @ 8° C
1224890	Room 2 South Side	12/02/25 11:03	77.39	77.39% @ 7.7° C
1224890	Room 2 South Side	12/02/25 10:03	77.38	77.38% @ 7.5° C
1224890	Room 2 South Side	12/02/25 09:03	77.38	77.38% @ 7.4° C
1224890	Room 2 South Side	12/02/25 08:03	77.32	77.32% @ 7.4° C
1224890	Room 2 South Side	12/02/25 07:03	77.32	77.32% @ 7.4° C
1224890	Room 2 South Side	12/02/25 06:03	77.31	77.31% @ 7.4° C
1224890	Room 2 South Side	12/02/25 05:03	77.29	77.29% @ 7.4° C
1224890	Room 2 South Side	12/02/25 04:03	77.23	77.23% @ 7.4° C
1224890	Room 2 South Side	12/02/25 03:03	77.18	77.18% @ 7.4° C
1224890	Room 2 South Side	12/02/25 02:03	77.15	77.15% @ 7.4° C
1224890	Room 2 South Side	12/02/25 01:03	77.09	77.09% @ 7.4° C
1224890	Room 2 South Side	12/02/25 00:03	77.08	77.08% @ 7.5° C
1224890	Room 2 South Side	11/02/25 23:03	77.13	77.13% @ 7.5° C
1224890	Room 2 South Side	11/02/25 22:03	77.18	77.18% @ 7.5° C
1224890	Room 2 South Side	11/02/25 21:03	77.17	77.17% @ 7.6° C
1224890	Room 2 South Side	11/02/25 20:03	77.24	77.24% @ 7.6° C
1224890	Room 2 South Side	11/02/25 19:03	77.24	77.24% @ 7.7° C
1224890	Room 2 South Side	11/02/25 18:03	77.25	77.25% @ 7.7° C
1224890	Room 2 South Side	11/02/25 17:03	77.24	77.24% @ 7.7° C
1224890	Room 2 South Side	11/02/25 16:03	77.28	77.28% @ 7.7° C
1224890	Room 2 South Side	11/02/25 15:03	77.25	77.25% @ 7.7° C
1224890	Room 2 South Side	11/02/25 14:03	77.25	77.25% @ 7.7° C
1224890	Room 2 South Side	11/02/25 13:03	77.18	77.18% @ 7.7° C
1224890	Room 2 South Side	11/02/25 12:03	77.28	77.28% @ 7.6° C
1224890	Room 2 South Side	11/02/25 11:03	77.3	77.3% @ 7.5° C
1224890	Room 2 South Side	11/02/25 10:03	77.15	77.15% @ 7.6° C
1224890	Room 2 South Side	11/02/25 09:03	77.15	77.15% @ 7.5° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	11/02/25 08:03	77.02	77.02% @ 7.5° C
1224890	Room 2 South Side	11/02/25 07:03	76.93	76.93% @ 7.5° C
1224890	Room 2 South Side	11/02/25 06:03	76.87	76.87% @ 7.5° C
1224890	Room 2 South Side	11/02/25 05:03	76.85	76.85% @ 7.5° C
1224890	Room 2 South Side	11/02/25 04:03	76.78	76.78% @ 7.5° C
1224890	Room 2 South Side	11/02/25 03:03	76.72	76.72% @ 7.5° C
1224890	Room 2 South Side	11/02/25 02:03	76.58	76.58% @ 7.5° C
1224890	Room 2 South Side	11/02/25 01:03	76.46	76.46% @ 7.6° C
1224890	Room 2 South Side	11/02/25 00:03	76.42	76.42% @ 7.6° C
1224890	Room 2 South Side	10/02/25 23:03	76.39	76.39% @ 7.6° C
1224890	Room 2 South Side	10/02/25 22:03	76.31	76.31% @ 7.6° C
1224890	Room 2 South Side	10/02/25 21:03	76.35	76.35% @ 7.6° C
1224890	Room 2 South Side	10/02/25 20:03	76.23	76.23% @ 7.7° C
1224890	Room 2 South Side	10/02/25 19:03	76.34	76.34% @ 7.7° C
1224890	Room 2 South Side	10/02/25 18:03	76.36	76.36% @ 7.8° C
1224890	Room 2 South Side	10/02/25 17:03	76.38	76.38% @ 7.8° C
1224890	Room 2 South Side	10/02/25 16:03	76.41	76.41% @ 7.9° C
1224890	Room 2 South Side	10/02/25 15:03	76.43	76.43% @ 7.9° C
1224890	Room 2 South Side	10/02/25 14:03	76.34	76.34% @ 7.9° C
1224890	Room 2 South Side	10/02/25 13:03	76.52	76.52% @ 7.9° C
1224890	Room 2 South Side	10/02/25 12:03	76.49	76.49% @ 7.9° C
1224890	Room 2 South Side	10/02/25 11:03	76.46	76.46% @ 7.9° C
1224890	Room 2 South Side	10/02/25 10:03	76.54	76.54% @ 7.9° C
1224890	Room 2 South Side	10/02/25 09:03	76.79	76.79% @ 7.9° C
1224890	Room 2 South Side	10/02/25 08:03	76.91	76.91% @ 8° C
1224890	Room 2 South Side	10/02/25 07:03	77.11	77.11% @ 8° C
1224890	Room 2 South Side	10/02/25 06:03	77.27	77.27% @ 8° C
1224890	Room 2 South Side	10/02/25 05:03	77.55	77.55% @ 8.1° C
1224890	Room 2 South Side	10/02/25 04:03	77.78	77.78% @ 8.1° C
1224890	Room 2 South Side	10/02/25 03:03	77.97	77.97% @ 8.1° C
1224890	Room 2 South Side	10/02/25 02:03	78.13	78.13% @ 8.1° C
1224890	Room 2 South Side	10/02/25 01:03	78.21	78.21% @ 8.2° C
1224890	Room 2 South Side	10/02/25 00:03	78.21	78.21% @ 8.2° C
1224890	Room 2 South Side	09/02/25 23:03	78.24	78.24% @ 8.2° C
1224890	Room 2 South Side	09/02/25 22:03	78.18	78.18% @ 8.2° C
1224890	Room 2 South Side	09/02/25 21:03	78.05	78.05% @ 8.2° C
1224890	Room 2 South Side	09/02/25 20:03	77.89	77.89% @ 8.1° C
1224890	Room 2 South Side	09/02/25 19:03	77.83	77.83% @ 8.1° C
1224890	Room 2 South Side	09/02/25 18:03	77.68	77.68% @ 8.2° C
1224890	Room 2 South Side	09/02/25 17:03	77.64	77.64% @ 8.2° C
1224890	Room 2 South Side	09/02/25 16:03	77.53	77.53% @ 8.2° C
1224890	Room 2 South Side	09/02/25 15:03	77.4	77.4% @ 8.2° C
1224890	Room 2 South Side	09/02/25 14:03	77.25	77.25% @ 8.1° C
1224890	Room 2 South Side	09/02/25 13:03	77.13	77.13% @ 8° C
1224890	Room 2 South Side	09/02/25 12:03	77.03	77.03% @ 8° C
1224890	Room 2 South Side	09/02/25 11:03	76.83	76.83% @ 8° C
1224890	Room 2 South Side	09/02/25 10:03	76.73	76.73% @ 7.9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	09/02/25 09:03	76.53	76.53% @ 7.9° C
1224890	Room 2 South Side	09/02/25 08:03	76.37	76.37% @ 7.9° C
1224890	Room 2 South Side	09/02/25 07:03	76.24	76.24% @ 7.9° C
1224890	Room 2 South Side	09/02/25 06:03	76	76% @ 7.8° C
1224890	Room 2 South Side	09/02/25 05:03	75.73	75.73% @ 7.8° C
1224890	Room 2 South Side	09/02/25 04:03	75.5	75.5% @ 7.8° C
1224890	Room 2 South Side	09/02/25 03:03	75.34	75.34% @ 7.7° C
1224890	Room 2 South Side	09/02/25 02:03	75.06	75.06% @ 7.6° C
1224890	Room 2 South Side	09/02/25 01:03	74.98	74.98% @ 7.6° C
1224890	Room 2 South Side	09/02/25 00:03	75	75% @ 7.7° C
1224890	Room 2 South Side	08/02/25 23:03	75.16	75.16% @ 7.8° C
1224890	Room 2 South Side	08/02/25 22:03	75.35	75.35% @ 7.9° C
1224890	Room 2 South Side	08/02/25 21:03	75.54	75.54% @ 8.1° C
1224890	Room 2 South Side	08/02/25 20:03	75.76	75.76% @ 8.2° C
1224890	Room 2 South Side	08/02/25 19:03	76.07	76.07% @ 8.3° C
1224890	Room 2 South Side	08/02/25 18:03	76.42	76.42% @ 8.4° C
1224890	Room 2 South Side	08/02/25 17:03	76.57	76.57% @ 8.4° C
1224890	Room 2 South Side	08/02/25 16:03	76.74	76.74% @ 8.4° C
1224890	Room 2 South Side	08/02/25 15:03	76.81	76.81% @ 8.4° C
1224890	Room 2 South Side	08/02/25 14:03	76.79	76.79% @ 8.4° C
1224890	Room 2 South Side	08/02/25 13:03	76.51	76.51% @ 8.3° C
1224890	Room 2 South Side	08/02/25 12:03	76.17	76.17% @ 8.2° C
1224890	Room 2 South Side	08/02/25 11:03	75.78	75.78% @ 8.1° C
1224890	Room 2 South Side	08/02/25 10:03	75.63	75.63% @ 8.1° C
1224890	Room 2 South Side	08/02/25 09:03	75.37	75.37% @ 8° C
1224890	Room 2 South Side	08/02/25 08:03	75.22	75.22% @ 8° C
1224890	Room 2 South Side	08/02/25 07:03	75.05	75.05% @ 8° C
1224890	Room 2 South Side	08/02/25 06:03	74.84	74.84% @ 8.1° C
1224890	Room 2 South Side	08/02/25 05:03	74.66	74.66% @ 8.1° C
1224890	Room 2 South Side	08/02/25 04:03	74.52	74.52% @ 8.1° C
1224890	Room 2 South Side	08/02/25 03:03	74.36	74.36% @ 8.1° C
1224890	Room 2 South Side	08/02/25 02:03	74.13	74.13% @ 8.1° C
1224890	Room 2 South Side	08/02/25 01:03	73.92	73.92% @ 8.1° C
1224890	Room 2 South Side	08/02/25 00:03	73.79	73.79% @ 8.2° C
1224890	Room 2 South Side	07/02/25 23:03	73.65	73.65% @ 8.2° C
1224890	Room 2 South Side	07/02/25 22:03	73.5	73.5% @ 8.2° C
1224890	Room 2 South Side	07/02/25 21:03	73.38	73.38% @ 8.2° C
1224890	Room 2 South Side	07/02/25 20:03	73.08	73.08% @ 8.2° C
1224890	Room 2 South Side	07/02/25 19:03	73.07	73.07% @ 8.3° C
1224890	Room 2 South Side	07/02/25 18:03	72.71	72.71% @ 8.3° C
1224890	Room 2 South Side	07/02/25 17:03	72.64	72.64% @ 8.4° C
1224890	Room 2 South Side	07/02/25 16:03	72.5	72.5% @ 8.4° C
1224890	Room 2 South Side	07/02/25 15:03	72.42	72.42% @ 8.5° C
1224890	Room 2 South Side	07/02/25 14:03	72.45	72.45% @ 8.5° C
1224890	Room 2 South Side	07/02/25 13:03	72.46	72.46% @ 8.6° C
1224890	Room 2 South Side	07/02/25 12:03	72.45	72.45% @ 8.6° C
1224890	Room 2 South Side	07/02/25 11:03	72.53	72.53% @ 8.6° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	07/02/25 10:03	72.44	72.44% @ 8.6° C
1224890	Room 2 South Side	07/02/25 09:03	72.33	72.33% @ 8.6° C
1224890	Room 2 South Side	07/02/25 08:03	72.29	72.29% @ 8.6° C
1224890	Room 2 South Side	07/02/25 07:03	72.58	72.58% @ 8.7° C
1224890	Room 2 South Side	07/02/25 06:03	72.49	72.49% @ 8.7° C
1224890	Room 2 South Side	07/02/25 05:03	72.59	72.59% @ 8.7° C
1224890	Room 2 South Side	07/02/25 04:03	72.5	72.5% @ 8.8° C
1224890	Room 2 South Side	07/02/25 03:03	73.02	73.02% @ 8.8° C
1224890	Room 2 South Side	07/02/25 02:03	73.4	73.4% @ 8.9° C
1224890	Room 2 South Side	07/02/25 01:03	73.8	73.8% @ 8.9° C
1224890	Room 2 South Side	07/02/25 00:03	74.31	74.31% @ 9° C
1224890	Room 2 South Side	06/02/25 23:03	74.82	74.82% @ 9° C
1224890	Room 2 South Side	06/02/25 22:03	75.15	75.15% @ 9° C
1224890	Room 2 South Side	06/02/25 21:03	75.13	75.13% @ 9.1° C
1224890	Room 2 South Side	06/02/25 20:03	75.05	75.05% @ 9.1° C
1224890	Room 2 South Side	06/02/25 19:03	75.08	75.08% @ 9.2° C
1224890	Room 2 South Side	06/02/25 18:03	75.15	75.15% @ 9.3° C
1224890	Room 2 South Side	06/02/25 17:03	75.5	75.5% @ 9.4° C
1224890	Room 2 South Side	06/02/25 16:03	75.53	75.53% @ 9.5° C
1224890	Room 2 South Side	06/02/25 15:03	76.05	76.05% @ 9.5° C
1224890	Room 2 South Side	06/02/25 14:03	76.39	76.39% @ 9.4° C
1224890	Room 2 South Side	06/02/25 13:03	76.51	76.51% @ 9.3° C
1224890	Room 2 South Side	06/02/25 12:03	76.58	76.58% @ 9° C
1224890	Room 2 South Side	06/02/25 11:03	76.52	76.52% @ 8.7° C
1224890	Room 2 South Side	06/02/25 10:03	76.4	76.4% @ 8.6° C
1224890	Room 2 South Side	06/02/25 09:03	76.35	76.35% @ 8.4° C
1224890	Room 2 South Side	06/02/25 08:03	76.32	76.32% @ 8.4° C
1224890	Room 2 South Side	06/02/25 07:03	76.16	76.16% @ 8.4° C
1224890	Room 2 South Side	06/02/25 06:03	76.15	76.15% @ 8.4° C
1224890	Room 2 South Side	06/02/25 05:03	76.09	76.09% @ 8.5° C
1224890	Room 2 South Side	06/02/25 04:03	75.92	75.92% @ 8.6° C
1224890	Room 2 South Side	06/02/25 03:03	76.04	76.04% @ 8.7° C
1224890	Room 2 South Side	06/02/25 02:03	76.31	76.31% @ 8.8° C
1224890	Room 2 South Side	06/02/25 01:03	76.56	76.56% @ 8.9° C
1224890	Room 2 South Side	06/02/25 00:03	76.8	76.8% @ 9.1° C
1224890	Room 2 South Side	05/02/25 23:03	77.04	77.04% @ 9.2° C
1224890	Room 2 South Side	05/02/25 22:03	77.32	77.32% @ 9.4° C
1224890	Room 2 South Side	05/02/25 21:03	77.54	77.54% @ 9.5° C
1224890	Room 2 South Side	05/02/25 20:03	77.7	77.7% @ 9.7° C
1224890	Room 2 South Side	05/02/25 19:03	78.01	78.01% @ 9.9° C
1224890	Room 2 South Side	05/02/25 18:03	78.3	78.3% @ 10.1° C
1224890	Room 2 South Side	05/02/25 17:03	78.44	78.44% @ 10.3° C
1224890	Room 2 South Side	05/02/25 16:03	78.33	78.33% @ 10.3° C
1224890	Room 2 South Side	05/02/25 15:03	78.65	78.65% @ 10.2° C
1224890	Room 2 South Side	05/02/25 14:04	78.79	78.79% @ 9.9° C
1224890	Room 2 South Side	05/02/25 13:04	78.84	78.84% @ 9.6° C
1224890	Room 2 South Side	05/02/25 12:03	78.87	78.87% @ 9.2° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	05/02/25 11:03	78.67	78.67% @ 8.8° C
1224890	Room 2 South Side	05/02/25 10:03	78.25	78.25% @ 8.4° C
1224890	Room 2 South Side	05/02/25 09:03	78.08	78.08% @ 8.2° C
1224890	Room 2 South Side	05/02/25 08:03	78.08	78.08% @ 8.3° C
1224890	Room 2 South Side	05/02/25 07:03	78.51	78.51% @ 8.4° C
1224890	Room 2 South Side	05/02/25 06:03	78.76	78.76% @ 8.5° C
1224890	Room 2 South Side	05/02/25 05:03	79.02	79.02% @ 8.7° C
1224890	Room 2 South Side	05/02/25 04:03	79.71	79.71% @ 9° C
1224890	Room 2 South Side	05/02/25 03:03	80.2	80.2% @ 9.1° C
1224890	Room 2 South Side	05/02/25 02:03	80.59	80.59% @ 9.3° C
1224890	Room 2 South Side	05/02/25 01:03	80.77	80.77% @ 9.6° C
1224890	Room 2 South Side	05/02/25 00:03	80.93	80.93% @ 9.9° C
1224890	Room 2 South Side	04/02/25 23:03	80.84	80.84% @ 10° C
1224890	Room 2 South Side	04/02/25 22:03	80.62	80.62% @ 10.1° C
1224890	Room 2 South Side	04/02/25 21:03	80.21	80.21% @ 10.1° C
1224890	Room 2 South Side	04/02/25 20:03	79.93	79.93% @ 10° C
1224890	Room 2 South Side	04/02/25 19:03	79.78	79.78% @ 10.1° C
1224890	Room 2 South Side	04/02/25 18:03	79.56	79.56% @ 10.1° C
1224890	Room 2 South Side	04/02/25 17:03	79.58	79.58% @ 10.2° C
1224890	Room 2 South Side	04/02/25 16:03	79.48	79.48% @ 10.3° C
1224890	Room 2 South Side	04/02/25 15:03	79.38	79.38% @ 10.4° C
1224890	Room 2 South Side	04/02/25 14:03	79.42	79.42% @ 10.4° C
1224890	Room 2 South Side	04/02/25 13:03	79.67	79.67% @ 10.1° C
1224890	Room 2 South Side	04/02/25 12:03	79.91	79.91% @ 9.6° C
1224890	Room 2 South Side	04/02/25 11:03	80.05	80.05% @ 9.2° C
1224890	Room 2 South Side	04/02/25 10:03	80.18	80.18% @ 9.1° C
1224890	Room 2 South Side	04/02/25 09:03	80.35	80.35% @ 9° C
1224890	Room 2 South Side	04/02/25 08:03	80.41	80.41% @ 9° C
1224890	Room 2 South Side	04/02/25 07:03	80.37	80.37% @ 8.9° C
1224890	Room 2 South Side	04/02/25 06:03	80.37	80.37% @ 8.9° C
1224890	Room 2 South Side	04/02/25 05:03	80.24	80.24% @ 8.9° C
1224890	Room 2 South Side	04/02/25 04:03	80.01	80.01% @ 8.8° C
1224890	Room 2 South Side	04/02/25 03:03	79.8	79.8% @ 8.8° C
1224890	Room 2 South Side	04/02/25 02:03	79.77	79.77% @ 8.8° C
1224890	Room 2 South Side	04/02/25 01:03	79.65	79.65% @ 8.7° C
1224890	Room 2 South Side	04/02/25 00:03	79.42	79.42% @ 8.7° C
1224890	Room 2 South Side	03/02/25 23:03	79.17	79.17% @ 8.7° C
1224890	Room 2 South Side	03/02/25 22:03	78.9	78.9% @ 8.6° C
1224890	Room 2 South Side	03/02/25 21:03	78.55	78.55% @ 8.6° C
1224890	Room 2 South Side	03/02/25 20:03	78.22	78.22% @ 8.5° C
1224890	Room 2 South Side	03/02/25 19:03	77.98	77.98% @ 8.6° C
1224890	Room 2 South Side	03/02/25 18:03	77.7	77.7% @ 8.6° C
1224890	Room 2 South Side	03/02/25 17:03	77.23	77.23% @ 8.7° C
1224890	Room 2 South Side	03/02/25 16:03	76.77	76.77% @ 8.8° C
1224890	Room 2 South Side	03/02/25 15:03	76.56	76.56% @ 8.7° C
1224890	Room 2 South Side	03/02/25 14:03	76.5	76.5% @ 8.3° C
1224890	Room 2 South Side	03/02/25 13:03	76.28	76.28% @ 7.9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	03/02/25 12:03	76.01	76.01% @ 7.5° C
1224890	Room 2 South Side	03/02/25 11:03	75.56	75.56% @ 7.1° C
1224890	Room 2 South Side	03/02/25 10:03	75.15	75.15% @ 6.8° C
1224890	Room 2 South Side	03/02/25 09:03	74.77	74.77% @ 6.7° C
1224890	Room 2 South Side	03/02/25 08:03	74.69	74.69% @ 6.7° C
1224890	Room 2 South Side	03/02/25 07:03	74.67	74.67% @ 6.7° C
1224890	Room 2 South Side	03/02/25 06:03	74.75	74.75% @ 6.7° C
1224890	Room 2 South Side	03/02/25 05:03	74.85	74.85% @ 6.7° C
1224890	Room 2 South Side	03/02/25 04:03	74.78	74.78% @ 6.8° C
1224890	Room 2 South Side	03/02/25 03:03	74.38	74.38% @ 6.8° C
1224890	Room 2 South Side	03/02/25 02:03	74.25	74.25% @ 6.9° C
1224890	Room 2 South Side	03/02/25 01:03	74.5	74.5% @ 7° C
1224890	Room 2 South Side	03/02/25 00:03	74.71	74.71% @ 7.1° C
1224890	Room 2 South Side	02/02/25 23:03	74.94	74.94% @ 7.2° C
1224890	Room 2 South Side	02/02/25 22:03	75.4	75.4% @ 7.4° C
1224890	Room 2 South Side	02/02/25 21:03	75.88	75.88% @ 7.6° C
1224890	Room 2 South Side	02/02/25 20:03	76.15	76.15% @ 7.7° C
1224890	Room 2 South Side	02/02/25 19:03	76.07	76.07% @ 8° C
1224890	Room 2 South Side	02/02/25 18:03	75.99	75.99% @ 8.3° C
1224890	Room 2 South Side	02/02/25 17:03	75.89	75.89% @ 8.7° C
1224890	Room 2 South Side	02/02/25 16:03	75.44	75.44% @ 8.9° C
1224890	Room 2 South Side	02/02/25 15:03	75.39	75.39% @ 8.8° C
1224890	Room 2 South Side	02/02/25 14:03	75.38	75.38% @ 8.6° C
1224890	Room 2 South Side	02/02/25 13:03	75.36	75.36% @ 8.3° C
1224890	Room 2 South Side	02/02/25 12:03	75.42	75.42% @ 7.8° C
1224890	Room 2 South Side	02/02/25 11:03	75.45	75.45% @ 7.3° C
1224890	Room 2 South Side	02/02/25 10:03	75.39	75.39% @ 7.1° C
1224890	Room 2 South Side	02/02/25 09:03	75.28	75.28% @ 6.9° C
1224890	Room 2 South Side	02/02/25 08:03	75.19	75.19% @ 6.8° C
1224890	Room 2 South Side	02/02/25 07:03	75.12	75.12% @ 7° C
1224890	Room 2 South Side	02/02/25 06:03	75.23	75.23% @ 7.1° C
1224890	Room 2 South Side	02/02/25 05:03	75.12	75.12% @ 7.1° C
1224890	Room 2 South Side	02/02/25 04:03	74.91	74.91% @ 7.3° C
1224890	Room 2 South Side	02/02/25 03:03	74.92	74.92% @ 7.4° C
1224890	Room 2 South Side	02/02/25 02:03	74.96	74.96% @ 7.5° C
1224890	Room 2 South Side	02/02/25 01:03	75.13	75.13% @ 7.6° C
1224890	Room 2 South Side	02/02/25 00:03	75.19	75.19% @ 7.6° C
1224890	Room 2 South Side	01/02/25 23:03	75.28	75.28% @ 7.6° C
1224890	Room 2 South Side	01/02/25 22:03	75.02	75.02% @ 7.6° C
1224890	Room 2 South Side	01/02/25 21:03	75.69	75.69% @ 7.8° C
1224890	Room 2 South Side	01/02/25 20:03	76.35	76.35% @ 8.1° C
1224890	Room 2 South Side	01/02/25 19:03	76.59	76.59% @ 8.4° C
1224890	Room 2 South Side	01/02/25 18:03	76.65	76.65% @ 8.7° C
1224890	Room 2 South Side	01/02/25 17:03	76.76	76.76% @ 9.1° C
1224890	Room 2 South Side	01/02/25 16:03	76.74	76.74% @ 9.4° C
1224890	Room 2 South Side	01/02/25 15:03	76.96	76.96% @ 9.4° C
1224890	Room 2 South Side	01/02/25 14:03	76.99	76.99% @ 9.2° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	01/02/25 13:03	77.01	77.01% @ 8.8° C
1224890	Room 2 South Side	01/02/25 12:03	77.1	77.1% @ 8.4° C
1224890	Room 2 South Side	01/02/25 11:03	77.12	77.12% @ 8.2° C
1224890	Room 2 South Side	01/02/25 10:03	77.08	77.08% @ 7.9° C
1224890	Room 2 South Side	01/02/25 09:03	77.13	77.13% @ 7.9° C
1224890	Room 2 South Side	01/02/25 08:03	77.02	77.02% @ 7.8° C
1224890	Room 2 South Side	01/02/25 07:03	77.06	77.06% @ 7.9° C
1224890	Room 2 South Side	01/02/25 06:03	77.08	77.08% @ 7.9° C
1224890	Room 2 South Side	01/02/25 05:03	77.09	77.09% @ 8° C
1224890	Room 2 South Side	01/02/25 04:03	77.11	77.11% @ 8° C
1224890	Room 2 South Side	01/02/25 03:03	77.24	77.24% @ 8.1° C
1224890	Room 2 South Side	01/02/25 02:03	77.31	77.31% @ 8.2° C
1224890	Room 2 South Side	01/02/25 01:03	77.37	77.37% @ 8.1° C
1224890	Room 2 South Side	01/02/25 00:03	77.54	77.54% @ 8.2° C
1224890	Room 2 South Side	07/02/25 15:03	72.42	72.42% @ 8.5° C
1224890	Room 2 South Side	07/02/25 14:03	72.45	72.45% @ 8.5° C
1224890	Room 2 South Side	07/02/25 13:03	72.46	72.46% @ 8.6° C
1224890	Room 2 South Side	07/02/25 12:03	72.45	72.45% @ 8.6° C
1224890	Room 2 South Side	07/02/25 11:03	72.53	72.53% @ 8.6° C
1224890	Room 2 South Side	07/02/25 10:03	72.44	72.44% @ 8.6° C
1224890	Room 2 South Side	07/02/25 09:03	72.33	72.33% @ 8.6° C
1224890	Room 2 South Side	07/02/25 08:03	72.29	72.29% @ 8.6° C
1224890	Room 2 South Side	07/02/25 07:03	72.58	72.58% @ 8.7° C
1224890	Room 2 South Side	07/02/25 06:03	72.49	72.49% @ 8.7° C
1224890	Room 2 South Side	07/02/25 05:03	72.59	72.59% @ 8.7° C
1224890	Room 2 South Side	07/02/25 04:03	72.5	72.5% @ 8.8° C
1224890	Room 2 South Side	07/02/25 03:03	73.02	73.02% @ 8.8° C
1224890	Room 2 South Side	07/02/25 02:03	73.4	73.4% @ 8.9° C
1224890	Room 2 South Side	07/02/25 01:03	73.8	73.8% @ 8.9° C
1224890	Room 2 South Side	07/02/25 00:03	74.31	74.31% @ 9° C
1224890	Room 2 South Side	06/02/25 23:03	74.82	74.82% @ 9° C
1224890	Room 2 South Side	06/02/25 22:03	75.15	75.15% @ 9° C
1224890	Room 2 South Side	06/02/25 21:03	75.13	75.13% @ 9.1° C
1224890	Room 2 South Side	06/02/25 20:03	75.05	75.05% @ 9.1° C
1224890	Room 2 South Side	06/02/25 19:03	75.08	75.08% @ 9.2° C
1224890	Room 2 South Side	06/02/25 18:03	75.15	75.15% @ 9.3° C
1224890	Room 2 South Side	06/02/25 17:03	75.5	75.5% @ 9.4° C
1224890	Room 2 South Side	06/02/25 16:03	75.53	75.53% @ 9.5° C
1224890	Room 2 South Side	06/02/25 15:03	76.05	76.05% @ 9.5° C
1224890	Room 2 South Side	06/02/25 14:03	76.39	76.39% @ 9.4° C
1224890	Room 2 South Side	06/02/25 13:03	76.51	76.51% @ 9.3° C
1224890	Room 2 South Side	06/02/25 12:03	76.58	76.58% @ 9° C
1224890	Room 2 South Side	06/02/25 11:03	76.52	76.52% @ 8.7° C
1224890	Room 2 South Side	06/02/25 10:03	76.4	76.4% @ 8.6° C
1224890	Room 2 South Side	06/02/25 09:03	76.35	76.35% @ 8.4° C
1224890	Room 2 South Side	06/02/25 08:03	76.32	76.32% @ 8.4° C
1224890	Room 2 South Side	06/02/25 07:03	76.16	76.16% @ 8.4° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	06/02/25 06:03	76.15	76.15% @ 8.4° C
1224890	Room 2 South Side	06/02/25 05:03	76.09	76.09% @ 8.5° C
1224890	Room 2 South Side	06/02/25 04:03	75.92	75.92% @ 8.6° C
1224890	Room 2 South Side	06/02/25 03:03	76.04	76.04% @ 8.7° C
1224890	Room 2 South Side	06/02/25 02:03	76.31	76.31% @ 8.8° C
1224890	Room 2 South Side	06/02/25 01:03	76.56	76.56% @ 8.9° C
1224890	Room 2 South Side	06/02/25 00:03	76.8	76.8% @ 9.1° C
1224890	Room 2 South Side	05/02/25 23:03	77.04	77.04% @ 9.2° C
1224890	Room 2 South Side	05/02/25 22:03	77.32	77.32% @ 9.4° C
1224890	Room 2 South Side	05/02/25 21:03	77.54	77.54% @ 9.5° C
1224890	Room 2 South Side	05/02/25 20:03	77.7	77.7% @ 9.7° C
1224890	Room 2 South Side	05/02/25 19:03	78.01	78.01% @ 9.9° C
1224890	Room 2 South Side	05/02/25 18:03	78.3	78.3% @ 10.1° C
1224890	Room 2 South Side	05/02/25 17:03	78.44	78.44% @ 10.3° C
1224890	Room 2 South Side	05/02/25 16:03	78.33	78.33% @ 10.3° C
1224890	Room 2 South Side	05/02/25 15:03	78.65	78.65% @ 10.2° C
1224890	Room 2 South Side	05/02/25 14:04	78.79	78.79% @ 9.9° C
1224890	Room 2 South Side	05/02/25 13:04	78.84	78.84% @ 9.6° C
1224890	Room 2 South Side	05/02/25 12:03	78.87	78.87% @ 9.2° C
1224890	Room 2 South Side	05/02/25 11:03	78.67	78.67% @ 8.8° C
1224890	Room 2 South Side	05/02/25 10:03	78.25	78.25% @ 8.4° C
1224890	Room 2 South Side	05/02/25 09:03	78.08	78.08% @ 8.2° C
1224890	Room 2 South Side	05/02/25 08:03	78.08	78.08% @ 8.3° C
1224890	Room 2 South Side	05/02/25 07:03	78.51	78.51% @ 8.4° C
1224890	Room 2 South Side	05/02/25 06:03	78.76	78.76% @ 8.5° C
1224890	Room 2 South Side	05/02/25 05:03	79.02	79.02% @ 8.7° C
1224890	Room 2 South Side	05/02/25 04:03	79.71	79.71% @ 9° C
1224890	Room 2 South Side	05/02/25 03:03	80.2	80.2% @ 9.1° C
1224890	Room 2 South Side	05/02/25 02:03	80.59	80.59% @ 9.3° C
1224890	Room 2 South Side	05/02/25 01:03	80.77	80.77% @ 9.6° C
1224890	Room 2 South Side	05/02/25 00:03	80.93	80.93% @ 9.9° C
1224890	Room 2 South Side	04/02/25 23:03	80.84	80.84% @ 10° C
1224890	Room 2 South Side	04/02/25 22:03	80.62	80.62% @ 10.1° C
1224890	Room 2 South Side	04/02/25 21:03	80.21	80.21% @ 10.1° C
1224890	Room 2 South Side	04/02/25 20:03	79.93	79.93% @ 10° C
1224890	Room 2 South Side	04/02/25 19:03	79.78	79.78% @ 10.1° C
1224890	Room 2 South Side	04/02/25 18:03	79.56	79.56% @ 10.1° C
1224890	Room 2 South Side	04/02/25 17:03	79.58	79.58% @ 10.2° C
1224890	Room 2 South Side	04/02/25 16:03	79.48	79.48% @ 10.3° C
1224890	Room 2 South Side	04/02/25 15:03	79.38	79.38% @ 10.4° C
1224890	Room 2 South Side	04/02/25 14:03	79.42	79.42% @ 10.4° C
1224890	Room 2 South Side	04/02/25 13:03	79.67	79.67% @ 10.1° C
1224890	Room 2 South Side	04/02/25 12:03	79.91	79.91% @ 9.6° C
1224890	Room 2 South Side	04/02/25 11:03	80.05	80.05% @ 9.2° C
1224890	Room 2 South Side	04/02/25 10:03	80.18	80.18% @ 9.1° C
1224890	Room 2 South Side	04/02/25 09:03	80.35	80.35% @ 9° C
1224890	Room 2 South Side	04/02/25 08:03	80.41	80.41% @ 9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	04/02/25 07:03	80.37	80.37% @ 8.9° C
1224890	Room 2 South Side	04/02/25 06:03	80.37	80.37% @ 8.9° C
1224890	Room 2 South Side	04/02/25 05:03	80.24	80.24% @ 8.9° C
1224890	Room 2 South Side	04/02/25 04:03	80.01	80.01% @ 8.8° C
1224890	Room 2 South Side	04/02/25 03:03	79.8	79.8% @ 8.8° C
1224890	Room 2 South Side	04/02/25 02:03	79.77	79.77% @ 8.8° C
1224890	Room 2 South Side	04/02/25 01:03	79.65	79.65% @ 8.7° C
1224890	Room 2 South Side	04/02/25 00:03	79.42	79.42% @ 8.7° C
1224890	Room 2 South Side	03/02/25 23:03	79.17	79.17% @ 8.7° C
1224890	Room 2 South Side	03/02/25 22:03	78.9	78.9% @ 8.6° C
1224890	Room 2 South Side	03/02/25 21:03	78.55	78.55% @ 8.6° C
1224890	Room 2 South Side	03/02/25 20:03	78.22	78.22% @ 8.5° C
1224890	Room 2 South Side	03/02/25 19:03	77.98	77.98% @ 8.6° C
1224890	Room 2 South Side	03/02/25 18:03	77.7	77.7% @ 8.6° C
1224890	Room 2 South Side	03/02/25 17:03	77.23	77.23% @ 8.7° C
1224890	Room 2 South Side	03/02/25 16:03	76.77	76.77% @ 8.8° C
1224890	Room 2 South Side	03/02/25 15:03	76.56	76.56% @ 8.7° C
1224890	Room 2 South Side	03/02/25 14:03	76.5	76.5% @ 8.3° C
1224890	Room 2 South Side	03/02/25 13:03	76.28	76.28% @ 7.9° C
1224890	Room 2 South Side	03/02/25 12:03	76.01	76.01% @ 7.5° C
1224890	Room 2 South Side	03/02/25 11:03	75.56	75.56% @ 7.1° C
1224890	Room 2 South Side	03/02/25 10:03	75.15	75.15% @ 6.8° C
1224890	Room 2 South Side	03/02/25 09:03	74.77	74.77% @ 6.7° C
1224890	Room 2 South Side	03/02/25 08:03	74.69	74.69% @ 6.7° C
1224890	Room 2 South Side	03/02/25 07:03	74.67	74.67% @ 6.7° C
1224890	Room 2 South Side	03/02/25 06:03	74.75	74.75% @ 6.7° C
1224890	Room 2 South Side	03/02/25 05:03	74.85	74.85% @ 6.7° C
1224890	Room 2 South Side	03/02/25 04:03	74.78	74.78% @ 6.8° C
1224890	Room 2 South Side	03/02/25 03:03	74.38	74.38% @ 6.8° C
1224890	Room 2 South Side	03/02/25 02:03	74.25	74.25% @ 6.9° C
1224890	Room 2 South Side	03/02/25 01:03	74.5	74.5% @ 7° C
1224890	Room 2 South Side	03/02/25 00:03	74.71	74.71% @ 7.1° C
1224890	Room 2 South Side	02/02/25 23:03	74.94	74.94% @ 7.2° C
1224890	Room 2 South Side	02/02/25 22:03	75.4	75.4% @ 7.4° C
1224890	Room 2 South Side	02/02/25 21:03	75.88	75.88% @ 7.6° C
1224890	Room 2 South Side	02/02/25 20:03	76.15	76.15% @ 7.7° C
1224890	Room 2 South Side	02/02/25 19:03	76.07	76.07% @ 8° C
1224890	Room 2 South Side	02/02/25 18:03	75.99	75.99% @ 8.3° C
1224890	Room 2 South Side	02/02/25 17:03	75.89	75.89% @ 8.7° C
1224890	Room 2 South Side	02/02/25 16:03	75.44	75.44% @ 8.9° C
1224890	Room 2 South Side	02/02/25 15:03	75.39	75.39% @ 8.8° C
1224890	Room 2 South Side	02/02/25 14:03	75.38	75.38% @ 8.6° C
1224890	Room 2 South Side	02/02/25 13:03	75.36	75.36% @ 8.3° C
1224890	Room 2 South Side	02/02/25 12:03	75.42	75.42% @ 7.8° C
1224890	Room 2 South Side	02/02/25 11:03	75.45	75.45% @ 7.3° C
1224890	Room 2 South Side	02/02/25 10:03	75.39	75.39% @ 7.1° C
1224890	Room 2 South Side	02/02/25 09:03	75.28	75.28% @ 6.9° C

SensorID	Sensor Name	Date & Time	RH %	Temp
1224890	Room 2 South Side	02/02/25 08:03	75.19	75.19% @ 6.8° C
1224890	Room 2 South Side	02/02/25 07:03	75.12	75.12% @ 7° C
1224890	Room 2 South Side	02/02/25 06:03	75.23	75.23% @ 7.1° C
1224890	Room 2 South Side	02/02/25 05:03	75.12	75.12% @ 7.1° C
1224890	Room 2 South Side	02/02/25 04:03	74.91	74.91% @ 7.3° C
1224890	Room 2 South Side	02/02/25 03:03	74.92	74.92% @ 7.4° C
1224890	Room 2 South Side	02/02/25 02:03	74.96	74.96% @ 7.5° C
1224890	Room 2 South Side	02/02/25 01:03	75.13	75.13% @ 7.6° C
1224890	Room 2 South Side	02/02/25 00:03	75.19	75.19% @ 7.6° C
1224890	Room 2 South Side	01/02/25 23:03	75.28	75.28% @ 7.6° C
1224890	Room 2 South Side	01/02/25 22:03	75.02	75.02% @ 7.6° C
1224890	Room 2 South Side	01/02/25 21:03	75.69	75.69% @ 7.8° C
1224890	Room 2 South Side	01/02/25 20:03	76.35	76.35% @ 8.1° C
1224890	Room 2 South Side	01/02/25 19:03	76.59	76.59% @ 8.4° C
1224890	Room 2 South Side	01/02/25 18:03	76.65	76.65% @ 8.7° C
1224890	Room 2 South Side	01/02/25 17:03	76.76	76.76% @ 9.1° C
1224890	Room 2 South Side	01/02/25 16:03	76.74	76.74% @ 9.4° C
1224890	Room 2 South Side	01/02/25 15:03	76.96	76.96% @ 9.4° C
1224890	Room 2 South Side	01/02/25 14:03	76.99	76.99% @ 9.2° C
1224890	Room 2 South Side	01/02/25 13:03	77.01	77.01% @ 8.8° C
1224890	Room 2 South Side	01/02/25 12:03	77.1	77.1% @ 8.4° C
1224890	Room 2 South Side	01/02/25 11:03	77.12	77.12% @ 8.2° C
1224890	Room 2 South Side	01/02/25 10:03	77.08	77.08% @ 7.9° C
1224890	Room 2 South Side	01/02/25 09:03	77.13	77.13% @ 7.9° C
1224890	Room 2 South Side	01/02/25 08:03	77.02	77.02% @ 7.8° C
1224890	Room 2 South Side	01/02/25 07:03	77.06	77.06% @ 7.9° C
1224890	Room 2 South Side	01/02/25 06:03	77.08	77.08% @ 7.9° C
1224890	Room 2 South Side	01/02/25 05:03	77.09	77.09% @ 8° C
1224890	Room 2 South Side	01/02/25 04:03	77.11	77.11% @ 8° C
1224890	Room 2 South Side	01/02/25 03:03	77.24	77.24% @ 8.1° C
1224890	Room 2 South Side	01/02/25 02:03	77.31	77.31% @ 8.2° C
1224890	Room 2 South Side	01/02/25 01:03	77.37	77.37% @ 8.1° C
1224890	Room 2 South Side	01/02/25 00:03	77.54	77.54% @ 8.2° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	28/02/25 23:02	87.67	87.67% @ 8.7° C
1224893	Fort Wall	28/02/25 22:02	88.28	88.28% @ 8.8° C
1224893	Fort Wall	28/02/25 21:02	88.72	88.72% @ 8.9° C
1224893	Fort Wall	28/02/25 20:02	89.07	89.07% @ 9° C
1224893	Fort Wall	28/02/25 19:02	89.1	89.1% @ 9.1° C
1224893	Fort Wall	28/02/25 18:02	88.71	88.71% @ 9.1° C
1224893	Fort Wall	28/02/25 17:02	88.59	88.59% @ 9.2° C
1224893	Fort Wall	28/02/25 16:02	88.51	88.51% @ 9.2° C
1224893	Fort Wall	28/02/25 15:02	88.3	88.3% @ 9.1° C
1224893	Fort Wall	28/02/25 14:02	88.16	88.16% @ 9° C
1224893	Fort Wall	28/02/25 13:02	88.08	88.08% @ 9° C
1224893	Fort Wall	28/02/25 12:02	87.86	87.86% @ 8.8° C
1224893	Fort Wall	28/02/25 11:02	87.37	87.37% @ 8.7° C
1224893	Fort Wall	28/02/25 10:02	87.03	87.03% @ 8.6° C
1224893	Fort Wall	28/02/25 09:02	86.82	86.82% @ 8.5° C
1224893	Fort Wall	28/02/25 08:02	86.47	86.47% @ 8.4° C
1224893	Fort Wall	28/02/25 07:02	86.25	86.25% @ 8.4° C
1224893	Fort Wall	28/02/25 06:02	86.26	86.26% @ 8.4° C
1224893	Fort Wall	28/02/25 05:02	86.34	86.34% @ 8.5° C
1224893	Fort Wall	28/02/25 04:02	86.55	86.55% @ 8.5° C
1224893	Fort Wall	28/02/25 03:02	86.77	86.77% @ 8.6° C
1224893	Fort Wall	28/02/25 02:02	86.96	86.96% @ 8.7° C
1224893	Fort Wall	28/02/25 01:02	87.16	87.16% @ 8.7° C
1224893	Fort Wall	28/02/25 00:02	87.31	87.31% @ 8.8° C
1224893	Fort Wall	27/02/25 23:02	87.38	87.38% @ 8.8° C
1224893	Fort Wall	27/02/25 22:02	87.54	87.54% @ 8.8° C
1224893	Fort Wall	27/02/25 21:02	87.61	87.61% @ 8.8° C
1224893	Fort Wall	27/02/25 20:02	88.02	88.02% @ 8.9° C
1224893	Fort Wall	27/02/25 19:02	88.35	88.35% @ 9° C
1224893	Fort Wall	27/02/25 18:02	88.82	88.82% @ 9.1° C
1224893	Fort Wall	27/02/25 17:02	88.91	88.91% @ 9.1° C
1224893	Fort Wall	27/02/25 16:02	88.78	88.78% @ 9.1° C
1224893	Fort Wall	27/02/25 15:02	88.76	88.76% @ 9.1° C
1224893	Fort Wall	27/02/25 14:02	88.57	88.57% @ 9° C
1224893	Fort Wall	27/02/25 13:02	88.16	88.16% @ 8.9° C
1224893	Fort Wall	27/02/25 12:02	88.01	88.01% @ 8.9° C
1224893	Fort Wall	27/02/25 11:02	87.89	87.89% @ 8.8° C
1224893	Fort Wall	27/02/25 10:02	87.8	87.8% @ 8.8° C
1224893	Fort Wall	27/02/25 09:02	87.73	87.73% @ 8.7° C
1224893	Fort Wall	27/02/25 08:02	87.52	87.52% @ 8.7° C
1224893	Fort Wall	27/02/25 07:02	87.41	87.41% @ 8.7° C
1224893	Fort Wall	27/02/25 06:02	87.38	87.38% @ 8.7° C
1224893	Fort Wall	27/02/25 05:02	87.38	87.38% @ 8.7° C
1224893	Fort Wall	27/02/25 04:02	87.63	87.63% @ 8.7° C
1224893	Fort Wall	27/02/25 03:02	87.95	87.95% @ 8.8° C
1224893	Fort Wall	27/02/25 02:02	88.28	88.28% @ 8.8° C
1224893	Fort Wall	27/02/25 01:02	88.67	88.67% @ 8.9° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	27/02/25 00:02	89.16	89.16% @ 9° C
1224893	Fort Wall	26/02/25 23:02	89.62	89.62% @ 9.1° C
1224893	Fort Wall	26/02/25 22:02	90.2	90.2% @ 9.1° C
1224893	Fort Wall	26/02/25 21:02	90.84	90.84% @ 9.2° C
1224893	Fort Wall	26/02/25 20:02	91.34	91.34% @ 9.3° C
1224893	Fort Wall	26/02/25 19:02	91.71	91.71% @ 9.4° C
1224893	Fort Wall	26/02/25 18:02	91.7	91.7% @ 9.4° C
1224893	Fort Wall	26/02/25 17:02	91.49	91.49% @ 9.4° C
1224893	Fort Wall	26/02/25 16:02	91.26	91.26% @ 9.4° C
1224893	Fort Wall	26/02/25 15:02	91.03	91.03% @ 9.4° C
1224893	Fort Wall	26/02/25 14:02	90.63	90.63% @ 9.4° C
1224893	Fort Wall	26/02/25 13:02	90.25	90.25% @ 9.4° C
1224893	Fort Wall	26/02/25 12:02	89.86	89.86% @ 9.3° C
1224893	Fort Wall	26/02/25 11:02	89.44	89.44% @ 9.3° C
1224893	Fort Wall	26/02/25 10:02	88.69	88.69% @ 9.1° C
1224893	Fort Wall	26/02/25 09:02	87.78	87.78% @ 8.9° C
1224893	Fort Wall	26/02/25 08:02	87.27	87.27% @ 8.8° C
1224893	Fort Wall	26/02/25 07:02	87.49	87.49% @ 8.9° C
1224893	Fort Wall	26/02/25 06:02	87.94	87.94% @ 9° C
1224893	Fort Wall	26/02/25 05:02	88.5	88.5% @ 9.1° C
1224893	Fort Wall	26/02/25 04:02	89.23	89.23% @ 9.2° C
1224893	Fort Wall	26/02/25 03:02	89.91	89.91% @ 9.3° C
1224893	Fort Wall	26/02/25 02:02	90.69	90.69% @ 9.4° C
1224893	Fort Wall	26/02/25 01:02	91.34	91.34% @ 9.5° C
1224893	Fort Wall	26/02/25 00:02	92.08	92.08% @ 9.6° C
1224893	Fort Wall	25/02/25 23:02	92.76	92.76% @ 9.7° C
1224893	Fort Wall	25/02/25 22:02	93.44	93.44% @ 9.8° C
1224893	Fort Wall	25/02/25 21:02	93.5	93.5% @ 9.9° C
1224893	Fort Wall	25/02/25 20:02	93.28	93.28% @ 9.9° C
1224893	Fort Wall	25/02/25 19:02	93.17	93.17% @ 10° C
1224893	Fort Wall	25/02/25 18:02	93.25	93.25% @ 10° C
1224893	Fort Wall	25/02/25 17:02	93.36	93.36% @ 10° C
1224893	Fort Wall	25/02/25 16:02	93.41	93.41% @ 10° C
1224893	Fort Wall	25/02/25 15:02	93.45	93.45% @ 10.1° C
1224893	Fort Wall	25/02/25 14:02	93.48	93.48% @ 10.1° C
1224893	Fort Wall	25/02/25 13:02	93.71	93.71% @ 10.1° C
1224893	Fort Wall	25/02/25 12:02	94.02	94.02% @ 10.1° C
1224893	Fort Wall	25/02/25 11:02	94.19	94.19% @ 10° C
1224893	Fort Wall	25/02/25 10:02	94.34	94.34% @ 10° C
1224893	Fort Wall	25/02/25 09:02	94.34	94.34% @ 9.9° C
1224893	Fort Wall	25/02/25 08:02	94.36	94.36% @ 9.9° C
1224893	Fort Wall	25/02/25 07:02	94.37	94.37% @ 9.9° C
1224893	Fort Wall	25/02/25 06:02	94.34	94.34% @ 9.9° C
1224893	Fort Wall	25/02/25 05:02	94.36	94.36% @ 9.9° C
1224893	Fort Wall	25/02/25 04:02	94.4	94.4% @ 10° C
1224893	Fort Wall	25/02/25 03:02	94.43	94.43% @ 9.9° C
1224893	Fort Wall	25/02/25 02:02	94.43	94.43% @ 10° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	25/02/25 01:02	94.41	94.41% @ 10° C
1224893	Fort Wall	25/02/25 00:02	94.43	94.43% @ 10° C
1224893	Fort Wall	24/02/25 23:02	94.42	94.42% @ 10° C
1224893	Fort Wall	24/02/25 22:02	94.42	94.42% @ 10° C
1224893	Fort Wall	24/02/25 21:02	94.41	94.41% @ 10° C
1224893	Fort Wall	24/02/25 20:02	94.44	94.44% @ 10.1° C
1224893	Fort Wall	24/02/25 19:02	94.44	94.44% @ 10.1° C
1224893	Fort Wall	24/02/25 18:02	94.46	94.46% @ 10.2° C
1224893	Fort Wall	24/02/25 17:02	94.42	94.42% @ 10.2° C
1224893	Fort Wall	24/02/25 16:02	94.45	94.45% @ 10.2° C
1224893	Fort Wall	24/02/25 15:02	94.45	94.45% @ 10.2° C
1224893	Fort Wall	24/02/25 14:02	94.4	94.4% @ 10.2° C
1224893	Fort Wall	24/02/25 13:02	94.36	94.36% @ 10.1° C
1224893	Fort Wall	24/02/25 12:02	94.31	94.31% @ 10.1° C
1224893	Fort Wall	24/02/25 11:02	94.19	94.19% @ 10° C
1224893	Fort Wall	24/02/25 10:02	94.13	94.13% @ 10° C
1224893	Fort Wall	24/02/25 09:02	94.08	94.08% @ 9.9° C
1224893	Fort Wall	24/02/25 08:02	94.01	94.01% @ 9.9° C
1224893	Fort Wall	24/02/25 07:02	93.98	93.98% @ 9.9° C
1224893	Fort Wall	24/02/25 06:02	93.96	93.96% @ 9.9° C
1224893	Fort Wall	24/02/25 05:02	93.96	93.96% @ 9.9° C
1224893	Fort Wall	24/02/25 04:02	93.93	93.93% @ 9.9° C
1224893	Fort Wall	24/02/25 03:02	93.9	93.9% @ 9.9° C
1224893	Fort Wall	24/02/25 02:02	93.87	93.87% @ 10° C
1224893	Fort Wall	24/02/25 01:02	93.88	93.88% @ 10° C
1224893	Fort Wall	24/02/25 00:02	93.84	93.84% @ 10° C
1224893	Fort Wall	23/02/25 23:02	93.85	93.85% @ 10° C
1224893	Fort Wall	23/02/25 22:02	93.85	93.85% @ 10° C
1224893	Fort Wall	23/02/25 21:02	93.82	93.82% @ 10° C
1224893	Fort Wall	23/02/25 20:02	93.8	93.8% @ 10° C
1224893	Fort Wall	23/02/25 19:02	93.83	93.83% @ 10° C
1224893	Fort Wall	23/02/25 18:02	93.84	93.84% @ 10° C
1224893	Fort Wall	23/02/25 17:02	93.84	93.84% @ 10° C
1224893	Fort Wall	23/02/25 16:02	93.91	93.91% @ 10° C
1224893	Fort Wall	23/02/25 15:02	93.94	93.94% @ 10° C
1224893	Fort Wall	23/02/25 14:02	94.03	94.03% @ 10° C
1224893	Fort Wall	23/02/25 13:02	94.11	94.11% @ 10° C
1224893	Fort Wall	23/02/25 12:02	94.17	94.17% @ 9.9° C
1224893	Fort Wall	23/02/25 11:02	94.26	94.26% @ 9.8° C
1224893	Fort Wall	23/02/25 10:02	94.33	94.33% @ 9.7° C
1224893	Fort Wall	23/02/25 09:02	94.37	94.37% @ 9.7° C
1224893	Fort Wall	23/02/25 08:02	94.36	94.36% @ 9.7° C
1224893	Fort Wall	23/02/25 07:02	94.41	94.41% @ 9.7° C
1224893	Fort Wall	23/02/25 06:02	94.35	94.35% @ 9.7° C
1224893	Fort Wall	23/02/25 05:02	94.39	94.39% @ 9.7° C
1224893	Fort Wall	23/02/25 04:02	94.39	94.39% @ 9.7° C
1224893	Fort Wall	23/02/25 03:02	94.39	94.39% @ 9.7° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	23/02/25 02:02	94.45	94.45% @ 9.7° C
1224893	Fort Wall	23/02/25 01:02	94.45	94.45% @ 9.6° C
1224893	Fort Wall	23/02/25 00:02	94.52	94.52% @ 9.7° C
1224893	Fort Wall	22/02/25 23:02	94.48	94.48% @ 9.6° C
1224893	Fort Wall	22/02/25 22:02	94.51	94.51% @ 9.7° C
1224893	Fort Wall	22/02/25 21:02	94.56	94.56% @ 9.7° C
1224893	Fort Wall	22/02/25 20:02	94.56	94.56% @ 9.8° C
1224893	Fort Wall	22/02/25 19:02	94.58	94.58% @ 9.9° C
1224893	Fort Wall	22/02/25 18:02	94.56	94.56% @ 10° C
1224893	Fort Wall	22/02/25 17:02	94.58	94.58% @ 10° C
1224893	Fort Wall	22/02/25 16:02	94.6	94.6% @ 10° C
1224893	Fort Wall	22/02/25 15:02	94.59	94.59% @ 10° C
1224893	Fort Wall	22/02/25 14:02	94.5	94.5% @ 10° C
1224893	Fort Wall	22/02/25 13:02	94.43	94.43% @ 9.9° C
1224893	Fort Wall	22/02/25 12:02	94.36	94.36% @ 9.8° C
1224893	Fort Wall	22/02/25 11:02	94.26	94.26% @ 9.8° C
1224893	Fort Wall	22/02/25 10:02	94.19	94.19% @ 9.7° C
1224893	Fort Wall	22/02/25 09:02	94.17	94.17% @ 9.7° C
1224893	Fort Wall	22/02/25 08:02	94.11	94.11% @ 9.6° C
1224893	Fort Wall	22/02/25 07:02	94.09	94.09% @ 9.7° C
1224893	Fort Wall	22/02/25 06:02	94.06	94.06% @ 9.6° C
1224893	Fort Wall	22/02/25 05:02	93.97	93.97% @ 9.7° C
1224893	Fort Wall	22/02/25 04:02	93.98	93.98% @ 9.7° C
1224893	Fort Wall	22/02/25 03:02	93.91	93.91% @ 9.7° C
1224893	Fort Wall	22/02/25 02:02	93.82	93.82% @ 9.6° C
1224893	Fort Wall	22/02/25 01:02	93.74	93.74% @ 9.6° C
1224893	Fort Wall	22/02/25 00:02	93.76	93.76% @ 9.7° C
1224893	Fort Wall	21/02/25 23:02	93.74	93.74% @ 9.7° C
1224893	Fort Wall	21/02/25 22:02	93.7	93.7% @ 9.6° C
1224893	Fort Wall	21/02/25 21:02	93.69	93.69% @ 9.6° C
1224893	Fort Wall	21/02/25 20:02	93.66	93.66% @ 9.6° C
1224893	Fort Wall	21/02/25 19:02	93.6	93.6% @ 9.7° C
1224893	Fort Wall	21/02/25 18:02	93.51	93.51% @ 9.7° C
1224893	Fort Wall	21/02/25 17:02	93.44	93.44% @ 9.7° C
1224893	Fort Wall	21/02/25 16:02	93.41	93.41% @ 9.6° C
1224893	Fort Wall	21/02/25 15:02	93.42	93.42% @ 9.6° C
1224893	Fort Wall	21/02/25 14:02	93.45	93.45% @ 9.5° C
1224893	Fort Wall	21/02/25 13:02	93.41	93.41% @ 9.4° C
1224893	Fort Wall	21/02/25 12:02	93.32	93.32% @ 9.4° C
1224893	Fort Wall	21/02/25 11:02	93.32	93.32% @ 9.3° C
1224893	Fort Wall	21/02/25 10:02	93.25	93.25% @ 9.3° C
1224893	Fort Wall	21/02/25 09:02	93.21	93.21% @ 9.2° C
1224893	Fort Wall	21/02/25 08:02	93.09	93.09% @ 9.2° C
1224893	Fort Wall	21/02/25 07:02	92.98	92.98% @ 9.1° C
1224893	Fort Wall	21/02/25 06:02	92.97	92.97% @ 9.1° C
1224893	Fort Wall	21/02/25 05:02	92.84	92.84% @ 9.1° C
1224893	Fort Wall	21/02/25 04:02	92.77	92.77% @ 9.1° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	21/02/25 03:02	92.72	92.72% @ 9° C
1224893	Fort Wall	21/02/25 02:02	92.64	92.64% @ 9° C
1224893	Fort Wall	21/02/25 01:02	92.57	92.57% @ 9° C
1224893	Fort Wall	21/02/25 00:02	92.46	92.46% @ 9° C
1224893	Fort Wall	20/02/25 23:02	92.32	92.32% @ 9° C
1224893	Fort Wall	20/02/25 22:02	92.2	92.2% @ 8.9° C
1224893	Fort Wall	20/02/25 21:02	92	92% @ 8.9° C
1224893	Fort Wall	20/02/25 20:02	91.83	91.83% @ 8.9° C
1224893	Fort Wall	20/02/25 19:02	91.67	91.67% @ 8.8° C
1224893	Fort Wall	20/02/25 18:02	91.53	91.53% @ 8.8° C
1224893	Fort Wall	20/02/25 17:02	91.39	91.39% @ 8.7° C
1224893	Fort Wall	20/02/25 16:02	91.17	91.17% @ 8.7° C
1224893	Fort Wall	20/02/25 15:02	90.98	90.98% @ 8.6° C
1224893	Fort Wall	20/02/25 14:02	90.81	90.81% @ 8.6° C
1224893	Fort Wall	20/02/25 13:02	90.62	90.62% @ 8.5° C
1224893	Fort Wall	20/02/25 12:02	90.39	90.39% @ 8.4° C
1224893	Fort Wall	20/02/25 11:02	90.19	90.19% @ 8.4° C
1224893	Fort Wall	20/02/25 10:02	89.91	89.91% @ 8.3° C
1224893	Fort Wall	20/02/25 09:02	89.65	89.65% @ 8.2° C
1224893	Fort Wall	20/02/25 08:02	89.37	89.37% @ 8.2° C
1224893	Fort Wall	20/02/25 07:02	89.09	89.09% @ 8.1° C
1224893	Fort Wall	20/02/25 06:02	88.79	88.79% @ 8.1° C
1224893	Fort Wall	20/02/25 05:02	88.38	88.38% @ 8.1° C
1224893	Fort Wall	20/02/25 04:02	88.08	88.08% @ 8° C
1224893	Fort Wall	20/02/25 03:02	87.65	87.65% @ 8° C
1224893	Fort Wall	20/02/25 02:02	87.17	87.17% @ 7.9° C
1224893	Fort Wall	20/02/25 01:02	86.7	86.7% @ 7.9° C
1224893	Fort Wall	20/02/25 00:02	86.12	86.12% @ 7.8° C
1224893	Fort Wall	19/02/25 23:02	85.63	85.63% @ 7.8° C
1224893	Fort Wall	19/02/25 22:02	85.35	85.35% @ 7.8° C
1224893	Fort Wall	19/02/25 21:02	85.19	85.19% @ 7.7° C
1224893	Fort Wall	19/02/25 20:02	84.94	84.94% @ 7.7° C
1224893	Fort Wall	19/02/25 19:02	84.64	84.64% @ 7.7° C
1224893	Fort Wall	19/02/25 18:02	84.31	84.31% @ 7.7° C
1224893	Fort Wall	19/02/25 17:02	83.87	83.87% @ 7.7° C
1224893	Fort Wall	19/02/25 16:02	83.41	83.41% @ 7.7° C
1224893	Fort Wall	19/02/25 15:02	83.04	83.04% @ 7.6° C
1224893	Fort Wall	19/02/25 14:02	82.57	82.57% @ 7.5° C
1224893	Fort Wall	19/02/25 13:02	82.27	82.27% @ 7.4° C
1224893	Fort Wall	19/02/25 12:02	81.82	81.82% @ 7.3° C
1224893	Fort Wall	19/02/25 11:02	81.37	81.37% @ 7.1° C
1224893	Fort Wall	19/02/25 10:02	80.97	80.97% @ 7° C
1224893	Fort Wall	19/02/25 09:02	80.67	80.67% @ 6.9° C
1224893	Fort Wall	19/02/25 08:02	80.33	80.33% @ 6.9° C
1224893	Fort Wall	19/02/25 07:02	80.33	80.33% @ 6.9° C
1224893	Fort Wall	19/02/25 06:02	80.33	80.33% @ 7° C
1224893	Fort Wall	19/02/25 05:02	80.41	80.41% @ 7° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	19/02/25 04:02	80.69	80.69% @ 7° C
1224893	Fort Wall	19/02/25 03:02	80.82	80.82% @ 7.1° C
1224893	Fort Wall	19/02/25 02:02	80.95	80.95% @ 7.1° C
1224893	Fort Wall	19/02/25 01:02	81.2	81.2% @ 7.2° C
1224893	Fort Wall	19/02/25 00:02	81.4	81.4% @ 7.2° C
1224893	Fort Wall	18/02/25 23:02	81.57	81.57% @ 7.2° C
1224893	Fort Wall	18/02/25 22:02	81.77	81.77% @ 7.2° C
1224893	Fort Wall	18/02/25 21:02	82.16	82.16% @ 7.3° C
1224893	Fort Wall	18/02/25 20:02	82.36	82.36% @ 7.3° C
1224893	Fort Wall	18/02/25 19:02	82.66	82.66% @ 7.4° C
1224893	Fort Wall	18/02/25 18:02	82.85	82.85% @ 7.4° C
1224893	Fort Wall	18/02/25 17:02	82.83	82.83% @ 7.4° C
1224893	Fort Wall	18/02/25 16:02	82.67	82.67% @ 7.4° C
1224893	Fort Wall	18/02/25 15:02	82.19	82.19% @ 7.3° C
1224893	Fort Wall	18/02/25 14:02	81.81	81.81% @ 7.3° C
1224893	Fort Wall	18/02/25 13:02	81.36	81.36% @ 7.2° C
1224893	Fort Wall	18/02/25 12:02	80.98	80.98% @ 7° C
1224893	Fort Wall	18/02/25 11:02	80.47	80.47% @ 6.9° C
1224893	Fort Wall	18/02/25 10:02	80	80% @ 6.8° C
1224893	Fort Wall	18/02/25 09:02	79.43	79.43% @ 6.7° C
1224893	Fort Wall	18/02/25 08:02	79.33	79.33% @ 6.7° C
1224893	Fort Wall	18/02/25 07:02	79.09	79.09% @ 6.7° C
1224893	Fort Wall	18/02/25 06:02	79.06	79.06% @ 6.7° C
1224893	Fort Wall	18/02/25 05:02	79.02	79.02% @ 6.8° C
1224893	Fort Wall	18/02/25 04:02	79.09	79.09% @ 6.8° C
1224893	Fort Wall	18/02/25 03:02	79.18	79.18% @ 6.9° C
1224893	Fort Wall	18/02/25 02:02	79.29	79.29% @ 6.9° C
1224893	Fort Wall	18/02/25 01:02	79.6	79.6% @ 7° C
1224893	Fort Wall	18/02/25 00:02	79.92	79.92% @ 7° C
1224893	Fort Wall	17/02/25 23:02	80.22	80.22% @ 7° C
1224893	Fort Wall	17/02/25 22:02	80.63	80.63% @ 7.1° C
1224893	Fort Wall	17/02/25 21:02	80.81	80.81% @ 7.1° C
1224893	Fort Wall	17/02/25 20:02	80.91	80.91% @ 7.2° C
1224893	Fort Wall	17/02/25 19:02	81.41	81.41% @ 7.3° C
1224893	Fort Wall	17/02/25 18:02	81.78	81.78% @ 7.3° C
1224893	Fort Wall	17/02/25 17:02	81.79	81.79% @ 7.3° C
1224893	Fort Wall	17/02/25 16:02	81.69	81.69% @ 7.4° C
1224893	Fort Wall	17/02/25 15:02	81.51	81.51% @ 7.3° C
1224893	Fort Wall	17/02/25 14:02	81.27	81.27% @ 7.3° C
1224893	Fort Wall	17/02/25 13:02	80.96	80.96% @ 7.1° C
1224893	Fort Wall	17/02/25 12:02	80.56	80.56% @ 7° C
1224893	Fort Wall	17/02/25 11:02	80.15	80.15% @ 6.9° C
1224893	Fort Wall	17/02/25 10:02	79.76	79.76% @ 6.7° C
1224893	Fort Wall	17/02/25 09:02	79.38	79.38% @ 6.6° C
1224893	Fort Wall	17/02/25 08:02	79.36	79.36% @ 6.6° C
1224893	Fort Wall	17/02/25 07:02	79.47	79.47% @ 6.7° C
1224893	Fort Wall	17/02/25 06:02	79.48	79.48% @ 6.7° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	17/02/25 05:02	79.43	79.43% @ 6.8° C
1224893	Fort Wall	17/02/25 04:02	79.51	79.51% @ 6.9° C
1224893	Fort Wall	17/02/25 03:02	79.6	79.6% @ 6.9° C
1224893	Fort Wall	17/02/25 02:02	79.63	79.63% @ 6.9° C
1224893	Fort Wall	17/02/25 01:02	79.89	79.89% @ 7° C
1224893	Fort Wall	17/02/25 00:02	80.19	80.19% @ 7° C
1224893	Fort Wall	16/02/25 23:02	80.58	80.58% @ 7.1° C
1224893	Fort Wall	16/02/25 22:02	81.08	81.08% @ 7.2° C
1224893	Fort Wall	16/02/25 21:02	81.68	81.68% @ 7.2° C
1224893	Fort Wall	16/02/25 20:02	81.98	81.98% @ 7.2° C
1224893	Fort Wall	16/02/25 19:02	82	82% @ 7.3° C
1224893	Fort Wall	16/02/25 18:02	81.98	81.98% @ 7.3° C
1224893	Fort Wall	16/02/25 17:02	82.05	82.05% @ 7.3° C
1224893	Fort Wall	16/02/25 16:02	82.1	82.1% @ 7.3° C
1224893	Fort Wall	16/02/25 15:02	81.99	81.99% @ 7.3° C
1224893	Fort Wall	16/02/25 14:02	81.97	81.97% @ 7.3° C
1224893	Fort Wall	16/02/25 13:02	81.82	81.82% @ 7.2° C
1224893	Fort Wall	16/02/25 12:02	81.75	81.75% @ 7.2° C
1224893	Fort Wall	16/02/25 11:02	81.75	81.75% @ 7.1° C
1224893	Fort Wall	16/02/25 10:02	81.78	81.78% @ 7.1° C
1224893	Fort Wall	16/02/25 09:02	81.97	81.97% @ 7.1° C
1224893	Fort Wall	16/02/25 08:02	82.2	82.2% @ 7.1° C
1224893	Fort Wall	16/02/25 07:02	82.4	82.4% @ 7.1° C
1224893	Fort Wall	16/02/25 06:02	82.43	82.43% @ 7.1° C
1224893	Fort Wall	16/02/25 05:02	82.52	82.52% @ 7.2° C
1224893	Fort Wall	16/02/25 04:02	82.65	82.65% @ 7.2° C
1224893	Fort Wall	16/02/25 03:02	82.6	82.6% @ 7.2° C
1224893	Fort Wall	16/02/25 02:02	82.52	82.52% @ 7.2° C
1224893	Fort Wall	16/02/25 01:02	82.34	82.34% @ 7.2° C
1224893	Fort Wall	16/02/25 00:02	82.31	82.31% @ 7.2° C
1224893	Fort Wall	15/02/25 23:02	82.23	82.23% @ 7.2° C
1224893	Fort Wall	15/02/25 22:02	82.14	82.14% @ 7.3° C
1224893	Fort Wall	15/02/25 21:02	82.18	82.18% @ 7.3° C
1224893	Fort Wall	15/02/25 20:02	82.42	82.42% @ 7.3° C
1224893	Fort Wall	15/02/25 19:02	82.49	82.49% @ 7.3° C
1224893	Fort Wall	15/02/25 18:02	82.45	82.45% @ 7.4° C
1224893	Fort Wall	15/02/25 17:02	82.44	82.44% @ 7.4° C
1224893	Fort Wall	15/02/25 16:02	82.44	82.44% @ 7.4° C
1224893	Fort Wall	15/02/25 15:02	82.29	82.29% @ 7.4° C
1224893	Fort Wall	15/02/25 14:02	82.1	82.1% @ 7.4° C
1224893	Fort Wall	15/02/25 13:02	81.94	81.94% @ 7.3° C
1224893	Fort Wall	15/02/25 12:02	81.8	81.8% @ 7.3° C
1224893	Fort Wall	15/02/25 11:02	81.69	81.69% @ 7.2° C
1224893	Fort Wall	15/02/25 10:02	81.49	81.49% @ 7.1° C
1224893	Fort Wall	15/02/25 09:02	81.25	81.25% @ 7.1° C
1224893	Fort Wall	15/02/25 08:02	81.2	81.2% @ 7.1° C
1224893	Fort Wall	15/02/25 07:02	81.23	81.23% @ 7.1° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	15/02/25 06:02	81.33	81.33% @ 7.1° C
1224893	Fort Wall	15/02/25 05:02	81.54	81.54% @ 7.2° C
1224893	Fort Wall	15/02/25 04:02	81.69	81.69% @ 7.2° C
1224893	Fort Wall	15/02/25 03:02	81.93	81.93% @ 7.3° C
1224893	Fort Wall	15/02/25 02:02	82.27	82.27% @ 7.3° C
1224893	Fort Wall	15/02/25 01:02	82.49	82.49% @ 7.3° C
1224893	Fort Wall	15/02/25 00:02	82.54	82.54% @ 7.4° C
1224893	Fort Wall	14/02/25 23:02	82.63	82.63% @ 7.4° C
1224893	Fort Wall	14/02/25 22:02	82.78	82.78% @ 7.4° C
1224893	Fort Wall	14/02/25 21:02	82.68	82.68% @ 7.5° C
1224893	Fort Wall	14/02/25 20:02	83	83% @ 7.6° C
1224893	Fort Wall	14/02/25 19:02	83.44	83.44% @ 7.7° C
1224893	Fort Wall	14/02/25 18:02	83.75	83.75% @ 7.7° C
1224893	Fort Wall	14/02/25 17:02	83.68	83.68% @ 7.8° C
1224893	Fort Wall	14/02/25 16:02	83.48	83.48% @ 7.8° C
1224893	Fort Wall	14/02/25 15:02	83.09	83.09% @ 7.8° C
1224893	Fort Wall	14/02/25 14:02	83.09	83.09% @ 7.7° C
1224893	Fort Wall	14/02/25 13:02	82.69	82.69% @ 7.6° C
1224893	Fort Wall	14/02/25 12:02	82.4	82.4% @ 7.5° C
1224893	Fort Wall	14/02/25 11:02	82.17	82.17% @ 7.3° C
1224893	Fort Wall	14/02/25 10:02	82.02	82.02% @ 7.3° C
1224893	Fort Wall	14/02/25 09:02	81.96	81.96% @ 7.2° C
1224893	Fort Wall	14/02/25 08:02	81.98	81.98% @ 7.2° C
1224893	Fort Wall	14/02/25 07:02	82.62	82.62% @ 7.4° C
1224893	Fort Wall	14/02/25 06:02	82.76	82.76% @ 7.4° C
1224893	Fort Wall	14/02/25 05:02	82.84	82.84% @ 7.5° C
1224893	Fort Wall	14/02/25 04:02	82.88	82.88% @ 7.5° C
1224893	Fort Wall	14/02/25 03:02	83.08	83.08% @ 7.5° C
1224893	Fort Wall	14/02/25 02:02	83.41	83.41% @ 7.6° C
1224893	Fort Wall	14/02/25 01:02	83.67	83.67% @ 7.6° C
1224893	Fort Wall	14/02/25 00:02	83.93	83.93% @ 7.6° C
1224893	Fort Wall	13/02/25 23:02	84.06	84.06% @ 7.7° C
1224893	Fort Wall	13/02/25 22:02	84.14	84.14% @ 7.7° C
1224893	Fort Wall	13/02/25 21:02	84.48	84.48% @ 7.7° C
1224893	Fort Wall	13/02/25 20:02	84.66	84.66% @ 7.7° C
1224893	Fort Wall	13/02/25 19:02	84.97	84.97% @ 7.8° C
1224893	Fort Wall	13/02/25 18:02	85.28	85.28% @ 7.8° C
1224893	Fort Wall	13/02/25 17:02	85.65	85.65% @ 7.9° C
1224893	Fort Wall	13/02/25 16:02	85.84	85.84% @ 7.9° C
1224893	Fort Wall	13/02/25 15:02	86.13	86.13% @ 7.9° C
1224893	Fort Wall	13/02/25 14:02	86.27	86.27% @ 7.9° C
1224893	Fort Wall	13/02/25 13:02	86.29	86.29% @ 7.9° C
1224893	Fort Wall	13/02/25 12:02	86.28	86.28% @ 7.9° C
1224893	Fort Wall	13/02/25 11:02	86.21	86.21% @ 7.9° C
1224893	Fort Wall	13/02/25 10:02	86.39	86.39% @ 7.8° C
1224893	Fort Wall	13/02/25 09:02	86.39	86.39% @ 7.8° C
1224893	Fort Wall	13/02/25 08:02	86.37	86.37% @ 7.8° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	13/02/25 07:02	86.36	86.36% @ 7.8° C
1224893	Fort Wall	13/02/25 06:02	86.48	86.48% @ 7.8° C
1224893	Fort Wall	13/02/25 05:02	86.6	86.6% @ 7.8° C
1224893	Fort Wall	13/02/25 04:02	86.75	86.75% @ 7.8° C
1224893	Fort Wall	13/02/25 03:02	86.95	86.95% @ 7.9° C
1224893	Fort Wall	13/02/25 02:02	87.23	87.23% @ 7.9° C
1224893	Fort Wall	13/02/25 01:02	87.41	87.41% @ 7.9° C
1224893	Fort Wall	13/02/25 00:02	87.59	87.59% @ 7.9° C
1224893	Fort Wall	12/02/25 23:02	87.69	87.69% @ 7.9° C
1224893	Fort Wall	12/02/25 22:02	87.76	87.76% @ 7.9° C
1224893	Fort Wall	12/02/25 21:02	87.9	87.9% @ 7.9° C
1224893	Fort Wall	12/02/25 20:02	87.99	87.99% @ 8° C
1224893	Fort Wall	12/02/25 19:02	88.16	88.16% @ 8° C
1224893	Fort Wall	12/02/25 18:02	88.22	88.22% @ 8° C
1224893	Fort Wall	12/02/25 17:02	88.29	88.29% @ 8.1° C
1224893	Fort Wall	12/02/25 16:02	88.43	88.43% @ 8.1° C
1224893	Fort Wall	12/02/25 15:02	88.39	88.39% @ 8.1° C
1224893	Fort Wall	12/02/25 14:02	88.19	88.19% @ 8° C
1224893	Fort Wall	12/02/25 13:02	87.87	87.87% @ 8° C
1224893	Fort Wall	12/02/25 12:02	87.51	87.51% @ 7.9° C
1224893	Fort Wall	12/02/25 11:02	87.16	87.16% @ 7.8° C
1224893	Fort Wall	12/02/25 10:02	86.73	86.73% @ 7.7° C
1224893	Fort Wall	12/02/25 09:02	87.12	87.12% @ 7.7° C
1224893	Fort Wall	12/02/25 08:02	87.05	87.05% @ 7.7° C
1224893	Fort Wall	12/02/25 07:02	87.02	87.02% @ 7.7° C
1224893	Fort Wall	12/02/25 06:02	87.08	87.08% @ 7.7° C
1224893	Fort Wall	12/02/25 05:02	87.1	87.1% @ 7.7° C
1224893	Fort Wall	12/02/25 04:02	87.08	87.08% @ 7.7° C
1224893	Fort Wall	12/02/25 03:02	87.08	87.08% @ 7.7° C
1224893	Fort Wall	12/02/25 02:02	86.98	86.98% @ 7.7° C
1224893	Fort Wall	12/02/25 01:02	86.93	86.93% @ 7.7° C
1224893	Fort Wall	12/02/25 00:02	86.91	86.91% @ 7.7° C
1224893	Fort Wall	11/02/25 23:02	86.97	86.97% @ 7.7° C
1224893	Fort Wall	11/02/25 22:02	87.09	87.09% @ 7.8° C
1224893	Fort Wall	11/02/25 21:02	87.25	87.25% @ 7.8° C
1224893	Fort Wall	11/02/25 20:02	87.42	87.42% @ 7.8° C
1224893	Fort Wall	11/02/25 19:02	87.46	87.46% @ 7.8° C
1224893	Fort Wall	11/02/25 18:02	87.48	87.48% @ 7.8° C
1224893	Fort Wall	11/02/25 17:02	87.54	87.54% @ 7.9° C
1224893	Fort Wall	11/02/25 16:02	87.56	87.56% @ 7.9° C
1224893	Fort Wall	11/02/25 15:02	87.5	87.5% @ 7.9° C
1224893	Fort Wall	11/02/25 14:02	87.43	87.43% @ 7.9° C
1224893	Fort Wall	11/02/25 13:02	87.43	87.43% @ 7.8° C
1224893	Fort Wall	11/02/25 12:02	87.35	87.35% @ 7.8° C
1224893	Fort Wall	11/02/25 11:02	87.22	87.22% @ 7.8° C
1224893	Fort Wall	11/02/25 10:02	87.28	87.28% @ 7.8° C
1224893	Fort Wall	11/02/25 09:02	87.12	87.12% @ 7.8° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	11/02/25 08:02	87.13	87.13% @ 7.7° C
1224893	Fort Wall	11/02/25 07:02	87.18	87.18% @ 7.7° C
1224893	Fort Wall	11/02/25 06:02	87.18	87.18% @ 7.8° C
1224893	Fort Wall	11/02/25 05:02	87.18	87.18% @ 7.8° C
1224893	Fort Wall	11/02/25 04:02	87.11	87.11% @ 7.8° C
1224893	Fort Wall	11/02/25 03:02	87.08	87.08% @ 7.8° C
1224893	Fort Wall	11/02/25 02:02	86.9	86.9% @ 7.8° C
1224893	Fort Wall	11/02/25 01:02	86.8	86.8% @ 7.8° C
1224893	Fort Wall	11/02/25 00:02	86.76	86.76% @ 7.8° C
1224893	Fort Wall	10/02/25 23:02	86.75	86.75% @ 7.8° C
1224893	Fort Wall	10/02/25 22:02	86.73	86.73% @ 7.8° C
1224893	Fort Wall	10/02/25 21:02	86.85	86.85% @ 7.8° C
1224893	Fort Wall	10/02/25 20:02	86.9	86.9% @ 7.8° C
1224893	Fort Wall	10/02/25 19:02	87.02	87.02% @ 7.9° C
1224893	Fort Wall	10/02/25 18:02	87.14	87.14% @ 7.9° C
1224893	Fort Wall	10/02/25 17:02	87.27	87.27% @ 7.9° C
1224893	Fort Wall	10/02/25 16:02	87.34	87.34% @ 8° C
1224893	Fort Wall	10/02/25 15:02	87.34	87.34% @ 8° C
1224893	Fort Wall	10/02/25 14:02	87.38	87.38% @ 8° C
1224893	Fort Wall	10/02/25 13:02	87.39	87.39% @ 8° C
1224893	Fort Wall	10/02/25 12:02	87.33	87.33% @ 8° C
1224893	Fort Wall	10/02/25 11:02	87.37	87.37% @ 8° C
1224893	Fort Wall	10/02/25 10:02	87.44	87.44% @ 8° C
1224893	Fort Wall	10/02/25 09:02	87.57	87.57% @ 8° C
1224893	Fort Wall	10/02/25 08:02	87.77	87.77% @ 8° C
1224893	Fort Wall	10/02/25 07:02	87.93	87.93% @ 8° C
1224893	Fort Wall	10/02/25 06:02	88.2	88.2% @ 8.1° C
1224893	Fort Wall	10/02/25 05:02	88.31	88.31% @ 8.1° C
1224893	Fort Wall	10/02/25 04:02	88.55	88.55% @ 8.1° C
1224893	Fort Wall	10/02/25 03:02	88.77	88.77% @ 8.1° C
1224893	Fort Wall	10/02/25 02:02	88.94	88.94% @ 8.1° C
1224893	Fort Wall	10/02/25 01:02	89.05	89.05% @ 8.2° C
1224893	Fort Wall	10/02/25 00:02	89.06	89.06% @ 8.2° C
1224893	Fort Wall	09/02/25 23:02	89.11	89.11% @ 8.2° C
1224893	Fort Wall	09/02/25 22:02	89.08	89.08% @ 8.2° C
1224893	Fort Wall	09/02/25 21:02	89.01	89.01% @ 8.2° C
1224893	Fort Wall	09/02/25 20:02	88.89	88.89% @ 8.2° C
1224893	Fort Wall	09/02/25 19:02	88.79	88.79% @ 8.1° C
1224893	Fort Wall	09/02/25 18:02	88.7	88.7% @ 8.1° C
1224893	Fort Wall	09/02/25 17:02	88.59	88.59% @ 8.2° C
1224893	Fort Wall	09/02/25 16:02	88.47	88.47% @ 8.1° C
1224893	Fort Wall	09/02/25 15:02	88.33	88.33% @ 8.1° C
1224893	Fort Wall	09/02/25 14:02	88.21	88.21% @ 8.1° C
1224893	Fort Wall	09/02/25 13:02	88.03	88.03% @ 8.1° C
1224893	Fort Wall	09/02/25 12:02	87.9	87.9% @ 8° C
1224893	Fort Wall	09/02/25 11:02	87.76	87.76% @ 8° C
1224893	Fort Wall	09/02/25 10:02	87.61	87.61% @ 8° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	09/02/25 09:02	87.51	87.51% @ 8° C
1224893	Fort Wall	09/02/25 08:02	87.4	87.4% @ 8° C
1224893	Fort Wall	09/02/25 07:02	87.24	87.24% @ 8° C
1224893	Fort Wall	09/02/25 06:02	87.04	87.04% @ 8° C
1224893	Fort Wall	09/02/25 05:02	86.73	86.73% @ 8° C
1224893	Fort Wall	09/02/25 04:02	86.48	86.48% @ 7.9° C
1224893	Fort Wall	09/02/25 03:02	86.24	86.24% @ 7.9° C
1224893	Fort Wall	09/02/25 02:02	85.97	85.97% @ 7.9° C
1224893	Fort Wall	09/02/25 01:02	85.81	85.81% @ 7.9° C
1224893	Fort Wall	09/02/25 00:02	86.09	86.09% @ 7.9° C
1224893	Fort Wall	08/02/25 23:02	86.43	86.43% @ 8° C
1224893	Fort Wall	08/02/25 22:02	86.75	86.75% @ 8.1° C
1224893	Fort Wall	08/02/25 21:02	87.14	87.14% @ 8.2° C
1224893	Fort Wall	08/02/25 20:02	87.44	87.44% @ 8.2° C
1224893	Fort Wall	08/02/25 19:02	87.79	87.79% @ 8.2° C
1224893	Fort Wall	08/02/25 18:02	88.13	88.13% @ 8.2° C
1224893	Fort Wall	08/02/25 17:02	88.39	88.39% @ 8.3° C
1224893	Fort Wall	08/02/25 16:02	88.54	88.54% @ 8.3° C
1224893	Fort Wall	08/02/25 15:02	88.57	88.57% @ 8.3° C
1224893	Fort Wall	08/02/25 14:02	88.55	88.55% @ 8.3° C
1224893	Fort Wall	08/02/25 13:02	88.27	88.27% @ 8.3° C
1224893	Fort Wall	08/02/25 12:02	87.84	87.84% @ 8.2° C
1224893	Fort Wall	08/02/25 11:02	87.55	87.55% @ 8.1° C
1224893	Fort Wall	08/02/25 10:02	87.41	87.41% @ 8.1° C
1224893	Fort Wall	08/02/25 09:02	87.23	87.23% @ 8.1° C
1224893	Fort Wall	08/02/25 08:02	87.04	87.04% @ 8.1° C
1224893	Fort Wall	08/02/25 07:02	86.9	86.9% @ 8.1° C
1224893	Fort Wall	08/02/25 06:02	86.81	86.81% @ 8.1° C
1224893	Fort Wall	08/02/25 05:02	86.68	86.68% @ 8.1° C
1224893	Fort Wall	08/02/25 04:02	86.55	86.55% @ 8.1° C
1224893	Fort Wall	08/02/25 03:02	86.42	86.42% @ 8.1° C
1224893	Fort Wall	08/02/25 02:02	86.28	86.28% @ 8.1° C
1224893	Fort Wall	08/02/25 01:02	86.26	86.26% @ 8.1° C
1224893	Fort Wall	08/02/25 00:02	86.17	86.17% @ 8.1° C
1224893	Fort Wall	07/02/25 23:02	86.08	86.08% @ 8.1° C
1224893	Fort Wall	07/02/25 22:02	86.01	86.01% @ 8.1° C
1224893	Fort Wall	07/02/25 21:02	85.99	85.99% @ 8.1° C
1224893	Fort Wall	07/02/25 20:02	85.91	85.91% @ 8.2° C
1224893	Fort Wall	07/02/25 19:02	85.97	85.97% @ 8.2° C
1224893	Fort Wall	07/02/25 18:02	85.89	85.89% @ 8.2° C
1224893	Fort Wall	07/02/25 17:02	85.81	85.81% @ 8.2° C
1224893	Fort Wall	07/02/25 16:02	85.75	85.75% @ 8.2° C
1224893	Fort Wall	07/02/25 15:02	85.75	85.75% @ 8.2° C
1224893	Fort Wall	07/02/25 14:02	85.8	85.8% @ 8.3° C
1224893	Fort Wall	07/02/25 13:02	85.99	85.99% @ 8.3° C
1224893	Fort Wall	07/02/25 12:02	86.08	86.08% @ 8.3° C
1224893	Fort Wall	07/02/25 11:02	86.12	86.12% @ 8.3° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	07/02/25 10:02	86.21	86.21% @ 8.3° C
1224893	Fort Wall	07/02/25 09:02	86.33	86.33% @ 8.3° C
1224893	Fort Wall	07/02/25 08:02	86.43	86.43% @ 8.4° C
1224893	Fort Wall	07/02/25 07:02	86.5	86.5% @ 8.4° C
1224893	Fort Wall	07/02/25 06:02	86.7	86.7% @ 8.4° C
1224893	Fort Wall	07/02/25 05:02	86.88	86.88% @ 8.5° C
1224893	Fort Wall	07/02/25 04:02	87.15	87.15% @ 8.5° C
1224893	Fort Wall	07/02/25 03:02	87.28	87.28% @ 8.5° C
1224893	Fort Wall	07/02/25 02:02	87.53	87.53% @ 8.5° C
1224893	Fort Wall	07/02/25 01:02	87.93	87.93% @ 8.5° C
1224893	Fort Wall	07/02/25 00:02	88.32	88.32% @ 8.6° C
1224893	Fort Wall	06/02/25 23:02	88.84	88.84% @ 8.6° C
1224893	Fort Wall	06/02/25 22:02	89.29	89.29% @ 8.6° C
1224893	Fort Wall	06/02/25 21:02	89.56	89.56% @ 8.6° C
1224893	Fort Wall	06/02/25 20:02	89.75	89.75% @ 8.6° C
1224893	Fort Wall	06/02/25 19:02	89.84	89.84% @ 8.7° C
1224893	Fort Wall	06/02/25 18:02	90.1	90.1% @ 8.7° C
1224893	Fort Wall	06/02/25 17:02	90.23	90.23% @ 8.7° C
1224893	Fort Wall	06/02/25 16:02	90.17	90.17% @ 8.7° C
1224893	Fort Wall	06/02/25 15:02	89.89	89.89% @ 8.7° C
1224893	Fort Wall	06/02/25 14:02	89.62	89.62% @ 8.7° C
1224893	Fort Wall	06/02/25 13:02	89.24	89.24% @ 8.6° C
1224893	Fort Wall	06/02/25 12:02	89	89% @ 8.6° C
1224893	Fort Wall	06/02/25 11:02	88.84	88.84% @ 8.5° C
1224893	Fort Wall	06/02/25 10:02	88.51	88.51% @ 8.4° C
1224893	Fort Wall	06/02/25 09:02	88.4	88.4% @ 8.4° C
1224893	Fort Wall	06/02/25 08:02	88.29	88.29% @ 8.3° C
1224893	Fort Wall	06/02/25 07:02	88.42	88.42% @ 8.3° C
1224893	Fort Wall	06/02/25 06:02	88.58	88.58% @ 8.4° C
1224893	Fort Wall	06/02/25 05:02	88.71	88.71% @ 8.4° C
1224893	Fort Wall	06/02/25 04:02	88.99	88.99% @ 8.5° C
1224893	Fort Wall	06/02/25 03:02	89.36	89.36% @ 8.5° C
1224893	Fort Wall	06/02/25 02:02	89.68	89.68% @ 8.5° C
1224893	Fort Wall	06/02/25 01:02	90.01	90.01% @ 8.6° C
1224893	Fort Wall	06/02/25 00:02	90.44	90.44% @ 8.7° C
1224893	Fort Wall	05/02/25 23:02	90.84	90.84% @ 8.7° C
1224893	Fort Wall	05/02/25 22:02	91.11	91.11% @ 8.8° C
1224893	Fort Wall	05/02/25 21:02	91.18	91.18% @ 8.8° C
1224893	Fort Wall	05/02/25 20:02	91.15	91.15% @ 8.8° C
1224893	Fort Wall	05/02/25 19:02	91.02	91.02% @ 8.8° C
1224893	Fort Wall	05/02/25 18:02	90.98	90.98% @ 8.9° C
1224893	Fort Wall	05/02/25 17:02	90.81	90.81% @ 8.9° C
1224893	Fort Wall	05/02/25 16:02	90.73	90.73% @ 8.9° C
1224893	Fort Wall	05/02/25 15:02	90.69	90.69% @ 8.9° C
1224893	Fort Wall	05/02/25 14:03	90.63	90.63% @ 8.8° C
1224893	Fort Wall	05/02/25 13:02	90.48	90.48% @ 8.7° C
1224893	Fort Wall	05/02/25 12:02	90.26	90.26% @ 8.6° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	05/02/25 11:02	89.67	89.67% @ 8.5° C
1224893	Fort Wall	05/02/25 10:02	89.13	89.13% @ 8.3° C
1224893	Fort Wall	05/02/25 09:02	89	89% @ 8.2° C
1224893	Fort Wall	05/02/25 08:02	89.36	89.36% @ 8.3° C
1224893	Fort Wall	05/02/25 07:02	89.83	89.83% @ 8.4° C
1224893	Fort Wall	05/02/25 06:02	90.39	90.39% @ 8.5° C
1224893	Fort Wall	05/02/25 05:02	90.93	90.93% @ 8.5° C
1224893	Fort Wall	05/02/25 04:02	91.47	91.47% @ 8.6° C
1224893	Fort Wall	05/02/25 03:02	91.86	91.86% @ 8.7° C
1224893	Fort Wall	05/02/25 02:02	92.17	92.17% @ 8.8° C
1224893	Fort Wall	05/02/25 01:02	92.17	92.17% @ 8.8° C
1224893	Fort Wall	05/02/25 00:02	92.12	92.12% @ 8.9° C
1224893	Fort Wall	04/02/25 23:02	92.05	92.05% @ 8.9° C
1224893	Fort Wall	04/02/25 22:02	91.9	91.9% @ 8.9° C
1224893	Fort Wall	04/02/25 21:02	91.71	91.71% @ 8.9° C
1224893	Fort Wall	04/02/25 20:02	91.52	91.52% @ 8.9° C
1224893	Fort Wall	04/02/25 19:02	91.4	91.4% @ 8.9° C
1224893	Fort Wall	04/02/25 18:02	91.23	91.23% @ 8.8° C
1224893	Fort Wall	04/02/25 17:02	91.13	91.13% @ 8.8° C
1224893	Fort Wall	04/02/25 16:02	91.1	91.1% @ 8.8° C
1224893	Fort Wall	04/02/25 15:02	91.06	91.06% @ 8.8° C
1224893	Fort Wall	04/02/25 14:02	91.01	91.01% @ 8.8° C
1224893	Fort Wall	04/02/25 13:02	90.97	90.97% @ 8.7° C
1224893	Fort Wall	04/02/25 12:02	90.96	90.96% @ 8.6° C
1224893	Fort Wall	04/02/25 11:02	90.96	90.96% @ 8.5° C
1224893	Fort Wall	04/02/25 10:02	90.93	90.93% @ 8.5° C
1224893	Fort Wall	04/02/25 09:02	90.96	90.96% @ 8.5° C
1224893	Fort Wall	04/02/25 08:02	90.87	90.87% @ 8.5° C
1224893	Fort Wall	04/02/25 07:02	90.81	90.81% @ 8.4° C
1224893	Fort Wall	04/02/25 06:02	90.65	90.65% @ 8.4° C
1224893	Fort Wall	04/02/25 05:02	90.56	90.56% @ 8.4° C
1224893	Fort Wall	04/02/25 04:02	90.44	90.44% @ 8.4° C
1224893	Fort Wall	04/02/25 03:02	90.28	90.28% @ 8.3° C
1224893	Fort Wall	04/02/25 02:02	90.15	90.15% @ 8.4° C
1224893	Fort Wall	04/02/25 01:02	90.01	90.01% @ 8.3° C
1224893	Fort Wall	04/02/25 00:02	89.74	89.74% @ 8.3° C
1224893	Fort Wall	03/02/25 23:02	89.44	89.44% @ 8.2° C
1224893	Fort Wall	03/02/25 22:02	89.12	89.12% @ 8.2° C
1224893	Fort Wall	03/02/25 21:02	88.79	88.79% @ 8.2° C
1224893	Fort Wall	03/02/25 20:02	88.46	88.46% @ 8.1° C
1224893	Fort Wall	03/02/25 19:02	88.2	88.2% @ 8.1° C
1224893	Fort Wall	03/02/25 18:02	87.96	87.96% @ 8.1° C
1224893	Fort Wall	03/02/25 17:02	87.74	87.74% @ 8.1° C
1224893	Fort Wall	03/02/25 16:02	87.42	87.42% @ 8.1° C
1224893	Fort Wall	03/02/25 15:02	87.1	87.1% @ 8° C
1224893	Fort Wall	03/02/25 14:02	86.73	86.73% @ 7.9° C
1224893	Fort Wall	03/02/25 13:02	86.27	86.27% @ 7.8° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	03/02/25 12:02	85.95	85.95% @ 7.6° C
1224893	Fort Wall	03/02/25 11:02	85.52	85.52% @ 7.5° C
1224893	Fort Wall	03/02/25 10:02	84.79	84.79% @ 7.3° C
1224893	Fort Wall	03/02/25 09:02	84.28	84.28% @ 7.2° C
1224893	Fort Wall	03/02/25 08:02	84.2	84.2% @ 7.2° C
1224893	Fort Wall	03/02/25 07:02	84.08	84.08% @ 7.2° C
1224893	Fort Wall	03/02/25 06:02	84.17	84.17% @ 7.2° C
1224893	Fort Wall	03/02/25 05:02	84.36	84.36% @ 7.3° C
1224893	Fort Wall	03/02/25 04:02	84.41	84.41% @ 7.3° C
1224893	Fort Wall	03/02/25 03:02	84.28	84.28% @ 7.3° C
1224893	Fort Wall	03/02/25 02:02	84.38	84.38% @ 7.4° C
1224893	Fort Wall	03/02/25 01:02	84.74	84.74% @ 7.5° C
1224893	Fort Wall	03/02/25 00:02	85	85% @ 7.5° C
1224893	Fort Wall	02/02/25 23:02	85.38	85.38% @ 7.6° C
1224893	Fort Wall	02/02/25 22:02	85.93	85.93% @ 7.6° C
1224893	Fort Wall	02/02/25 21:02	86.55	86.55% @ 7.8° C
1224893	Fort Wall	02/02/25 20:02	87.33	87.33% @ 7.9° C
1224893	Fort Wall	02/02/25 19:02	87.58	87.58% @ 8° C
1224893	Fort Wall	02/02/25 18:02	87.78	87.78% @ 8.1° C
1224893	Fort Wall	02/02/25 17:02	87.78	87.78% @ 8.1° C
1224893	Fort Wall	02/02/25 16:02	87.63	87.63% @ 8.1° C
1224893	Fort Wall	02/02/25 15:02	87.29	87.29% @ 8.1° C
1224893	Fort Wall	02/02/25 14:02	86.9	86.9% @ 8° C
1224893	Fort Wall	02/02/25 13:02	86.37	86.37% @ 7.9° C
1224893	Fort Wall	02/02/25 12:02	85.87	85.87% @ 7.8° C
1224893	Fort Wall	02/02/25 11:02	85.45	85.45% @ 7.6° C
1224893	Fort Wall	02/02/25 10:02	85.04	85.04% @ 7.5° C
1224893	Fort Wall	02/02/25 09:02	84.93	84.93% @ 7.4° C
1224893	Fort Wall	02/02/25 08:02	84.84	84.84% @ 7.4° C
1224893	Fort Wall	02/02/25 07:02	84.91	84.91% @ 7.5° C
1224893	Fort Wall	02/02/25 06:02	85.28	85.28% @ 7.5° C
1224893	Fort Wall	02/02/25 05:02	85.31	85.31% @ 7.6° C
1224893	Fort Wall	02/02/25 04:02	85.22	85.22% @ 7.6° C
1224893	Fort Wall	02/02/25 03:02	85.59	85.59% @ 7.7° C
1224893	Fort Wall	02/02/25 02:02	85.8	85.8% @ 7.8° C
1224893	Fort Wall	02/02/25 01:02	86.06	86.06% @ 7.8° C
1224893	Fort Wall	02/02/25 00:02	86.36	86.36% @ 7.9° C
1224893	Fort Wall	01/02/25 23:02	86.55	86.55% @ 7.9° C
1224893	Fort Wall	01/02/25 22:02	86.74	86.74% @ 7.9° C
1224893	Fort Wall	01/02/25 21:02	87.27	87.27% @ 8° C
1224893	Fort Wall	01/02/25 20:02	88.07	88.07% @ 8.1° C
1224893	Fort Wall	01/02/25 19:02	88.85	88.85% @ 8.2° C
1224893	Fort Wall	01/02/25 18:02	89.33	89.33% @ 8.3° C
1224893	Fort Wall	01/02/25 17:02	89.6	89.6% @ 8.4° C
1224893	Fort Wall	01/02/25 16:02	89.67	89.67% @ 8.5° C
1224893	Fort Wall	01/02/25 15:02	89.52	89.52% @ 8.5° C
1224893	Fort Wall	01/02/25 14:02	89.15	89.15% @ 8.4° C

SensorID	Sensor Name	Date and Time	RH %	Temp
1224893	Fort Wall	01/02/25 13:02	88.74	88.74% @ 8.3° C
1224893	Fort Wall	01/02/25 12:02	88.46	88.46% @ 8.2° C
1224893	Fort Wall	01/02/25 11:02	88.24	88.24% @ 8.1° C
1224893	Fort Wall	01/02/25 10:02	88.02	88.02% @ 8° C
1224893	Fort Wall	01/02/25 09:02	88.02	88.02% @ 8° C
1224893	Fort Wall	01/02/25 08:02	87.95	87.95% @ 8° C
1224893	Fort Wall	01/02/25 07:02	88	88% @ 8° C
1224893	Fort Wall	01/02/25 06:02	88.01	88.01% @ 8° C
1224893	Fort Wall	01/02/25 05:02	88.13	88.13% @ 8.1° C
1224893	Fort Wall	01/02/25 04:02	88.24	88.24% @ 8.1° C
1224893	Fort Wall	01/02/25 03:02	88.36	88.36% @ 8.1° C
1224893	Fort Wall	01/02/25 02:02	88.56	88.56% @ 8.1° C
1224893	Fort Wall	01/02/25 01:02	88.67	88.67% @ 8.1° C
1224893	Fort Wall	01/02/25 00:02	88.86	88.86% @ 8.2° C